

Subject index

- α synuclein** Presenile dementia syndromes: an update on taxonomy and diagnosis: *review*, **691**
- α -1 subunit gene** Japanese cases of familial hemiplegic migraine with cerebellar ataxia carrying a T666M mutation in the CACNA1A gene: *letter*, **676**
- α -methylacyl-coA racemase** A new defect of peroxisomal function involving pristanic acid: a case report, **396**
- α -synuclein** No male predominance in α -synuclein Parkinson's disease but the affected female fetus might be less viable: *letter*, **276**
- abscess**, Brain abscess formed in the cavum septi pellucidi: *Filler*, **411**
- aceruloplasminaemia**, A case of aceruloplasminaemia: abnormal serum ceruloplasmin protein without ferroxidase activity, **543**
- acquired brain injury**, Community based rehabilitation after severe traumatic brain injury: a randomised controlled trial, **193**
- acute headache**, Acute headache in the emergency department, **ii33**
- adult chronic hydrocephalus**, The value of temporary external lumbar CSF drainage in predicting the outcome of shunting on normal pressure hydrocephalus, **503**
- age at onset**, HLA-DR 15 is associated with female sex and younger age at diagnosis in multiple sclerosis, **184**
- agraphia**, Agraphia in Kanji after a contusional haemorrhage in the left temporo-occipital lobe: *letter*, **126**
- The Gerstmann syndrome in Alzheimer's disease, **403**
- albinism**, Abnormal visual projection in a human albino studied with functional magnetic resonance imaging and visual evoked potentials, **523**
- alien hand syndrome**, Isolated corpus callosal infarction secondary to pericallosal artery disease presenting as alien hand syndrome, **533**
- Alzheimer's disease**, A novel mutation (V89L) in the presenilin 1 gene in a family with early onset Alzheimer's disease and marked behavioural disturbances, **266**
- Cholinesterase inhibitor treatment alters the natural history of Alzheimer's disease, **310**
- Lipoprotein(a), apolipoprotein E genotype, and risk of Alzheimer's disease, **732**
- Patients with vascular dementia due to microvascular pathology have significant hippocampal neuronal loss, **747**
- Qualitative performance characteristics differentiate dementia with Lewy bodies and Alzheimer's disease, **602**
- The Gerstmann syndrome in Alzheimer's disease, **403**
- Transferrin C2 allele, haemochromatosis gene mutations, and risk for Alzheimer's disease: *letter*, **820**
- White matter change and stroke risk, **564**
- White matter damage in Alzheimer's disease assessed in vivo using diffusion tensor magnetic resonance imaging, **742**
- amnesia for childhood**, Amnesia for childhood in patients with unexplained neurological symptoms, **416**
- amygdala**, Experiential phenomenon on cortical stimulation: *letter*, **823**
- amygdalohippocampal complex**, Structural MRI of the brain in presumed carriers of genes for schizophrenia, their affected and unaffected siblings, **455**
- amyloid**, Presenile dementia syndromes: an update on taxonomy and diagnosis: *review*, **691**
- Protein aggregates and dementia: is there a common toxicity?: *review*, **152**
- amyotrophic lateral sclerosis**, Anticipation in familial amyotrophic lateral sclerosis with SOD1-G93S mutation: *letter*, **819**
- Outcome of ventilatory support for acute respiratory failure in motor neurone disease, **752**
- Use of intrathecal baclofen for treatment of spasticity in amyotrophic lateral sclerosis: *letter*, **275**
- aneurysm**, Gadolinium-enhanced magnetic resonance imaging demonstration of a mycotic aneurysm: *Filler*, **818**
- angiotensin converting enzyme**, Angiotensin converting enzyme insertion/deletion genotype is associated with leukoaraiosis in lacunar syndromes, **343**
- anterior cerebral artery**, Gait apraxia after bilateral supplementary motor area lesion, **77**
- anterior horn cell**, Superficial siderosis associated with anterior horn cell dysfunction: *letter*, **274**
- antibiotics**, Brain abscess formed in the cavum septi pellucidi: *Filler*, **411**
- anticardiolipin antibodies**, Anticardiolipin antibodies in patients with multiple sclerosis do not represent a subgroup of patients according to clinical, familial, and biological characteristics, **647**
- antiepileptic drugs**, A new antiepileptic drug, **426**
- Antiepileptic drugs: coprescription of proconvulsant drugs and oral contraceptives: a national study of antiepileptic drug prescribing practice, **114**
- Despair of repair, **1**
- Long term course of childhood epilepsy following relapse after antiepileptic drug withdrawal, **507**
- anti-gliadin antibodies**, Ataxia in the setting of complicated enteropathy: double jeopardy, **527**
- anti-GT1a IgG**, Anti-GT1a IgG in Guillain-Barré syndrome, **767**
- anti-Hu antibody**, A case of paraneoplastic syndrome accompanied by two types of cancer, **408**
- antipsychotic drugs**, A new antiepileptic drug, **426**
- antisaccade error rate**, A new antiepileptic drug, **426**
- apnoea**, Cheyne-Stokes respiration: *Filler*, **595**
- ApoE4**, Apolipoprotein E4 in the temporal variant of frontotemporal dementia: *letter*, **820**
- apolipoprotein E genotype**, Apolipoprotein E polymorphism in German patients with frontotemporal degeneration, **639**
- Lipoprotein(a), apolipoprotein E genotype, and risk of Alzheimer's disease, **732**
- apolipoprotein E**, Apolipoprotein E and neurocognitive outcome from coronary artery surgery: *letter*, **675**
- Longitudinal analysis of the effect of apolipoprotein E ϵ 4 and education on cognitive performance in elderly subjects: the PAQUID study, **794**
- apomorphine**, Apomorphine as an alternative to sildenafil in Parkinson's disease: *letter*, **681**
- aquaporin**, Aquaporin-4 expression is increased in oedematous human brain tumours, **262**
- arteriovenous fistula**, Myelopathy from intracranial dural arteriovenous fistula, **816**
- asomatognosia**, Separating depersonalisation and derealisation: the relevance of the "lesion method", **530**
- associative learning**, Fear conditioned changes of heart rate in patients with medial cerebellar lesions, **116**
- ataxia**, Ataxia in the setting of complicated enteropathy: double jeopardy, **527**
- atypical antipsychotic drugs**, Improved antisaccade performance with risperidone in schizophrenia, **449**
- atypical MRI**, Progressive myoclonic ataxia and JC virus encephalitis in an AIDS patient, **653**
- atypical parkinsonian syndromes**, Diagnosis and management of atypical parkinsonian syndromes, **110**
- atypical parkinsonism**, Movement disorders, **i1**
- aura**, Migraine: diagnosis and management, **ii10**
- autoimmune diseases**, Anticardiolipin antibodies in patients with multiple sclerosis do not represent a subgroup of patients according to clinical, familial, and biological characteristics, **647**
- autonomic dysfunction**, Heart rate dynamics in refractory and well controlled temporal lobe epilepsy, **26**
- autonomic nervous system**, Autonomic nervous system function in Huntington's disease, **726**
- Heart rate dynamics in refractory and well controlled temporal lobe epilepsy, **26**
- Organisation of the sympathetic skin response in spinal cord injury, **356**
- autonomic responses**, Fear conditioned changes of heart rate in patients with medial cerebellar lesions, **116**
- autosomal dominant**, The prevalence of "pure" autosomal dominant hereditary spastic paraparesis in the island of Ireland, **43**
- basal ganglia**, Evidence of thalamic disinhibition in patients with hemichorea: semiquantitative analysis using SPECT, **329**
- Neuropsychiatry of the basal ganglia: *review*, **12**
- behavioural disorders**, Behavioural disorders, Parkinson's disease and subthalamic stimulation, **701**
- Bell's palsy**, Peripheral facial palsy and dysfunction of the oropharynx, **391**
- Thixotropy of levator palpebrae as the cause of lagophthalmos after peripheral facial nerve palsy, **665**
- benefits and risks**, Benefits and risks of folic acid to the nervous system: *review*, **567**
- Bickerstaff's brain stem encephalitis**, Anti-GQ1b IgG antibody syndrome: clinical and immunological range: *letter*, **418**
- bioequivalence**, Improved antisaccade performance in schizophrenia with risperidone, **429**
- Black**, Incidence and case fatality rates of stroke subtypes in a multiethnic population: the South London Stroke Register, **211**
- blood pressure**, Blood pressure and risk of headache: a prospective study of 22 685 adults in Norway, **463**
- Dynamic cerebral autoregulation and beat to beat blood pressure control are impaired in acute ischaemic stroke, **467**
- botulinum toxin**, Improved antisaccade performance in schizophrenia with risperidone, **429**
- Respective potencies of Botox and Dysport: a double blind, randomised, crossover study in cervical dystonia, **459**

- brain ischaemia**, Gluten sensitivity as a neurological illness, **560**
- brain neoplasm**, Effect of brain tumour laterality on patients' perceived quality of life, **373**
- brain plasticity**, Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy, **511**
- brain stem**, B Cell lymphoma of the brain stem masquerading as myasthenia, **271**
- brainstem ischaemia**, Diffusion weighted magnetic resonance imaging in the diagnosis of reversible ischaemic deficits of the brainstem, **572**
- bulbar**, Outcome of ventilatory support for acute respiratory failure in motor neurone disease, **752**
- CADASIL**, Notch3 gene polymorphism and ischaemic cerebrovascular disease, **382**
- calcification**, Multiple cavernous haemangioma showing marked calcification on cranial radiography: *Filler*, **410**
- Campylobacter jejuni** Anti-GT1a IgG in Guillain-Barré syndrome, **767**
- carbamazepine**, Mexiletine is effective on segmental hyperhidrosis: report of two cases: *letter*, **122**
- cardiopulmonary bypass**, Apolipoprotein E and neurocognitive outcome from coronary artery surgery: *letter*, **675**
- cardiovascular disease**, Is cardiovascular disease a risk factor in the development of axonal polyneuropathy?, **590**
- carotid artery stenosis**, Cessation of embolic signals after antithrombotic prevention is related to reduced risk of recurrent arterioembolic transient ischaemic attack and stroke, **338**
- caudate nucleus**, Volumetric MRI study of the caudate nucleus in patients with dementia with Lewy bodies, Alzheimer's disease, and vascular dementia, **406**
- cavernous haemangioma**, Multiple cavernous haemangioma showing marked calcification on cranial radiography: *Filler*, **410**
- cavernous malformation**, Cervical subarachnoid floating cavernous malformation presenting with recurrent subarachnoid haemorrhage: *Filler*, **668**
- Surgical removal of brain stem cavernous malformations: surgical indications, technical considerations, and results, **351**
- cavum septi pellucidi**, Brain abscess formed in the cavum septi pellucidi: *Filler*, **411**
- central neurogenic hyperventilation**, B Cell lymphoma of the brain stem masquerading as myasthenia, **271**
- cerebellar ataxia**, Hashimoto's associated ataxia: *letter*, **277**
- Japanese cases of familial hemiplegic migraine with cerebellar ataxia carrying a T66M mutation in the CACNA1A gene: *letter*, **676**
- cerebellar**, Positional down beating nystagmus in 50 patients: cerebellar disorders and possible anterior semicircular canalithiasis, **366**
- cerebellum**, Fear conditioned changes of heart rate in patients with medial cerebellar lesions, **116**
- cerebral atrophy**, Patients with vascular dementia due to microvascular pathology have significant hippocampal neuronal loss, **747**
- cerebral blood flow velocity**, Continuous monitoring of cerebrovascular autoregulation: a validation study, **583**
- cerebral blood flow**, Evidence of thalamic disinhibition in patients with hemichorea: semiquantitative analysis using SPECT, **329**
- cerebral contusion**, Agraphia in Kanji after a contusional haemorrhage in the left temporo-occipital lobe: *letter*, **126**
- cerebral embolism**, Cessation of embolic signals after antithrombotic prevention is related to reduced risk of recurrent arterioembolic transient ischaemic attack and stroke, **338**
- cerebral ischaemia**, Increases in GABA concentrations during cerebral ischaemia: a microdialysis study of extracellular amino acids, **99**
- Outcome of patients with cryptogenic stroke and patent foramen ovale, **347**
- cerebral metabolism**, Immediate and delayed effects of risperidone on cerebral metabolism in neuroleptic naïve schizophrenic patients: correlations with symptom change, **106**
- cerebral metastasis**, Single cerebral metastasis 3 and 19 years after primary renal cell carcinoma: case report and review of the literature, **257**
- cerebral vasospasm**, Reversal of tissue hypoxia by a single intraventricular dose of sodium nitroprusside in a patient with severe medically refractory cerebral vasospasm after subarachnoid haemorrhage: *letter*, **123**
- cerebrospinal fluid drainage**, The value of temporary external lumbar CSF drainage in predicting the outcome of shunting on normal pressure hydrocephalus, **503**
- cerebrospinal fluid**, Expression of chemokines in the CSF and correlation with clinical disease activity in patients with multiple sclerosis, **498**
- cerebrovascular autoregulation**, Continuous monitoring of cerebrovascular autoregulation: a validation study, **583**
- Transcranial Doppler sonography during head up tilt suggests preserved central sympathetic activation in familial dysautonomia, **657**
- cerebrovascular disease**, Incidence and case fatality rates of stroke subtypes in a multiethnic population: the South London Stroke Register, **211**
- Long term effects of intensity of upper and lower limb training after stroke: a randomised trial, **473**
- Simultaneous onset of haemorrhagic and ischaemic strokes in a haemodialysis patient, **673**
- ceruloplasmin**, A case of aceruloplasminemia: abnormal serum ceruloplasmin protein without ferroxidase activity, **543**
- cervical dystonia**, Improved antisaccade performance in schizophrenia with risperidone, **429**
- Respective potencies of Botox and Dysport: a double blind, randomised, crossover study in cervical dystonia, **459**
- What are the determinants of quality of life in people with cervical dystonia?, **608**
- chemokine**, Expression of chemokines in the CSF and correlation with clinical disease activity in patients with multiple sclerosis, **498**
- Cheyne-Stokes respiration**, Cheyne-Stokes respiration: *Filler*, **595**
- Chiari malformations**, The Chiari malformations, **ii38**
- Chiari I malformation**, Misdiagnosis of amyotrophic lateral sclerosis in a patient with dysphagia due to Chiari I malformation: *Filler*, **270**
- chiasm**, Abnormal visual projection in a human albino studied with functional magnetic resonance imaging and visual evoked potentials, **523**
- children**, Post-traumatic epilepsy in children requiring inpatient rehabilitation following head injury, **669**
- cholinesterase inhibitors**, Cholinesterase inhibitor treatment alters the natural history of Alzheimer's disease, **310**
- chorea**, Odd and unusual movement disorders, **ii7**
- chronic daily headache**, Chronic daily headache, **ii2**
- chronic idiopathic axonal polyneuropathy**, Is cardiovascular disease a risk factor in the development of axonal polyneuropathy?, **590**
- chronic inflammatory demyelinating polyneuropathy**, Distribution patterns of demyelination correlate with clinical profiles in chronic inflammatory demyelinating polyneuropathy, **37**
- Successful autologous stem cell transplantation in a patient with chronic inflammatory demyelinating polyneuropathy: *letter*, **127**
- clinical evaluation**, Triangular backgrounds shift the bias of line bisection performance in hemispatial neglect, **68**
- cluster headache**, Trigeminal autonomic cephalgias, **ii19**
- coeliac disease**, Ataxia in the setting of complicated enteropathy: double jeopardy, **527**
- Is clinical neurology really so difficult?, **557**
- cognition**, Apolipoprotein E and neurocognitive outcome from coronary artery surgery: *letter*, **675**
- Evaluation of cognitive assessment and cognitive intervention for people with multiple sclerosis, **93**
- Genetic effects on human cognition: lessons from the study of mental retardation syndromes: *review*, **287**
- Longitudinal analysis of the effect of apolipoprotein E $\epsilon 4$ and education on cognitive performance in elderly subjects: the PAQUID study, **794**
- cognitive function tests**, A new antiepileptic drug, **426**
- cognitive functioning**, Psychosocial outcomes at three and nine months after good neurological recovery from aneurysmal subarachnoid haemorrhage: predictors and prognosis, **772**
- cognitive impairment**, Donepezil for cognitive impairment in Parkinson's disease: a randomised controlled study, **708**
- Quantitative MRI findings and cognitive impairment among community dwelling elderly subjects, **737**
- cognitive impairment**, Medial temporal lobe atrophy predicts Alzheimer's disease in patients with minor cognitive impairment, **491**
- community dwelling elderly subjects**, Quantitative MRI findings and cognitive impairment among community dwelling elderly subjects, **737**
- community rehabilitation**, Community based rehabilitation after severe traumatic brain injury: a randomised controlled trial, **193**
- complication**, Intrinsic spinal cord lesions complicating epidural anaesthesia and analgesia: report of three cases, **537**
- computed tomography**, Which CT features help predict outcome after head injury?, **188**
- conduction block**, Multifocal motor neuropathy: clinical and immunological features and response to IVIg in relation to the presence and degree of motor conduction block, **761**
- conflict of intentions**, Conflict of intentions or inner negativism?: *letter*, **681**
- contraceptive pill**, Antiepileptic drugs: coprescription of proconvulsant drugs and oral contraceptives: a national study of antiepileptic drug prescribing practice, **114**
- coronary artery bypass**, Apolipoprotein E and neurocognitive outcome from coronary artery surgery: *letter*, **675**
- corpus callosum**, Abnormalities of the corpus callosum in first episode, treatment naïve schizophrenia, **757**
- cortex**, Alteration of the cortical motor map in a patient with intractable focal seizures, **812**
- cortical plasticity**, An expanded cortical representation for hand movement after peripheral motor denervation, **203**

- cortical stimulation**, Experiential phenomenon on cortical stimulation: *letter*, 823
Experiential phenomenon on cortical stimulation: *letter*, 823
- corticobasal degeneration**, Diagnosis and management of atypical parkinsonian syndromes, i10
- corticosteroids**, B Cell lymphoma of the brain stem masquerading as myasthenia, 271
- craniotomy complication**, Postoperative pseudoaneurysm of the superficial temporal artery, 553
- Creutzfeldt-Jakob disease**, Creutzfeldt-Jakob disease 38 years after diagnostic use of human growth hormone, 792
Relevance of new psychotropic drugs for the neurologist, 281
- cross reactivity**, Anti-GT1a IgG in Guillain-Barré syndrome, 767
- CSF tap test**, The value of temporary external lumbar CSF drainage in predicting the outcome of shunting on normal pressure hydrocephalus, 503
- deep brain stimulation**, Concurrent excitatory and inhibitory effects of high frequency stimulation: an oculomotor study, 517
Deep brain stimulation of the centre median-parafascicular complex in patients with movement disorders, 546
Deep brain stimulation of the subthalamic nucleus: anatomical, neurophysiological, and outcome correlations with the effects of stimulation, 53
Impact of thalamic deep brain stimulation on disability and health-related quality of life in patients with essential tremor, 47
Neurophysiological modulation of the subthalamic nucleus by pallidal stimulation in Parkinson's disease, 325
Pallidal deep brain stimulation in patients with cervical dystonia and severe cervical dyskinesias with cervical myelopathy, 249
Surgery for movement disorders, i32
- dementia with Lewy bodies**, Qualitative performance characteristics differentiate dementia with Lewy bodies and Alzheimer's disease, 602
White matter change and stroke risk, 564
- dementia**,
Cholinesterase inhibitor treatment alters the natural history of Alzheimer's disease, 310
Orientation agnosia in pentagon copying: *letter*, 129
Patients with vascular dementia due to microvascular pathology have significant hippocampal neuronal loss, 747
Volumetric MRI study of the caudate nucleus in patients with dementia with Lewy bodies, Alzheimer's disease, and vascular dementia, 406
- demyelinating neuropathy**, Immunoabsorption inferior to plasma exchange in a patient with chronic inflammatory demyelinating polyradiculoneuropathy, 644
- demyelination**, Distribution patterns of demyelination correlate with clinical profiles in chronic inflammatory demyelinating polyneuropathy, 37
- depersonalisation**, Separating depersonalisation and derealisation: the relevance of the "lesion method", 530
- depression**, Rumination and executive function in depression: an experimental study, 400
- derealisation**, Separating depersonalisation and derealisation: the relevance of the "lesion method", 530
- dermatitis herpetiformis**, Dermatitis herpetiformis and neurological dysfunction, 259
- diagnosis**, White matter change and stroke risk, 564
- Diamond-Blackfan syndrome**, Multiple cerebral aneurysms and the Diamond-Blackfan syndrome: *letter*, 678
- diffusion tensor magnetic resonance imaging**, White matter damage in Alzheimer's disease assessed in vivo using diffusion tensor magnetic resonance imaging, 742
- diffusion weighted magnetic resonance imaging (DWI)**, Diffusion weighted magnetic resonance imaging in the diagnosis of reversible ischaemic deficits of the brainstem, 572
- direct electrical stimulation**, Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy, 511
- disability**, Clinimetric evaluation of a new overall disability scale in immune mediated polyneuropathies, 596
Community based rehabilitation after severe traumatic brain injury: a randomised controlled trial, 193
- disease register**, Incidence and case fatality rates of stroke subtypes in a multiethnic population: the South London Stroke Register, 211
- dizziness**, Magnetic resonance brain imaging in people with dizziness: a comparison with non-dizzy people, 587
- donepezil**, Donepezil for cognitive impairment in Parkinson's disease: a randomised controlled study, 708
- dopa responsive dystonia**, Phenocopies in a large GCH1 mutation positive family with dopa responsive dystonia: confusing the picture?, 801
- dopamine agonists**, Medical management of Parkinson's disease, i22
- double cancer**, A case of paraneoplastic syndrome accompanied by two types of cancer, 408
- down beat nystagmus**, Positional down beating nystagmus in 50 patients: cerebellar disorders and possible anterior semicircular canalithiasis, 366
- drug interactions**, Antiepileptic drugs: coprescription of proconvulsant drugs and oral contraceptives: a national study of antiepileptic drug prescribing practice, 114
- drug withdrawal**, Discontinuing antiepileptic drugs in patients who are seizure free on monotherapy, 22
- dyskinesias**, Dystonia in multiple system atrophy, 300
- dysphagia**, Swallowing and voice effects of Lee Silverman Voice Treatment (LSVT®): a pilot study, 31
- Dysport**, Improved antisaccade performance in schizophrenia with risperidone, 429
- dystonia**, Dystonia in multiple system atrophy, 300
Odd and unusual movement disorders, i17
- early Parkinson's disease**, Medical management of Parkinson's disease, i22
- early rehabilitation**, Aneurysmal subarachnoid haemorrhage: outcomes of early rehabilitation after surgical repair of ruptured intracranial aneurysms, 334
- education**, Longitudinal analysis of the effect of apolipoprotein E ϵ 4 and education on cognitive performance in elderly subjects: the PAQUID study, 794
- elderly patients**, Antiepileptic drugs: coprescription of proconvulsant drugs and oral contraceptives: a national study of antiepileptic drug prescribing practice, 114
- electrophysiological monitoring**, Use of neuronavigation and electrophysiology in surgery of subcortically located lesions in the sensorimotor strip, 378
- embolisation**, Endovascular management of unruptured intracranial aneurysms: does outcome justify treatment?, 485
- end stage renal disease**, Simultaneous onset of haemorrhagic and ischaemic strokes in a haemodialysis patient, 673
- enteropathy associated T cell lymphoma**, Ataxia in the setting of complicated enteropathy: double jeopardy, 527
- epidemiology**, Possible underascertainment of variant Creutzfeldt-Jakob disease: a systematic study, 304
- epidural**, Intrinsic spinal cord lesions complicating epidural anaesthesia and analgesia: report of three cases, 537
- epilepsy**, Discontinuing antiepileptic drugs in patients who are seizure free on monotherapy, 22
Heart rate dynamics in refractory and well controlled temporal lobe epilepsy, 26
Long term course of childhood epilepsy following relapse after antiepileptic drug withdrawal, 507
Post-traumatic epilepsy in children requiring inpatient rehabilitation following head injury, 669
- equivalence**, Respective potencies of Botox and Dysport: a double blind, randomised, crossover study in cervical dystonia, 459
- erectile dysfunction**, Apomorphine as an alternative to sildenafil in Parkinson's disease: *letter*, 681
- essential tremor**, Impact of thalamic deep brain stimulation on disability and health-related quality of life in patients with essential tremor, 47
The management of tremor, i3
- ethnic groups**, Incidence and case fatality rates of stroke subtypes in a multiethnic population: the South London Stroke Register, 211
- executive functions**, Executive dysfunction in subcortical ischaemic vascular disease, 217
Rumination and executive function in depression: an experimental study, 400
- experiential phenomena**, Experiential phenomenon on cortical stimulation: *letter*, 823
- eye movements**, Improved antisaccade performance with risperidone in schizophrenia, 449
Ocular motor myotonic phenomenon in myotonic dystrophy, 236
Simultanagnosia in posterior cortical atrophy: *Filler*, 269
- facial nerve palsy**, Thixotropy of levator palpebrae as the cause of lagophthalmos after peripheral facial nerve palsy, 665
- facial pain**, Facial pain: neurological and non-neurological, ii27
- falls**, Incidence and prediction of falls in Parkinson's disease: a prospective multidisciplinary study, 721
- familial dysautonomia**, Transcranial Doppler sonography during head up tilt suggests preserved central sympathetic activation in familial dysautonomia, 657
- familial hemiplegic migraine**, Japanese cases of familial hemiplegic migraine with cerebellar ataxia carrying a T666M mutation in the CACNA1A gene: *letter*, 676
- fatigue**, Changes in gait and fatigue from morning to afternoon in people with multiple sclerosis, 361
Efficacy and safety of modafinil (Provigil®) for the treatment of fatigue in multiple sclerosis: a two centre phase 2 study, 179
The "new" mitochondrial disorders, 144
- fear conditioning**, Fear conditioned changes of heart rate in patients with medial cerebellar lesions, 116
- ferroxidase activity**, A case of aceruloplasminaemia: abnormal serum ceruloplasmin protein without ferroxidase activity, 543
- finger agnosia**, The Gerstmann syndrome in Alzheimer's disease, 403
- fluctuating cognition**, White matter change and stroke risk, 564
- folic acid**, Benefits and risks of folic acid to the nervous system: *review*, 567

- follow up**, Blood pressure and risk of headache: a prospective study of 22 685 adults in Norway, **463**
- footdrop**, Footdrop after peroneal nerve lesion: *Filler*, **42**
- foramen ovale**, Outcome of patients with cryptogenic stroke and patent foramen ovale, **347**
- frontal lobe**, Gait apraxia after bilateral supplementary motor area lesion, **77**
- frontotemporal degeneration**, Apolipoprotein E polymorphism in German patients with frontotemporal degeneration, **639**
- frontotemporal dementia**, Apolipoprotein E4 in the temporal variant of frontotemporal dementia: *letter*, **820**
- functional and cognitive outcome**, Aneurysmal subarachnoid haemorrhage: outcomes of early rehabilitation after surgical repair of ruptured intracranial aneurysms, **334**
- functional localisation**, Localisation of the sensorimotor cortex during surgery for brain tumours: feasibility and waveform patterns of somatosensory evoked potentials, **221**
- functional magnetic resonance imaging**, An expanded cortical representation for hand movement after peripheral motor denervation, **203**
- Functional brain mapping of psychopathology: *review*, **432**
- functional mapping**, Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy, **511**
- functional neurosurgery**, Deep brain stimulation of the centre median-parafascicular complex in patients with movement disorders, **546**
- GABA**, Increases in GABA concentrations during cerebral ischaemia: a microdialysis study of extracellular amino acids, **99**
- gait apraxia**, Gait apraxia after bilateral supplementary motor area lesion, **77**
- gait**, Changes in gait and fatigue from morning to afternoon in people with multiple sclerosis, **361**
- gangliosides**, Multifocal motor neuropathy: clinical and immunological features and response to IVIg in relation to the presence and degree of motor conduction block, **761**
- gene**, Genetic effects on human cognition: lessons from the study of mental retardation syndromes: *review*, **287**
- genetics**, Angiotensin converting enzyme insertion/deletion genotype is associated with leukoaraiosis in lacunar syndromes, **343**
- Can we afford to develop treatments for dementia?, **685**
- genotype**, Notch3 gene polymorphism and ischaemic cerebrovascular disease, **382**
- Gerstmann's syndrome**, The Gerstmann syndrome in Alzheimer's disease, **403**
- globus pallidus**, Neurophysiological modulation of the subthalamic nucleus by pallidal stimulation in Parkinson's disease, **325**
- glutamate**, Increases in GABA concentrations during cerebral ischaemia: a microdialysis study of extracellular amino acids, **99**
- gluten sensitivity**, Is clinical neurology really so difficult?, **557**
- GTP cyclohydrolase I gene**, Phenocopies in a large GCH1 mutation positive family with dopa responsive dystonia: confusing the picture?, **801**
- guidelines**, US guidelines on neuroimaging in patients with non-acute headache: a commentary, **ii16**
- Guillain-Barré syndrome**, Acute small fibre sensory neuropathy: another variant of Guillain-Barré syndrome?, **540**
- Anti-GQ1b IgG antibody syndrome: clinical and immunological range: *letter*, **418**
- Anti-GT1a IgG in Guillain-Barré syndrome, **767**
- T cell recognition of a non-protein antigen preparation of *Campylobacter jejuni* in patients with Guillain-Barré syndrome, **413**
- haemodynamic infarction**, Simultaneous onset of haemorrhagic and ischaemic strokes in a haemodialysis patient, **673**
- handwriting movement size**, Adaptation of handwriting size under distorted visual feedback in patients with Parkinson's disease and elderly and young controls, **315**
- Hashimoto's autoimmune thyroiditis**, Hashimoto's associated ataxia: *letter*, **277**
- head injury**, Post-traumatic epilepsy in children requiring inpatient rehabilitation following head injury, **669**
- Which CT features help predict outcome after head injury?, **188**
- headache**, Blood pressure and risk of headache: a prospective study of 22 685 adults in Norway, **463**
- Headache, **ii1**
- Intensity of rehabilitation: some answers and more questions?, **430**
- health economics**, Intravenous immunoglobulin in neurological disease: a specialist review: *review*, **440**
- health related quality of life**, Impact of thalamic deep brain stimulation on disability and health-related quality of life in patients with essential tremor, **47**
- health status**, Health related quality of life in Parkinson's disease: a systematic review of disease specific instruments, **241**
- heart rate variability**, Autonomic nervous system function in Huntington's disease, **726**
- heart rate**, Heart rate dynamics in refractory and well controlled temporal lobe epilepsy, **26**
- hemichorea**, Evidence of thalamic disinhibition in patients with hemichorea: semiquantitative analysis using SPECT, **329**
- hemicrania continua**, Trigeminal autonomic cephalgias, **ii19**
- hemidystonia**, The natural history and treatment of acquired hemidystonia: report of 33 cases and review of the literature, **59**
- hemochromatosis**, Transferrin C2 allele, haemochromatosis gene mutations, and risk for Alzheimer's disease: *letter*, **820**
- high frequency stimulation**, Behavioural disorders, Parkinson's disease and subthalamic stimulation, **701**
- HLA-DR15**, HLA-DR 15 is associated with female sex and younger age at diagnosis in multiple sclerosis, **184**
- HMSN1a**, Immunological study of hereditary motor and sensory neuropathy type 1a (HMSN1a), **230**
- Holmes' tremor syndrome**, The management of tremor, **i3**
- human growth hormone**, Creutzfeldt-Jakob disease 38 years after diagnostic use of human growth hormone, **792**
- human T cell leukaemia virus type I (HTLV-I)**, Human T cell leukaemia virus type I associated neuromuscular disease causing respiratory failure, **650**
- Huntington's disease**, Autonomic nervous system function in Huntington's disease, **726**
- Mind and movement: the neuropsychiatry of movement disorders, **i28**
- hydrocephalus**, Changes in third ventricular size with neuroendoscopic third ventriculostomy: a blinded study, **385**
- hypertension**, Behavioural disorders, Parkinson's disease, and subthalamic stimulation, **689**
- Intensity of rehabilitation: some answers and more questions?, **430**
- hypothalamus**, Serum leptin level in women with idiopathic intracranial hypertension, **642**
- iatrogenic disease**, Creutzfeldt-Jakob disease 38 years after diagnostic use of human growth hormone, **792**
- idiopathic Parkinson's disease**, Diagnosis and management of atypical parkinsonian syndromes, **i10**
- idiopathic**, Serum leptin level in women with idiopathic intracranial hypertension, **642**
- imaging headache**, US guidelines on neuroimaging in patients with non-acute headache: a commentary, **ii16**
- immune mediated polyneuropathy**, Clinimetric evaluation of a new overall disability scale in immune mediated polyneuropathies, **596**
- immune**, Immunological study of hereditary motor and sensory neuropathy type 1a (HMSN1a), **230**
- immunoabsorption**, Immunoabsorption inferior to plasma exchange in a patient with chronic inflammatory demyelinating polyradiculoneuropathy, **644**
- immunocytochemistry**, Possible underascertainment of variant Creutzfeldt-Jakob disease: a systematic study, **304**
- immunological**, Anti-GQ1b IgG antibody syndrome: clinical and immunological range: *letter*, **418**
- incidence**, Incidence and case fatality rates of stroke subtypes in a multiethnic population: the South London Stroke Register, **211**
- incubation period**, Creutzfeldt-Jakob disease 38 years after diagnostic use of human growth hormone, **792**
- inner negativism**, Conflict of intentions or inner negativism?: *letter*, **681**
- insertional mutation**, Rapidly progressive dementia syndrome associated with a novel four extra repeat mutation in the prion protein gene, **788**
- intensity**, Long term effects of intensity of upper and lower limb training after stroke: a randomised trial, **473**
- interferon β** , Interferon β -1a treatment of corticosteroid sensitive polymyositis: *letter*, **676**
- Rhabdomyolysis during interferon- β 1a treatment: *letter*, **274**
- intracranial aneurysm**, Clipping of cerebral aneurysm under hypothermic cardiac arrest and simultaneous coronary artery bypass grafting: case report, **394**
- Endovascular management of unruptured intracranial aneurysms: does outcome justify treatment?, **485**
- intracranial haemorrhage**, Which CT features help predict outcome after head injury?, **188**
- intracranial hypertension**, Serum leptin level in women with idiopathic intracranial hypertension, **642**
- intradural extramedullary location**, Cervical subarachnoid floating cavernous malformation presenting with recurrent subarachnoid haemorrhage: *Filler*, **668**
- intrathecal baclofen**, Use of intrathecal baclofen for treatment of spasticity in amyotrophic lateral sclerosis: *letter*, **275**
- intravenous immunoglobulin**, Intravenous immunoglobulin in neurological disease: a specialist review: *review*, **440**
- Multifocal motor neuropathy: clinical and immunological features and response to IVIg in relation to the presence and degree of motor conduction block, **761**
- intrusions**, Qualitative performance characteristics differentiate dementia with Lewy bodies and Alzheimer's disease, **602**
- iron**, Transferrin C2 allele, haemochromatosis gene mutations, and risk for Alzheimer's disease: *letter*, **820**

- Kanji**, Agraphia in Kanji after a contusional haemorrhage in the left temporo-occipital lobe: *letter*, 126
- Keppra™**, A new antiepileptic drug, 426
- Krabbe's disease**, Familial adult onset of Krabbe's disease resembling hereditary spastic paraplegia with normal neuroimaging, 635
- lagophthalmos**, Thixotropy of levator palpebrae as the cause of lagophthalmos after peripheral facial nerve palsy, 665
- language**, Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy, 511
- late brain metastasis**, Single cerebral metastasis 3 and 19 years after primary renal cell carcinoma: case report and review of the literature, 257
- later Parkinson's disease**, Medical management of Parkinson's disease, i22
- laterality**, Effect of brain tumour laterality on patients' perceived quality of life, 373
- Leber's hereditary optic neuropathy**, Phosphorus MR spectroscopy shows a tissue specific in vivo distribution of biochemical expression of the G3460A mutation in Leber's hereditary optic neuropathy, 805
- leptin**, Serum leptin level in women with idiopathic intracranial hypertension, 642
- levetiracetam**, A new antiepileptic drug, 426
- levodopa**, Medical management of Parkinson's disease, i22
- long term effects**, Long term effects of intensity of upper and lower limb training after stroke: a randomised trial, 473
- low grade astrocytoma**, Prognostic value of platelet derived growth factor α receptor expression in grade 2 astrocytomas and oligoastrocytomas, 782
- low grade gliomas**, Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy, 511
- Lp(a) lipoprotein**, Lipoprotein(a), apolipoprotein E genotype, and risk of Alzheimer's disease, 732
- magnetic resonance imaging**, Abnormalities of the corpus callosum in first episode, treatment naive schizophrenia, 757
- Behavioural disorders, Parkinson's disease, and subthalamic stimulation, 689
- Cellular schwannoma of the posterior fossa: *letter*, 677
- Diffusion weighted magnetic resonance imaging in the diagnosis of reversible ischaemic deficits of the brainstem, 572
- Familial adult onset of Krabbe's disease resembling hereditary spastic paraplegia with normal neuroimaging, 635
- Gluten sensitivity as a neurological illness, 560
- Magnetic resonance brain imaging in people with dizziness: a comparison with non-dizzy people, 587
- Medial temporal lobe atrophy predicts Alzheimer's disease in patients with minor cognitive impairment, 491
- Quantitative MRI findings and cognitive impairment among community dwelling elderly subjects, 737
- Role of anterior and occipital white matter lesions for smooth eye tracking in myotonic dystrophy, 808
- Significance of white matter high intensity lesions as a predictor of stroke from arteriolosclerosis, 576
- Structural MRI of the brain in presumed carriers of genes for schizophrenia, their affected and unaffected siblings, 455
- The Chiari malformations, i138
- Volumetric MRI study of the caudate nucleus in patients with dementia with Lewy bodies, Alzheimer's disease, and vascular dementia, 406
- magnetic resonance spectroscopy**, Phosphorus MR spectroscopy shows a tissue specific in vivo distribution of biochemical expression of the G3460A mutation in Leber's hereditary optic neuropathy, 805
- mental retardation**, Genetic effects on human cognition: lessons from the study of mental retardation syndromes: *review*, 287
- mexiletine**, Mexiletine is effective on segmental hyperhidrosis: report of two cases: *letter*, 122
- microdialysis**, Increases in GABA concentrations during cerebral ischaemia: a microdialysis study of extracellular amino acids, 99
- micrographia**, Adaptation of handwriting size under distorted visual feedback in patients with Parkinson's disease and elderly and young controls, 315
- migraine**, Intensity of rehabilitation: some answers and more questions?, 430
- Migraine: diagnosis and management, ii10
- Physical and psychological correlates of primary headache in young adulthood: A 26 year longitudinal study, 86
- Miller Fisher syndrome**, Anti-GQ1b IgG antibody syndrome: clinical and immunological range: *letter*, 418
- Plasmapheresis and Miller Fisher syndrome: analysis of 50 consecutive cases: *letter*, 680
- mini mental state examination**, Orientation agnosia in pentagon copying: *letter*, 129
- modafinil**, Efficacy and safety of modafinil (Provigil®) for the treatment of fatigue in multiple sclerosis: a two centre phase 2 study, 179
- molecular adsorbent recirculating system**, Changes in excitability of motor cortex in severe hepatic failure, 414
- monitoring**, Continuous monitoring of cerebrovascular autoregulation: a validation study, 583
- mood**, Psychosocial outcomes at three and nine months after good neurological recovery from aneurysmal subarachnoid haemorrhage: predictors and prognosis, 772
- motor cortex**, An expanded cortical representation for hand movement after peripheral motor denervation, 203
- motor neurone disease**, Outcome of ventilatory support for acute respiratory failure in motor neurone disease, 752
- motor**, Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy, 511
- movement disorders**, Changes in gait and fatigue from morning to afternoon in people with multiple sclerosis, 361
- Mind and movement: the neuropsychiatry of movement disorders, i28
- Movement disorders, i1
- Odd and unusual movement disorders, i17
- Surgery for movement disorders, i32
- multidisciplinary study**, Incidence and prediction of falls in Parkinson's disease: a prospective multidisciplinary study, 721
- multifocal motor neuropathy**, Multifocal motor neuropathy: clinical and immunological features and response to IVIg in relation to the presence and degree of motor conduction block, 761
- multiple cerebral aneurysms**, Multiple cerebral aneurysms and the Diamond-Blackfan syndrome: *letter*, 678
- multiple sclerosis**, Anticardiolipin antibodies in patients with multiple sclerosis do not represent a subgroup of patients according to clinical, familial, and biological characteristics, 647
- Changes in gait and fatigue from morning to afternoon in people with multiple sclerosis, 361
- Efficacy and safety of modafinil (Provigil®) for the treatment of fatigue in multiple sclerosis: a two centre phase 2 study, 179
- Evaluation of cognitive assessment and cognitive intervention for people with multiple sclerosis, 93
- Evaluation of the management of optic neuritis: audit on the neurological and ophthalmological practice in the north west of England, 119
- Expression of chemokines in the CSF and correlation with clinical disease activity in patients with multiple sclerosis, 498
- HLA-DR 15 is associated with female sex and younger age at diagnosis in multiple sclerosis, 184
- The "new" mitochondrial disorders, 144
- multiple system atrophy**, Apomorphine as an alternative to sildenafl in Parkinson's disease: *letter*, 681
- Diagnosis and management of atypical parkinsonian syndromes, i10
- Dystonia in multiple system atrophy, 300
- Positional down beating nystagmus in 50 patients: cerebellar disorders and possible anterior semicircular canalithiasis, 366
- Sleep disorders and their determinants in multiple system atrophy, 798
- multisystem disorder**, Parkin gene related neuronal multisystem disorder: *letter*, 419
- muscle rigidity**, Quantitative analysis of the velocity related pathophysiology of spasticity and rigidity in the elbow flexors, 621
- muscle spasticity**, Quantitative analysis of the velocity related pathophysiology of spasticity and rigidity in the elbow flexors, 621
- mutation**, A novel mutation (V89L) in the presenilin 1 gene in a family with early onset Alzheimer's disease and marked behavioural disturbances, 266
- myasthenia gravis**, B Cell lymphoma of the brain stem masquerading as myasthenia, 271
- mycotic**, Gadolinium-enhanced magnetic resonance imaging demonstration of a mycotic aneurysm: *Filler*, 818
- myelopathy**, Myelopathy from intracranial dural arteriovenous fistula, 816
- myoclonic ataxia**, Progressive myoclonic ataxia and JC virus encephalitis in an AIDS patient, 653
- myoclonus**, Odd and unusual movement disorders, i17
- myopathy**, Human T cell leukaemia virus type I associated neuromuscular disease causing respiratory failure, 650
- myotonia**, Ocular motor myotonic phenomenon in myotonic dystrophy, 236
- NDPH**, new daily persistent headache, ii6
- nerve conduction study**, Distribution patterns of demyelination correlate with clinical profiles in chronic inflammatory demyelinating polyneuropathy, 37
- nerve root compression**, Diagnostic value of history and physical examination in patients suspected of lumbosacral nerve root compression, 630
- nervous system**, Benefits and risks of folic acid to the nervous system: *review*, 567

- neurinoma**, REM sleep behaviour disorder associated with a neurinoma of the left pontocerebellar angle: *letter*, **821**
- neuroendoscopic third ventriculostomy**, Changes in third ventricular size with neuroendoscopic third ventriculostomy: a blinded study, **385**
- neuroleptics**, Immediate and delayed effects of risperidone on cerebral metabolism in neuroleptic naïve schizophrenic patients: correlations with symptom change, **106**
- neurological illness**, Is clinical neurology really so difficult?, **557**
- neuronavigation**, Use of neuronavigation and electrophysiology in surgery of subcortically located lesions in the sensorimotor strip, **378**
- neurones**, Patients with vascular dementia due to microvascular pathology have significant hippocampal neuronal loss, **747**
- neuropathy**, An expanded cortical representation for hand movement after peripheral motor denervation, **203**
Immunological study of hereditary motor and sensory neuropathy type 1a (HMSN1a), **230**
- neuroprotection**, Medical management of Parkinson's disease, **i22**
- neuropsychiatry**, Mind and movement: the neuropsychiatry of movement disorders, **i28**
- neuropsychology**, Triangular backgrounds shift the bias of line bisection performance in hemispatial neglect, **68**
- neurosurgery**, Surgery for movement disorders, **i32**
- new daily persistent headache**, New daily persistent headache, **ii6**
- non-acute headache**, US guidelines on neuroimaging in patients with non-acute headache: a commentary, **ii16**
- non-epileptic seizures**, Outpatient video EEG recording in the diagnosis of non-epileptic seizures: a randomised controlled trial of simple suggestion techniques, **549**
- normal pressure hydrocephalus**, The value of temporary external lumbar CSF drainage in predicting the outcome of shunting on normal pressure hydrocephalus, **503**
- obese**, Serum leptin level in women with idiopathic intracranial hypertension, **642**
- obsessive-compulsive disorder**, Obsessive-compulsive phenomenon and Parkinson's disease: *letter*, **420**
- oculomotor nerve**, Concurrent excitatory and inhibitory effects of high frequency stimulation: an oculomotor study, **517**
- oculopupillary sympathetic innervation**, "Paratrigeminal" paralysis of the oculopupillary sympathetic system: *review*, **297**
- oligoastrocytoma**, Prognostic value of platelet derived growth factor α receptor expression in grade 2 astrocytomas and oligoastrocytomas, **782**
- olivopontocerebellar atrophy**, Dystonia in multiple system atrophy, **300**
- ophthalmoplegia**, Anti-GQ1b IgG antibody syndrome: clinical and immunological range: *letter*, **418**
- optic neuritis**, Evaluation of the management of optic neuritis: audit on the neurological and ophthalmological practice in the north west of England, **119**
- organic dissociation**, Separating depersonalisation and derealisation: the relevance of the "lesion method", **530**
- orientation agnosia**, Orientation agnosia in pentagon copying: *letter*, **129**
Orientation agnosia in pentagon copying: *letter*, **129**
- orienting of attention**, Effects of left parietal injury on covert orienting of attention, **73**
- outcome**, Long term course of childhood epilepsy following relapse after antiepileptic drug withdrawal, **507**
- paraneoplastic syndrome**, A case of paraneoplastic syndrome accompanied by two types of cancer, **408**
- paratrigeminal paralysis**, "Paratrigeminal" paralysis of the oculopupillary sympathetic system: *review*, **297**
- parietal injury**, Effects of left parietal injury on covert orienting of attention, **73**
- parkin gene**, Parkin gene related neuronal multisystem disorder: *letter*, **419**
- parkinsonism**, Anticholinergic drugs: response of parkinsonism not responsive to levodopa, **111**
Odd and unusual movement disorders, **i17**
Volumetric MRI study of the caudate nucleus in patients with dementia with Lewy bodies, Alzheimer's disease, and vascular dementia, **406**
- Parkinson's disease**, Adaptation of handwriting size under distorted visual feedback in patients with Parkinson's disease and elderly and young controls, **315**
Apomorphine as an alternative to sildenafil in Parkinson's disease: *letter*, **681**
Behavioural disorders, Parkinson's disease and subthalamic stimulation, **701**
Can we afford to develop treatments for dementia?, **685**
Concurrent excitatory and inhibitory effects of high frequency stimulation: an oculomotor study, **517**
Deep brain stimulation of the subthalamic nucleus: anatomical, neurophysiological, and outcome correlations with the effects of stimulation, **53**
Donepezil for cognitive impairment in Parkinson's disease: a randomised controlled study, **708**
- Health related quality of life in Parkinson's disease: a systematic review of disease specific instruments, **241**
- Incidence and prediction of falls in Parkinson's disease: a prospective multidisciplinary study, **721**
- Medical management of Parkinson's disease, **i22**
- Mind and movement: the neuropsychiatry of movement disorders, **i28**
- Movement disorders, **i1**
- Neurophysiological modulation of the subthalamic nucleus by pallidal stimulation in Parkinson's disease, **325**
- No male predominance in α -synuclein Parkinson's disease but the affected female fetus might be less viable: *letter*, **276**
- Obsessive-compulsive phenomenon and Parkinson's disease: *letter*, **420**
- Obsessive-compulsive phenomenon and Parkinson's disease: *letter*, **420**
- "Nature versus nurture" and incompletely penetrant mutations, **686**
- Pramipexole in patients with Parkinson's disease and marked drug resistant tremor: a randomised, double blind, placebo controlled multicentre study, **713**
- Reporting clinical trials: full access to all the data, **143**
- Sleep disorders and their determinants in multiple system atrophy, **798**
- Sleep symptoms and polysomnographic architecture in advanced Parkinson's disease after chronic bilateral subthalamic stimulation, **661**
- Surgery for movement disorders, **i32**
- Swallowing and voice effects of Lee Silverman Voice Treatment (LSVT[®]): a pilot study, **31**
- The management of tremor, **i3**
- paroxysmal hemicrania**, Trigeminal autonomic cephalgias, **ii19**
- Parsonage Turner syndrome**, Vertebral artery dissection presenting as neuralgic amyotrophy, **552**
- perinatal**, Physical and psychological correlates of primary headache in young adulthood: A 26 year longitudinal study, **86**
- peripheral arterial disease**, Is cardiovascular disease a risk factor in the development of axonal polyneuropathy?, **590**
- peripheral autonomic surface potential**, Autonomic nervous system function in Huntington's disease, **726**
- peripheral neuropathy**, Intravenous immunoglobulin in neurological disease: a specialist review: *review*, **440**
Restless legs syndrome and peripheral neuropathy: *letter*, **555**
- peroneal lesion**, Footdrop after peroneal nerve lesion: *Filler*, **42**
- peroxisome**, A new defect of peroxisomal function involving pristanic acid: a case report, **396**
- personality**, Physical and psychological correlates of primary headache in young adulthood: A 26 year longitudinal study, **86**
- pharmacoepidemiology**, Antiepileptic drugs: coprescription of proconvulsant drugs and oral contraceptives: a national study of antiepileptic drug prescribing practice, **114**
- phenocopies**, Phenocopies in a large GCH1 mutation positive family with dopa responsive dystonia: confusing the picture?, **801**
- physical examination**, Diagnostic value of history and physical examination in patients suspected of lumbosacral nerve root compression, **630**
- physical therapy**, Changes in gait and fatigue from morning to afternoon in people with multiple sclerosis, **361**
- plasma exchange**, Immunoabsorption inferior to plasma exchange in a patient with chronic inflammatory demyelinating polyradiculoneuropathy, **644**
- plasmapheresis**, Plasmapheresis and Miller Fisher syndrome: analysis of 50 consecutive cases: *letter*, **680**
- polymyositis**, Interferon β -1a treatment of corticosteroid sensitive polymyositis: *letter*, **676**
- polysomnography**, Sleep symptoms and polysomnographic architecture in advanced Parkinson's disease after chronic bilateral subthalamic stimulation, **661**
- pontine trigeminal lesion**, Does the presence of a pontine trigeminal lesion represent an absolute contraindication for microvascular decompression in drug resistant trigeminal neuralgia?: *letter*, **122**
- positional vertigo**, Positional down beating nystagmus in 50 patients: cerebellar disorders and possible anterior semicircular canalithiasis, **366**
- positron emission tomography**, Anticholinergic drugs: response of parkinsonism not responsive to levodopa, **111**
Functional brain mapping of psychopathology: *review*, **432**
- posterior cortical atrophy**, Simultanagnosia in posterior cortical atrophy: *Filler*, **269**
- posterior fossa**, Cellular schwannoma of the posterior fossa: *letter*, **677**
- P/Q type Ca channel**, Japanese cases of familial hemiplegic migraine with cerebellar ataxia carrying a T666M mutation in the CACNA1A gene: *letter*, **676**
- pramipexole**, Pramipexole in patients with Parkinson's disease and marked drug resistant tremor: a randomised, double blind, placebo controlled multicentre study, **713**
- preclinical Alzheimer's disease**, Medial temporal lobe atrophy predicts Alzheimer's disease in patients with minor cognitive impairment, **491**

- presenilin**, A novel mutation (V89L) in the presenilin 1 gene in a family with early onset Alzheimer's disease and marked behavioural disturbances, **266**
- prevalence**, The prevalence of "pure" autosomal dominant hereditary spastic paraparesis in the island of Ireland, **43**
- primary central nervous system lymphoma**, B Cell lymphoma of the brain stem masquerading as myasthenia, **271**
- primary chronic daily headache**, Chronic daily headache, **ii2**
- primary NDPH**, New daily persistent headache, **ii6**
- primary spinal lymphoma**, Unusual presentation of a primary spinal lymphoma: *letter*, **128**
- primary writing tremor**, The management of tremor, **i3**
- prion protein gene**, Rapidly progressive dementia syndrome associated with a novel four extra repeat mutation in the prion protein gene, **788**
- prion protein**, Possible underascertainment of variant Creutzfeldt-Jakob disease: a systematic study, **304**
- prion**, Presenile dementia syndromes: an update on taxonomy and diagnosis: *review*, **691**
Protein aggregates and dementia: is there a common toxicity?: *review*, **152**
- pristanic acid**, A new defect of peroxisomal function involving pristanic acid: a case report, **396**
- proconvulsant medication**, Antiepileptic drugs: coprescription of proconvulsant drugs and oral contraceptives: a national study of antiepileptic drug prescribing practice, **114**
- progressive dementia**, Rapidly progressive dementia syndrome associated with a novel four extra repeat mutation in the prion protein gene, **788**
- progressive multifocal leucoencephalopathy**, Progressive myoclonic ataxia and JC virus encephalitis in an AIDS patient, **653**
- progressive supranuclear palsy**, Diagnosis and management of atypical parkinsonian syndromes, **i10**
Sequence analysis of *tau* in familial and sporadic progressive supranuclear palsy, **388**
- pseudoaneurysm**, Postoperative pseudoaneurysm of the superficial temporal artery, **553**
- psychiatry**, Behavioural disorders, Parkinson's disease and subthalamic stimulation, **701**
Psychiatric illness and subsequent traumatic brain injury: a case control study, **615**
- psychosis**, Functional brain mapping of psychopathology: *review*, **432**
Immediate and delayed effects of risperidone on cerebral metabolism in neuroleptic naïve schizophrenic patients: correlations with symptom change, **106**
- psychosocial outcome**, Community based rehabilitation after severe traumatic brain injury: a randomised controlled trial, **193**
- pure spastic paraparesis**, The prevalence of "pure" autosomal dominant hereditary spastic paraparesis in the island of Ireland, **43**
- quality of life**, Effect of brain tumour laterality on patients' perceived quality of life, **373**
Health related quality of life in Parkinson's disease: a systematic review of disease specific instruments, **241**
What are the determinants of quality of life in people with cervical dystonia?, **608**
- radiculopathy**, Vertebral artery dissection presenting as neuralgic amyotrophy, **552**
- Raese's syndrome**, "Paratrigeminal" paralysis of the oculosympathetic system: *review*, **297**
- recurrent subarachnoid haemorrhage**, Cervical subarachnoid floating cavernous malformation presenting with recurrent subarachnoid haemorrhage: *Filler*, **668**
- red nucleus**, Concurrent excitatory and inhibitory effects of high frequency stimulation: an oculomotor study, **517**
- rehabilitation**, Evaluation of cognitive assessment and cognitive intervention for people with multiple sclerosis, **93**
Improved antisaccade performance in schizophrenia with risperidone, **429**
Long term effects of intensity of upper and lower limb training after stroke: a randomised trial, **473**
Triangular backgrounds shift the bias of line bisection performance in hemispatial neglect, **68**
- renal cell carcinoma**, Single cerebral metastasis 3 and 19 years after primary renal cell carcinoma: case report and review of the literature, **257**
- respiratory function tests**, Human T cell leukaemia virus type I associated neuromuscular disease causing respiratory failure, **650**
- respiratory insufficiency**, Human T cell leukaemia virus type I associated neuromuscular disease causing respiratory failure, **650**
- restless legs syndrome**, Restless legs syndrome and peripheral neuropathy: *letter*, **555**
- retinitis pigmentosa**, A new defect of peroxisomal function involving pristanic acid: a case report, **396**
- rhabdomyolysis**, Rhabdomyolysis during interferon- β 1a treatment: *letter*, **274**
- risk factors**, Discontinuing antiepileptic drugs in patients who are seizure free on monotherapy, **22**
- Notch3 gene polymorphism and ischaemic cerebrovascular disease**, **382**
- Psychiatric illness and subsequent traumatic brain injury: a case control study**, **615**
- risperidone**, A new antiepileptic drug, **426**
Immediate and delayed effects of risperidone on cerebral metabolism in neuroleptic naïve schizophrenic patients: correlations with symptom change, **106**
- safety**, Intravenous immunoglobulin in neurological disease: a specialist review: *review*, **440**
- schizophrenia**, A new antiepileptic drug, **426**
Abnormalities of the corpus callosum in first episode, treatment naïve schizophrenia, **757**
Functional brain mapping of psychopathology: *review*, **432**
Immediate and delayed effects of risperidone on cerebral metabolism in neuroleptic naïve schizophrenic patients: correlations with symptom change, **106**
Improved antisaccade performance with risperidone in schizophrenia, **449**
Structural MRI of the brain in presumed carriers of genes for schizophrenia, their affected and unaffected siblings, **455**
- schwannoma**, Cellular schwannoma of the posterior fossa: *letter*, **677**
- secondary chronic daily headache**, Chronic daily headache, **ii2**
- secondary NDPH**, New daily persistent headache, **ii6**
- segmental hyperhidrosis**, Mexiletine is effective on segmental hyperhidrosis: report of two cases: *letter*, **122**
- sensorimotor cortex tumours**, Localisation of the sensorimotor cortex during surgery for brain tumours: feasibility and waveform patterns of somatosensory evoked potentials, **221**
- sensory cortex**, An expanded cortical representation for hand movement after peripheral motor denervation, **203**
- sensory**, Acute small fibre sensory neuropathy: another variant of Guillain-Barré syndrome?, **540**
Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy, **511**
- severe hepatic failure**, Changes in excitability of motor cortex in severe hepatic failure, **414**
- sex**, HLA-DR 15 is associated with female sex and younger age at diagnosis in multiple sclerosis, **184**
No male predominance in α -synuclein Parkinson's disease but the affected female fetus might be less viable: *letter*, **276**
- sildenafil**, Apomorphine as an alternative to sildenafil in Parkinson's disease: *letter*, **681**
- simultanagnosia**, Simultanagnosia in posterior cortical atrophy: *Filler*, **269**
- sleep behaviour disorder**, REM sleep behaviour disorder associated with a neurinoma of the left pontocerebellar angle: *letter*, **821**
- sleep disorders**, Sleep disorders and their determinants in multiple system atrophy, **798**
- sleep symptoms**, Sleep symptoms and polysomnographic architecture in advanced Parkinson's disease after chronic bilateral subthalamic stimulation, **661**
- small fibre neuropathy**, Acute small fibre sensory neuropathy: another variant of Guillain-Barré syndrome?, **540**
- small vessel disease**, Angiotensin converting enzyme insertion/deletion genotype is associated with leukoaraiosis in lacunar syndromes, **343**
- smooth pursuit eye movements**, Role of anterior and occipital white matter lesions for smooth eye tracking in myotonic dystrophy, **808**
- social functioning**, Psychosocial outcomes at three and nine months after good neurological recovery from aneurysmal subarachnoid haemorrhage: predictors and prognosis, **772**
- socioeconomic status**, Incidence and case fatality rates of stroke subtypes in a multiethnic population: the South London Stroke Register, **211**
- sodium nitroprusside**, Reversal of tissue hypoxia by a single intraventricular dose of sodium nitroprusside in a patient with severe medically refractory cerebral vasospasm after subarachnoid haemorrhage: *letter*, **123**
- somatosensory evoked potential**, Localisation of the sensorimotor cortex during surgery for brain tumours: feasibility and waveform patterns of somatosensory evoked potentials, **221**
- spasms**, Use of intrathecal baclofen for treatment of spasticity in amyotrophic lateral sclerosis: *letter*, **275**
- spastic paraparesis**, Familial adult onset of Krabbe's disease resembling hereditary spastic paraplegia with normal neuroimaging, **635**
- spasticity**, Use of intrathecal baclofen for treatment of spasticity in amyotrophic lateral sclerosis: *letter*, **275**
- SPECT**, Evidence of thalamic disinhibition in patients with hemichorea: semiquantitative analysis using SPECT, **329**
- spinal cord injury**, Organisation of the sympathetic skin response in spinal cord injury, **356**

- spinal cord**, Intrinsic spinal cord lesions complicating epidural anaesthesia and analgesia: report of three cases, **537**
Mexiletine is effective on segmental hyperhidrosis: report of two cases: *letter*, **122**
- stem cells**, Successful autologous stem cell transplantation in a patient with chronic inflammatory demyelinating polyneuropathy: *letter*, **127**
- stereotaxy**, Use of neuronavigation and electrophysiology in surgery of subcortically located lesions in the sensorimotor strip, **378**
- striatonigral degeneration**, Dystonia in multiple system atrophy, **300**
- stroke risk**, Gluten sensitivity as a neurological illness, **560**
- stroke subtype**, Incidence and case fatality rates of stroke subtypes in a multiethnic population: the South London Stroke Register, **211**
- stroke**, Dynamic cerebral autoregulation and beat to beat blood pressure control are impaired in acute ischaemic stroke, **467**
Gluten sensitivity as a neurological illness, **560**
Improved antisaccade performance in schizophrenia with risperidone, **429**
Notch3 gene polymorphism and ischaemic cerebrovascular disease, **382**
Significance of white matter high intensity lesions as a predictor of stroke from arteriolosclerosis, **576**
Timing of surgery for supratentorial aneurysmal subarachnoid haemorrhage: report of a prospective study, **480**
- stump dyskinesia**, Deep brain stimulation of the centre median-parafascicular complex in patients with movement disorders, **546**
- subarachnoid haemorrhage**, Aneurysmal subarachnoid haemorrhage: outcomes of early rehabilitation after surgical repair of ruptured intracranial aneurysms, **334**
Psychosocial outcomes at three and nine months after good neurological recovery from aneurysmal subarachnoid haemorrhage: predictors and prognosis, **772**
Reversal of tissue hypoxia by a single intraventricular dose of sodium nitroprusside in a patient with severe medically refractory cerebral vasospasm after subarachnoid haemorrhage: *letter*, **123**
Timing of surgery for supratentorial aneurysmal subarachnoid haemorrhage: report of a prospective study, **480**
Which CT features help predict outcome after head injury?, **188**
- subcortical lacunes**, Executive dysfunction in subcortical ischaemic vascular disease, **217**
- subcortical-frontal systems**, Executive dysfunction in subcortical ischaemic vascular disease, **217**
- subdural haematoma**, Which CT features help predict outcome after head injury?, **188**
- subthalamic nucleus**, Behavioural disorders, Parkinson's disease and subthalamic stimulation, **701**
Deep brain stimulation of the subthalamic nucleus: anatomical, neurophysiological, and outcome correlations with the effects of stimulation, **53**
Neurophysiological modulation of the subthalamic nucleus by pallidal stimulation in Parkinson's disease, **325**
- subthalamic stimulation**, "Nature versus nurture" and incompletely penetrant mutations, **686**
Sleep symptoms and polysomnographic architecture in advanced Parkinson's disease after chronic bilateral subthalamic stimulation, **661**
- SUNCT syndrome**, Trigeminal autonomic cephalgias, **ii19**
- superficial siderosis**, Superficial siderosis associated with anterior horn cell dysfunction: *letter*, **274**
- superficial temporal artery**, Postoperative pseudoaneurysm of the superficial temporal artery, **553**
- superoxide dismutase**, Anticipation in familial amyotrophic lateral sclerosis with SOD1-G93S mutation: *letter*, **819**
- surgical recovery**, Psychosocial outcomes at three and nine months after good neurological recovery from aneurysmal subarachnoid haemorrhage: predictors and prognosis, **772**
- small vessel disease**, Patients with vascular dementia due to microvascular pathology have significant hippocampal neuronal loss, **747**
- swallowing**, Peripheral facial palsy and dysfunction of the oropharynx, **391**
- sympathetic skin response**, Autonomic nervous system function in Huntington's disease, **726**
Organisation of the sympathetic skin response in spinal cord injury, **356**
- symptomatic dystonia**, The natural history and treatment of acquired hemidystonia: report of 33 cases and review of the literature, **59**
- synuclein**, Protein aggregates and dementia: is there a common toxicity?: *review*, **152**
- tau**, Presenile dementia syndromes: an update on taxonomy and diagnosis: *review*, **691**
Protein aggregates and dementia: is there a common toxicity?: *review*, **152**
- Sequence analysis of *tau* in familial and sporadic progressive supranuclear palsy, **388**
- tau gene**, Sequence analysis of *tau* in familial and sporadic progressive supranuclear palsy, **388**
- temporal variant**, Apolipoprotein E4 in the temporal variant of frontotemporal dementia: *letter*, **820**
- temporomandibular joint pain**, Facial pain: neurological and non-neurological, **ii27**
- tension-type headache**, Physical and psychological correlates of primary headache in young adulthood: A 26 year longitudinal study, **86**
- thalamus**, Deep brain stimulation of the centre median-parafascicular complex in patients with movement disorders, **546**
Evidence of thalamic disinhibition in patients with hemichorea: semiquantitative analysis using SPECT, **329**
Impact of thalamic deep brain stimulation on disability and health-related quality of life in patients with essential tremor, **47**
- thixotropy**, Thixotropy of levator palpebrae as the cause of lagophthalmos after peripheral facial nerve palsy, **665**
- thunderclap headache**, Thunderclap headache: *review*, **6**
- tissue bioenergetics**, Phosphorus MR spectroscopy shows a tissue specific in vivo distribution of biochemical expression of the G3460A mutation in Leber's hereditary optic neuropathy, **805**
- tolerability**, Intravenous immunoglobulin in neurological disease: a specialist review: *review*, **440**
- total cholesterol**, Lipoprotein(a), apolipoprotein E genotype, and risk of Alzheimer's disease, **732**
- Tourette's syndrome**, Mind and movement: the neuropsychiatry of movement disorders, **i28**
- transcranial Doppler sonography**, Cessation of embolic signals after antithrombotic prevention is related to reduced risk of recurrent arterioembolic transient ischaemic attack and stroke, **338**
Transcranial Doppler sonography during head up tilt suggests preserved central sympathetic activation in familial dysautonomia, **657**
- transcranial magnetic stimulation**, Changes in excitability of motor cortex in severe hepatic failure, **414**
Transcranial magnetic stimulation alleviates truncal ataxia in spinocerebellar degeneration: *letter*, **124**
- transferrin**, Transferrin C2 allele, haemochromatosis gene mutations, and risk for Alzheimer's disease: *letter*, **820**
- transitory ischaemic attack**, Diffusion weighted magnetic resonance imaging in the diagnosis of reversible ischaemic deficits of the brainstem, **572**
- transplantation**, Successful autologous stem cell transplantation in a patient with chronic inflammatory demyelinating polyneuropathy: *letter*, **127**
- traumatic brain injury**, Psychiatric illness and subsequent traumatic brain injury: a case control study, **615**
- tremor**, Concurrent excitatory and inhibitory effects of high frequency stimulation: an oculomotor study, **517**
Deep brain stimulation of the centre median-parafascicular complex in patients with movement disorders, **546**
Odd and unusual movement disorders, **117**
Pramipexole in patients with Parkinson's disease and marked drug resistant tremor: a randomised, double blind, placebo controlled multicentre study, **713**
The management of tremor, **i3**
- trigeminal autonomic cephalgias**, Trigeminal autonomic cephalgias, **ii19**
- trigeminal neuralgia**, Does the presence of a pontine trigeminal lesion represent an absolute contraindication for microvascular decompression in drug resistant trigeminal neuralgia?: *letter*, **122**
Facial pain: neurological and non-neurological, **ii27**
- trihexphenidyl**, Anticholinergic drugs: response of parkinsonism not responsive to levodopa, **111**
- triptans**, Migraine: diagnosis and management, **ii10**
- trunk**, Gait apraxia after bilateral supplementary motor area lesion, **77**
- twins**, Can we afford to develop treatments for dementia?, **685**
- unruptured**, Endovascular management of unruptured intracranial aneurysms: does outcome justify treatment?, **485**
- variant Creutzfeldt-Jakob disease**, Possible underascertainment of variant Creutzfeldt-Jakob disease: a systematic study, **304**
- velocity dependent properties**, Quantitative analysis of the velocity related pathophysiology of spasticity and rigidity in the elbow flexors, **621**
- ventilation**, Outcome of ventilatory support for acute respiratory failure in motor neurone disease, **752**
- ventricular size**, Changes in third ventricular size with neuroendoscopic third ventriculostomy: a blinded study, **385**
- vertebral artery dissection**, Vertebral artery dissection presenting as neuralgic amyotrophy, **552**
- vestibulo-ocular reflex suppression**, Role of anterior and occipital white matter lesions for smooth eye tracking in myotonic dystrophy, **808**

- Viagra**, Apomorphine as an alternative to sildenafil in Parkinson's disease: *letter*, **681**
- video EEG**, Outpatient video EEG recording in the diagnosis of non-epileptic seizures: a randomised controlled trial of simple suggestion techniques, **549**
- visual attention**, Psychoanatomical substrates of Bálint's syndrome, **162**
- visual cortex**, Abnormal visual projection in a human albino studied with functional magnetic resonance imaging and visual evoked potentials, **523**
- Psychoanatomical substrates of Bálint's syndrome, **162**
- visual feedback gain distortion**, Adaptation of handwriting size under distorted visual feedback in patients with Parkinson's disease and elderly and young controls, **315**
- visual hypoemotionality**, Separating depersonalisation and derealisation: the relevance of the "lesion method", **530**
- visuomotor control**, Psychoanatomical substrates of Bálint's syndrome, **162**
- visuomotor learning**, Adaptation of handwriting size under distorted visual feedback in patients with Parkinson's disease and elderly and young controls, **315**
- waveform patterns**, Localisation of the sensorimotor cortex during surgery for brain tumours: feasibility and waveform patterns of somatosensory evoked potentials, **221**
- white matter damage**, White matter damage in Alzheimer's disease assessed in vivo using diffusion tensor magnetic resonance imaging, **742**
- white matter lesions**, Quantitative MRI findings and cognitive impairment among community dwelling elderly subjects, **737**
- white matter**, Executive dysfunction in subcortical ischaemic vascular disease, **217**
- Gluten sensitivity as a neurological illness, **560**
- Significance of white matter high intensity lesions as a predictor of stroke from arteriolosclerosis, **576**
- withdrawal**, Long term course of childhood epilepsy following relapse after antiepileptic drug withdrawal, **507**