Maffulli replies:

Dr Lederman has every reason to be puzzled that the symptoms described referred to the left forearm, as indeed the forearm kept in pronation in a violinist is the right. We apologise for the error, but the description of the possible mechanisms made it quite clear that we were considering the right forearm.

We agree that the diagnosis of posterior interosseous neuropathy is often difficult, due to the paucity of definite signs. Nevertheless, in our opinion, the patients described were indeed showing a transitory deficit of the posterior interosseous nerve, and such a diagnosis was thus justified.

NICOLA MAFFULLI
FRANCESCO MAFFULLI

Clonazepam for palatal myoclonus

We were pleased to learn Drs Bakheit and Behan¹ found clonazepam a successful remedy for palatal myoclonus, as such an outcome extends our observation reported in 1977.²

The patient we described, a 68 year old woman, had an inflammatory central nervous system disorder of unspecified type and required, with the passage of time, increasing dosages of clonazepam to 22 mg daily for optimal symptom control. It would be interesting to know which of the several morbid processes recounted by the authors as being responsible for palatal myoclonus applied in their own case. Likewise, whether suppressive effects were indeed sustained on a dosage of 1.5 mg daily.

RF GLEDHILL
Neurosciences Department,
Rashid Hospital, Dubai,
Arab Emirates.
CM WILES
Department of Neurology,
University of Wales College of Medicine,
Cardiff, UK.

Correspondence to: Dr Gledhill, Neurosciences Department, Rashid Hospital, P O Box 4545, Dubai, UAE

- 1 Bakheit AMO, Behan PO. Palatal myoclonus successfully treated with clonazepam. *J Neurol Neurosurg Psychiatry* 1990;53:806.
- 2 Gledhill RF, Wiles CM. Clonazepam and bronchial myoclonus. *Ann Neurol* 1977;1:306.

Behan replies:

We have recently been able to study yet another case of palatal myoclonus which was successfully treated by clonazepam. In this, as in the case we reported, the aetiology would appear to be idiopathic, progressive degeneration of the central tegmental tract.

PETER O BEHAN

Transient hypoglossal nerve palsy and Horner's syndrome: carotid dissection

Drs Saito and Onuma reported the case of a woman with sudden onset of left sided headache and Horner's syndrome (post-ganglionic); three days later she also developed a left hypoglossal nerve palsy, but in the course of two months all these features resolved.¹ The cause could not be established, but it probably would have been if a carotid instead of a vertebral angiogram had been performed. Carotid dissection is usually associated with ipsilateral headache or neck

pain,²⁻⁴ and sometimes with Horner's syndrome,² hemilingual paralysis,³ or both.⁴

J VAN GIJN
University Department of Neurology, Utrecht
P J KOUDSTAAL
University Hospital "Dijkzigt" Rotterdam,
The Netherlands

- 1 Saito H, Onuma T. Isolated hypoglossal nerve palsy and Horner's syndrome with benign course. *J Neurol Neurosurg Psychiatry* 1991;54:282-3.
- 2 Mokri B, Sundt TM, Houser OW. Spontaneous internal carotid dissection, hemiparesis, and Horner's syndrome. *Arch Neurol* 1979;36:677-80.
- 3 Goodman JM, Zink WL, Cooper DF. Hemilingual paralysis caused by spontaneous carotid artery dissection. *Arch Neurol* 1983;40:653-4.
- 4 Vanneste JAL, Davies G. Spontaneous dissection of the cervical internal carotid artery. *Clin Neurol Neurosurg* 1984;86:307-14.

Saito replies:

I am grateful for the interest and pertinent comments of Drs Van Gijn and Koudstaal on our case report. In fact, the hypoglossal nerve may be compressed by the internal carotid artery¹ itself or aneurysms arising from it.² In our patient, contrast enhanced brain CTs, 5 mm in thickness to C-2 level, revealed round or oval lumens of the internal carotid artery and jugular vein to be well-circumscribed and symmetrical on both sides. However, the possibility of carotid dissection cannot be ruled out.

H SAITO

- 1 Olivier A, Scotti G, Melançon D. Vascular entrapment of the hypoglossal nerve in the neck. Case report. *J Neurosurg* 1977;47:472-5.
- 2 Endo M, Ohara Y, Saito H, Takase Y, Ooba M. A case of Villaret syndrome by traumatic aneurysm of the internal carotid artery. *Clin Neurol (Japanese)* 1982;18:48-50.

A case of progressive encephalomyelitis with rigidity and positive antilutamic acid dehydrogenase antibodies

The above article was published this year in the May issue of the journal (pages 449-51). Since publication, I have received a communication from Dr P De Camilli, of Yale University, who correctly points out that the title is incorrect. The word dehydrogenase should read decarboxylase, as in glutamic acid decarboxylase.

DR D J BURN
MRC Cyclotron Unit,
Hammersmith Hospital,
London W12 0HS, UK

A predominantly cervical form of spinal muscular atrophy

I read with interest the paper by Goutieres *et al* on the cervical form of spinal muscular atrophy.¹ Spinal muscular atrophy is the commonest neuromuscular disease affecting black children in South Africa. The clinical findings in this group of children are similar to those reported from Europe, Asia and America except in two aspects, that is, a paucity of a positive family history (only 9%) and the frequent involvement (80%) of facial muscles in the severe infantile form of the disease.²

Goutieres *et al* mention that they were not able to find cases of the cervical form of spinal muscular atrophy in the literature. We have seen three black children (two previously documented) with this form of the disease in the last 10 years. All three patients presented

with poor head control and an exclusive involvement of the upper limbs with both proximal and distal weakness. The lower limbs were normal in all three cases; reflexes were normal in two and brisk in one, whereas they were absent in the upper limbs of all three patients. The face was spared in all and fasciculation of the tongue was present in only one case. The small muscles of the hand were wasted in all three patients and there was ulnar deviation and flexion of the wrist with contractures of the long finger flexors in one patient.

M MOODLEY
Department of Paediatrics and Child Health,
Faculty of Medicine
University of Natal
P O Box 17039
Congella, South Africa

- 1 Goutieres F, Bogicevic D, Aicardi J. A predominantly cervical form of spinal muscular atrophy. *J Neurol Neurosurg Psychiatry* 1991;54:223-5.
- 2 Moosa A, Dawood A. Spinal muscular atrophy in African children. *Neuropediatrics* 1990;21:27-31.

BOOK REVIEWS

All titles reviewed here are available from the BMJ Bookshop, PO Box 295, London WC1H 9TE. Prices include postage in the United Kingdom and for members of the British Forces Overseas, but overseas customers should add £2 per item for postage and packing. Payment can be made by cheque in sterling drawn on a United Kingdom bank, or by credit card (Mastercard, Visa or American Express) stating card number, expiry date, and your full name.

Neurosurgical Aspects of Epilepsy.

Proceedings of the 4th Advanced Seminar in Neurosurgical Research of the European Assoc of Neurosurgical Societies. Edited by JD PICKARD, G MAIRA, CE POLKEY AND T TROJANOWSKI. (Pp 144, Price: DM 160; Subscribers to "Acta Neurochirurgica" DM 144). Wien: Springer-Verlag, 1990. ISBN 3 211 82227 5.

Surgery for the relief of focal seizures need no longer be an exclusive method for a select group of patients. It is, however, a complicated procedure and requires the establishment of centres with a multidisciplinary team of specialists. Unfortunately in many countries interest in this problem has been very low.

This book has been compiled as an effort to stimulate neurosurgeons interest. It is based on a recent symposium about the neurosurgical aspects of the treatment of epilepsy, a field which has previously been dominated by American epileptologists and surgeons. The participants were, however, exclusively European, who shared experiences to help advance newer ideas and methodologies.

The most important and controversial issues not only in epilepsy surgery but in the general treatment of intractable seizures are discussed, although sometimes rather abbreviated. This review provides the essentials of most of the controversies and problems in treating severe epilepsy.

Unfortunately there is little new information presented in this book. Most articles are

either reviews of past research or short research articles often confirming previously published results. Unique though, were the contributions by scientists from the USSR, Yugoslavia and Poland, and the editors must be praised for bringing together such diversity.

ELINOR BEN-MENACHEM

Genes, Brain, and Behavior. Association for Research in Nervous and Mental Disease. Vol. 69. Edited by P R McHUGH AND V A McKUSICK. (Pp 237; Price \$119.00). 1990. New York, Raven Press. ISBN 088167 725 6.

This book has sixteen chapters and is divided into three sections on basic genetics, on applications of basic genetic science and modern techniques to specific neurological and psychiatric conditions, and on aspects of behavioural genetics.

As with all multiauthor texts there is variation between the chapters in both style and content. The first section is informative, with a valuable contribution by Reed Pyeritz on formal genetics in humans. The second section is wideranging and in some chapters, such as James Gusella's on the search for the genetic defects in Huntington's disease and familial Alzheimer's disease, a good deal of knowledge on the part of the reader is assumed. Interesting chapters on mitochondrial genes and disease (Douglas Wallace) and on the search for the phenylalanine hydroxylase gene (Savio Woo) require some familiarity on the part of the reader with techniques of molecular genetics. In the section on behavioural genetics the contributions by Robert Plomin on theory and by Albert Stunkard on genetic influence on human obesity stand out for their clarity of exposition.

Glossaries of genetic terms are provided at the end of some of the chapters. There is a good deal of overlap between these glossaries; some familiar terms, such as "allele", "linkage" and "phenotype" are defined several times, whereas the LOD score, though discussed in some detail on p. 140, is not properly defined until p. 155, in the text of the next chapter. More consistency and better understanding might have been achieved by putting a general glossary of all the terms needing definition at the end of the book, and perhaps by including details of important molecular genetic techniques such as restriction fragment length polymorphisms and the polymerase chain reaction. However, despite some deficiencies of organisation, there is much useful information for clinical neuroscientists in this book.

CS TREIP

Paediatric Neurology 2nd Edition. Edited by EDWARD M BRETT. (Pp 895 Illustrated; Price: £90.00.) Edinburgh, Churchill Livingstone. ISBN 0-443-03788-4.

I enjoyed using the first edition of this book (1983) and the text of the second is much better. The erudition and rich clinical

experience of the author remain and the many loose ends and omissions have been carefully tidied up. These were perhaps inevitable in a book which was essentially the work of a single author, with invited contributions by colleagues. There are new chapters on imaging (DPE Kingsley) and on acute encephalopathies (GF Cole). M Levin, M Baraitser, DM Forrest, SG Boyd and A Harden, and J Payan have respectively taken over the chapters on infections, genetics, meningocele, clinical neurophysiology and EMG from the previous authors, and BD Lake, JV Leonard, ME Lobascher and N Gordon have revised their contributions.

The book now stands as undoubtedly the best British textbook of paediatric neurology. The account of the neurological examination of children is excellent and for clinical description of both common and unusual disorders it is unrivalled. It deliberately makes no attempt to cover the biochemical pathology or the wider basic science aspects of the subject, in contrast with some of its North American rivals, but the author's immense clinical experience more than makes up for this. This is a neurology text in the tradition of Gowers. The relegation of genetics to a separate chapter is not wholly successful; it should pervade the whole of any account of paediatric neurology.

Sometimes the advice on management is a little vague and I should have wished for more emphasis on the use of chemotherapy for brain tumours. But I have only two major criticisms—the index is seriously inadequate to the point of making much of the book inaccessible; and the photographic reproduction, especially of many of the CT scans, is much worse than in the first edition and is compounded by new black bars obscuring the eyes in almost every clinical photograph. Many previously good images are now valueless. The standard was often better in my copies of Sachs' text of 1905 or Garrod, Batten and Thursfield (1913). In a £90 book this is inexcusable. Dr Brett would be wise to find a new publisher for the 3rd edition.

D GARDNER-MEDWIN

Clinical Neurology. Edited by M SWASH AND J OXBURY. (Pp Vol 1 – 921 Illustrated Vol 2 – 1179 Illustrated; Price: £195.00 (set)) Harlow, Longman Group UK Ltd, 1991. ISBN 0-443-03221-1

As a non-contributor to this admirable book, I am one of the few British Neurologists eligible to review it. It is a major new neurological text book which should have wide appeal.

The two editors with their different interests have produced a well balanced and comprehensive reference work. They have attempted successfully a uniformity of style and a consistency of approach. One rapidly learns how to find one's way around the books. The contributors have been well chosen and are acknowledged experts in their particular fields.

Each chapter has an extremely comprehensive list of references. Many readers will turn to this work first in order to start their investigation into an unfamiliar topic.

The index in a work of this nature is of paramount importance. It is provided at the back of both volumes and is comprehensive

and generally of high standard. It was not difficult to locate required information rapidly. The quality of the illustrations is generally good, although in black and white. It was only the retinal photographs and the histological sections that suffered slightly from lack of colour. The MRI scans shown are not quite of the quality that one would expect from the newer scanners. In figure 19.37 and 19.39, the same angiogram is given, one to demonstrate the aneurysm and the other spasm.

There are well over 100 contributors, all but 9 of them from the English speaking world. Each contributor will therefore receive less than 1,000th of the sale price of the books. Medical authors really are a form of slave labour for the publishing houses. Many of the contributors have put very considerable amount of effort into their chapters. Although one doesn't write medically with the hope of any significant profit, one would hope that they would receive better reward than such a very small share.

Every medical library should have a copy of this new work. It is as up-to-date as one could hope for from a book of this size. It will be invaluable to general medical, geriatric, rheumatological and orthopaedic registrars. Many neurologists, neurosurgeons and psychiatrists should consider having it in their own library, it will be referred to again and again.

DJ THOMAS

Guillain-Barré Syndrome. Clinical Medicine and the Nervous System Series. By R A C HUGHES. (Pp 308 illustrated; Price DM220.00). 1990. Heidelberg, Springer-Verlag. ISBN 3 540 19634 X.

Guillain-Barré Syndrome. By A H ROPPER, E F M WIJDECKS, B I TRUAX. (Pp 369 illustrated; Price £33.75). 1991. Beckenham, F A Davis & Co. ISBN 0 8036 7572 0.

Within months of one another, these two excellent books on Guillain-Barré syndrome have been published by distinguished experts in the field. Despite sharing the same title, they are remarkably different in approach and content. Ropper, Wijdicks and Truax's book is primarily a clinical manual which makes telling use of Professor Ropper's first hand experience of managing over 250 patients with Guillain-Barré syndrome in Boston. Professor Hughes presents a more concise account of the clinical aspects, but also discusses extensively the possible immunopathogenesis. Both books are clearly written and organised, well indexed, full of useful tables, and well referenced and illustrated.

Professor Hughes' book contains four chapters addressing the experimental and clinical immunology of demyelinating neuropathy. His discussion of the prognosis of Guillain-Barré syndrome highlights interesting geographical differences in survival rates, implying that standards of neurological intensive care in Britain and France may be substantially inferior to those of specialist centres in North America. His comparison of four different trials of plasma exchange therapy clearly emphasises the need to apply this treatment early, preferably within the first week. Because of the inevitable delays caused by multiple transfers between