original extent of the upper motor neuron lesion. *Archives of Neurology and Psychiatry* 1941;46:1039-56.

5 Brownwell B, Oppenheimer DR, Hughes JT. The central nervous system in motor neuron disease. *J Neurol Neurosurg Psychiatry* 1970;33:338-57.

6 Talbot PR, Goulding PJ, Lloyd JJ, Snowden JS, Neary D, Testa H. Inter-relation between "classic" motor neuron disease and frontotemporal dementia: neuropsychological and single photon emission computed tomography study. *J Neurol Neurosurg Psychiatry* 1995;58:541-7.

Cooper et al reply:

Dr Abe is making essentially the same point as we do. In those papers that he cites in which the pathological findings are described, the presence of extramotor cortical pathology in motor neuron disease is confined to patients in whom dementia had been clinically evident during life. It is well recognised that a proportion of patients with motor neuron disease without clinically evident dementia will show deficits in "frontal lobe" tasks when subjected to detailed neuropsychological tests, and may also demonstrate frontal cortical hypometabolism on functional imaging. If prospective studies confirm that the extramotor frontal cortex is normal in such patients, then this would suggest that the observed functional deficits are secondary to disease elsewhere.

P N COOPER
Department of Neurology,
Hope Hospital,
Stott Lane,
Salford M6 8HD, UK
D M A MANN
M SIDDONS
Pathological Sciences,
University of Manchester,
Oxford Road,
Manchester M13, UK

Correspondence to: Dr Cooper.

NOTICE

World Federation of Neurosurgical Societies: awards to young neurosurgeons

The World Federation of Neurosurgical Societies will give five awards to young neurosurgeons for the best papers submitted for presentation at the XIth International Congress of Neurosurgical Surgery to be held in Amsterdam, The Netherlands on 6-11 July 1997. This will be open to all neurosurgeons born after 31 December 1961. Each award will consist of an honorarium of US \$1500, a certificate, and complete waiver of registration fees along with accommodation for the Congress. The papers will be judged by a committee and must contain original, unpublished work on basic research or clinical studies related to neurosurgery.

Young neurosurgeons should submit eight copies of the manuscript (not more than 10 double spaced typewritten pages exclusive of figures and tables) to:

Albert L Rhoton Jr, MD, Chairman
WFNS Young Neurosurgeons
Committee, Department of Neurological
Surgery, University of Florida Medical
Center, PO Box 100265; 1600 SW
Archer Road, Gainesville, Florida
32610-0265.

The submission should be accompanied

by a supporting letter from the head of the candidate's neurosurgical department. The last date for submission is 1 October 1996.

BOOK REVIEWS

All titles reviewed here are available from the BMJ Bookshop, PO Box 295, London WC1H 9TE. Prices include postage in the United Kingdom and for members of the British Forces Overseas, but overseas customers should add £2 per item for postage and packing. Payment can be made by cheque in sterling drawn on a United Kingdom bank, or by credit card (Mastercard, Visa or American Express) stating card number, expiry date, and your full name.

Negative Motor Phenomena. (Advances in Neurology Vol. 67). Edited by STANLEY FAHN, MARK HALLETT, HANS O LUDERS and C DAVID MARSDEN. (Pp 416; £88.50). Published by Lippincott-Raven, New York 1995. ISBN 0-7817-0264-X.

Positive motor phenomena are well known to all practising physicians—the Jacksonian fit, chorea and indeed most movement disorders are examples of such phenomena. However, fewer clinicians will be aware of negative motor phenomena, which form the theme of this book, although most of us will have experience, when entering the twilight zone of lecture induced somnolence!

Perhaps the most classic examples of negative motor phenomena are asterixis and postanoxic myoclonus—both of which are characterised by periods of CNS inhibition of muscular activity. In addition there are other conditions that clearly belong under this rubric of negative motor phenomena because of this inhibitory CNS outflow, including cataplexy and sleep paralysis and atonic seizures, although other conditions discussed in this book are slightly more difficult to accommodate in this definition, for example hyperekplexia and freezing in Parkinson's disease.

This book approaches the subject of negative motor phenomena via five main sections, beginning with clinical syndromes and then moving through the possible mechanisms according to anatomical locus (cortex, brainstem, and spinal cord) before finally discussing the pharmacology and treatment of atonic seizures and myoclonus. The book then concludes with a final chapter by James Lance which is a superb précis of all these sections. Thus the book starts and finishes in the clinical domain having travelled up and down the pathways of clinical research, much of which depends on the use of magnetic stimulation and the back averaging of EEGs relative to the abnormal movement. Although this approach with these sectional topics is clearly useful, an alternative and perhaps more preferable format would have been to start with anatomy before discussing the physiology and the clinical pathology of the relevant motor systems. This approach has the merit of defining the anatomical substrate which facilitates our understanding of

the normal physiology of the motor networks that ultimately underlie the CNS driven negative motor phenomena. Thus having defined the anatomy and physiology, the clinical conditions characteristic of negative motor phenomena can be discussed and the unnecessary separation of topics, as occurs in this book, can be avoided.

However, despite my reservations on the structure of the book, the content is quite outstanding, with many chapters serving to summarise complex topics with great clarity. Such examples include the chapters on startle phenomena (Peter Brown) and possible spinal cord mechanisms of negative motor phenomena (Peter Ashby). These two chapters further highlight another strength of this book, namely its ability to discuss clinical neurology and experimental neuroscience in equal depth and with equal authority. Occasionally chapters end in a disappointing fashion when no summary is given whilst some are rather too speculative and others tend to be repetitive.

Overall this book is to be recommended, as it is well-written with much to excite and interest the neurologist and neuroscientist with an interest in movement disorders. For example neurologists may be surprised to know that asterixis, whilst being seen most commonly in metabolic encephalopathies, can also be seen with focal lesions in a number of CNS sites, whilst neuroscientists may be disappointed to hear that there are at least 26 distinct reticulospinal nuclei or sub-nuclei that project to the spinal cord. Finally though I come back to what I really admire about this book and that is its unashamed use of experimental data and clinical findings in a combined effort to understand not only how the CNS can produce negative motor phenomena in the pathological state, but how this is achieved or not achieved in the normal physiological situation.

ROGER BARKER

Brain Ischemia. Basic Concepts and Clinical Relevance. Edited by LOUIS R CAPLAN. (Pp 380; price DM270.00.) 1995. London: Springer Verlag. ISBN 3-540-19850-4/0-387-19850-4.

Balliere's Clinical Neurology: Cerebrovascular Disease. Edited by V HACHINSKI. (Pp 381; price £30.00.) 1995. London: Baillière Tindall. ISBN 0-7020-2005-2.

Stroke Therapy. Edited by MARC FISHER. (Pp 490; price £70.00.) 1995. Oxford: Butterworth Heinemann. ISBN 0-7506-9575-7.

We all know that strokes are common, even those working in neurology units where they are a relative rarity. We all know that serious treatments for stroke are on the way but the cry of those looking after stroke patients is "When, oh when, is all this fancy science going to make the slightest difference to our patients?" Well, it must be agreed that the problem is considerably more difficult than finding a cure for tuberculosis, which took half a century, and the clinicians need to be patient. We can still be optimistic after reading these three books that the considerable knowledge being acquired about the processes of stroke, since it was recognised that cerebral infarction is a process and not an event, will bring forth clinical fruit. In the United Kingdom the big hurdle after that will be the logistics to bring the resultant