

Correction

In the article by Sinar E J, Mendelow A D, Graham D I, Teasdale G M. Experimental intracerebral haemorrhage: the effect of nimodipine pretreatment (*J Neurol Neurosurg Psychiatry* 1988;51:651-62) there were important errors in tables 2 and 6. Table 2 should have been as follows:

Table 2 Physiological variables in the two groups (N = 48: mean values, SEM)

	Arterial pH		Arterial PaO ₂ mmHg		Arterial PaCO ₂ mmHg	
	Nimodipine	Vehicle	Nimodipine	Vehicle	Nimodipine	Vehicle
Resting	7.424, 0.007	7.420, 0.022	145.9, 7.7	140.2, 12.2	38.9, 0.4	37.1, 0.9
Infusion for 30 minutes	7.428, 0.014	7.407, 0.035	148.5, 7.0	137.2, 9.2	37.7, 0.7	36.6, 1.1
5 min post haemorrhage	7.434, 0.009	7.462, 0.018	160.0, 5.6	151.6, 7.3	37.6, 0.8	37.6, 0.5
30 min	7.429, 0.009	7.448, 0.020	162.6, 6.1	144.7, 6.6	38.5, 0.5	37.7, 0.6
60 min	7.438, 0.012	7.438, 0.019	162.8, 5.2	141.0, 10.5	37.6, 0.6	38.0, 0.8
90 min	7.441, 0.013	7.436, 0.026	160.7, 4.2	145.9, 6.8	37.2, 0.7	37.9, 0.7
120 min	7.400, 0.020	7.436, 0.022	163.2, 4.9	147.5, 9.2	37.3, 0.8	36.8, 0.8
150 min	7.399, 0.021	7.459, 0.025	170.2, 5.9	146.7, 8.2	36.6, 0.4	36.6, 0.6
180 min	7.434, 0.013	7.463, 0.012	169.5, 7.4	148.0, 6.2	37.7, 0.5	36.9, 0.6
210 min	7.426, 0.009	7.457, 0.013	144.2, 8.2	140.6, 8.4	36.6, 0.5	36.8, 0.3
240 min	7.431, 0.014	7.440, 0.012	161.7, 8.6	145.4, 4.4	37.0, 0.3	37.6, 0.3

	Mean Arterial BPmmHg		Arterial Plasma Glucose mmol/l		Arterial Haematocrit %	
	Nimodipine	Vehicle	Nimodipine	Vehicle	Nimodipine	Vehicle
Resting	98.3, 1.4	95.8, 3.7	9.8, 0.4	9.8, 0.3	46, 1.0	44, 1.1
Infusion for 30 minutes	92.2, 3.5*	100.6, 4.2	11.6, 0.3†	9.1, 0.5	47, 1.1	45, 1.0
5 min post haemorrhage	93.6, 3.2*	101.8, 3.9	11.2, 0.4†	9.4, 0.4	45, 0.4	45, 1.3
30 min	101.5, 8.3	100.0, 1.9	11.4, 0.2†	9.1, 0.4	48, 0.7	46, 0.3
60 min	111.5, 6.3	99.3, 2.8	11.2, 0.6	9.3, 0.3	47, 1.0	45, 1.3
90 min	111.0, 5.7	97.5, 3.5	11.2, 0.5	9.7, 0.5	44, 1.2	44, 1.7
120 min	109.7, 4.0	102.5, 4.1	11.3, 0.6	8.9, 0.3	45, 1.1	44, 1.7
150 min	107.2, 2.0	105.2, 3.7	11.3, 0.5	9.2, 0.5	46, 1.4	46, 1.1
180 min	99.3, 2.0	103.8, 1.8	10.9, 0.5	9.6, 0.4	47, 0.9	46, 1.1
210 min	95.8, 1.7	97.7, 0.7	10.8, 0.4†	9.2, 0.2	50, 0.7	48, 0.8
240 mins	97.5, 1.3	94.5, 1.8	10.9, 0.4†	9.0, 0.2	49, 0.9	50, 1.1

*p < 0.05 (unpaired t test)

†p < 0.01 (unpaired t test)

*, †significant difference between the two groups

In table 6 the column headings Ipsilateral and Contralateral should be transposed.

Table 6 Analysis of regional cerebral blood flow

	21 areas measured bilaterally, N = 12: mean values, SEM, (ml 100 g ⁻¹ min ⁻¹)			
	Nimodipine		Vehicle	
	Contralateral	Ipsilateral	Contralateral	Ipsilateral
Frontal cortex	166, 22.8	150, 31.5	121, 15.3	117, 29.0
Cingulate cortex	178, 38.4	146, 25.3*	131, 22.0	96, 12.0*
Caudate nucleus				
Anterior				
—High	148, 24.2	106, 25.0	135, 17.4	97, 16.0
—Low	126, 15.8	70, 17.6*	114, 13.7	41, 11.2*
Middle				
—High	141, 10.9	131, 29.3	137, 14.4	87, 20.1
—Low	117, 12.2	47, 8.9*	111, 17.0	32, 5.1*
Posterior				
—High	135, 16.9	122, 20.3	135, 15.5	88, 21.3
—Low	88, 10.2	60, 15.6	93, 15.4	42, 12.8*
Hypothalamus	114, 11.9	114, 10.3	107, 17.3	93, 16.7
Sensorimotor cortex	163, 25.8	149, 27.3	139, 16.8	122, 22.1
Parietal cortex	199, 45.0	209, 68.5	127, 20.8	127, 25.1
Lateral geniculate	154, 43.4	144, 35.0	124, 26.6	114, 24.3
Thalamus	141, 15.7	131, 19.6	128, 18.5	123, 19.9
Internal capsule	55, 7.1	55, 8.8	56, 8.3	51, 5.6
Corpus callosum	55, 20.5	61, 24.4	58, 7.6	51, 5.6
Hippocampus	141, 58.0	93, 16.6	106, 15.0	114, 20.1
Red nucleus	118, 13.0	115, 12.7	121, 22.5	118, 19.3
Superior colliculus	143, 19.3	147, 18.6	147, 14.6	132, 20.5
Visual cortex	171, 18.3	156, 29.9	157, 30.0	174, 44.7
Pons	98, 10.9	90, 9.3	85, 9.0	98, 12.8
Cerebellum	88, 7.7	92, 10.1	91, 7.2	86, 10.0

*significant side-to side difference between structures in the same group

p < 0.05 Unpaired t test