identified a history of recent headache (within seven days) as a risk factor for post-LP HA.⁴ Many patients must wait several weeks to schedule a spinal tap, and most studies require advanced planning. Therefore, a positive history of chronic headache may prove more useful in predicting post-LP HA. This information will also help to simplify the design of long term prophylactic treatment trials.

- 1 Tourtellotte WW, Haerer AF, Heller GL, Sommers JE. *Post lumbar puncture headache*. Springfield, IL: Charles C Thomas, 1964.
- 2 Gielen M. Post dural puncture headache (PDPH): a review. *Reg Anaesth* 1989; 14:101–6.
- 3 Raskin NH. Lumbar puncture headache: a review. *Headache* 1990;30:197–200.
- 4 Kuntz KM, Kokmen E, Stevens JC, Miller P, Offord KP, Ho MM. Post lumbar puncture headaches: experience in 501 consecutive procedures. *Neurology* 1992;42:1884–7.
- 5 Lybecker H, Moller JT, May O, Nielsen HK. Incidence and prediction of postdural puncture headache: a prospective study of 1021 spinal anesthetics. *Anesth Analg* 1990;70:389–94.
- 6 Sechzer PH, Abel L. Post-spinal anesthesia headache treated with caffeine. *Curr Ther Res* 1978;24:307–12.
- 7 Fuerstein TJ, Zeides A. Theophylline relieves headache following lumbar puncture. *Klin Wochenschr* 1986;64:216–8.
- 8 Crawford JS. Experiences with epidural blood patch. *Anaesthesia* 1980;35:513–5.
- 9 Berrettini WH, Simmons-Alling S, Nurnberger JI. Epidural blood patch does not prevent headache after lumbar puncture. *Lancet* 1987;i:856–7.
- 10 Tourtellotte WW, Henderson WG, Tucker RP, et al. A randomized double-blind clinical trial comparing the 22 versus 26 gauge needle in the production of the post lumbar puncture syndrome in normal individuals. *Headache* 1972;12:73–78.
- 11 Vandam LD, Dripps RD. Long term follow up of patients who received 10,098 spinal anesthetics. *JAMA* 1956; 161:586–91.
- 12 Vilming ST, Shrader H, Monstad I. Post lumbar puncture headaches: the significance of body posture. *Cephalalgia* 1988;8:75–78.
- 13 Cook PT, Davies JM, Beavis RE. Bed rest and postlumbar puncture headache: the effectiveness of 24 hours' recumbency in reducing the incidence of postlumbar puncture headache. *Anaesthesia* 1989;44:389–91.
- 14 Handler C, Smith FR, Perkin GD, Rose FC. Posture and lumbar puncture headache: a controlled trial in 50 patients. *J R Soc Med* 1982;75:404–7.
- 15 Vilming ST, Shrader H, Monstad I. The significance of age, sex, and cerebrospinal fluid pressure in post lumbar headache. *Cephalalgia* 1989;9:99–106.
- 16 Solomon GD, Clark JW, Kunkel R. The role of denervation hypersensitivity to SP in the etiology of post lumbar puncture headache. *Headache* 1995; 35:25–8.
- 17 McGregor GP, Bloom SR. Radioimmunoassay of substance P and its stability in tissue. *Life Sci* 1983;32: 655–62.
- 18 Clark JW, Senanayake P, Solomon GD, Gallagher C. Substance P: correlation of CSF and plasma levels. *Headache* 1994;34:261–4.
- 19 Burks TF, Buck SH, Miller MS. Mechanisms of depletion of substance P by capsaicin. *Fed Proc* 1985;44:2531–4.
- 20 Delgado-Sygmunt TJ, Arbab MA, Edvinsson L, Jansen I, Svendgaard NA. Prevention of cerebral vasospasm in the rat by depletion or inhibition of substance P in conducting vessels. *J Neurosurg* 1990;72:917–25.
- 21 Rouissi N, Nantel F, Drapeau G, Rhaleb N, Dion S, Regoli D. Inhibitors of peptidases: how they influence the biological activities of substance P, neurokinins, kinins and angiotensins in isolated vessels. *Pharmacology* 1990;40: 185–95.
- 22 Faulhaber HD, Oehme R, Baumann J, Enderlein R, Rostock RG, Naumann E. Substance P in human essential hypertension. *J Cardiovasc Pharmacol* 1987;10:S172–6.

NEUROLOGICAL STAMP

Karl Rokitansky (1804–78)

Rokitansky was a Czech who studied philosophy at the University of Prague and later moved to Vienna to study medicine. He was one of the greatest of the gross descriptive pathologists and was able to base his lifelong study of disease on more than 30 000 necropsies personally performed over 40 years. Rokitansky was professor of pathology in Vienna for 30 years from 1844 and was one of the chief founders of the new Vienna School. His *Handbuch der pathologischen Anatomie* (1842–46) was based on many thousands of necropsies. Among his special contributions were treatise on diseases of the arteries and defects of the heart. He was the first to detect bacteria in the lesions of malignant endocarditis. Other contributions include studies on goitre, acute yellow atrophy of the liver (also known as Rokitansky's disease), polycystic tumour of the ovaries, acute dilatation of the stomach, and perforating gastric ulcer and he recognised the association of intracranial lesions with erosions of the gastric mucosa. He also described spondylolisthesis and spondylitic deformity of the spine. At first he was an adherent of the humoral theory of disease but was bitterly opposed by Virchow, the founder of modern cellular pathology. Later Rokitansky accepted Virchow's view.

He was a genial and witty man. Of his four sons, two became physicians and the other two concert singers which led him to remark that they were of two classes, the healers and howlers: *Die Einen heilen, die Anderen heulen*.

He was honoured in the set of stamps issued by Austria in 1937 showing great doctors (Stanley Gibbons 817, Scott B158).

L F HAAS