

200

**PARKINSON'S SPECIFIC TRIGGER TOOL: DETECTING ADVERSE EVENTS**

Robert Hurford,<sup>1</sup> Sarah Kelly,<sup>2</sup> Mark Joyce,<sup>2</sup> Mark Kellett,<sup>1,3</sup> Christopher Kobylecki<sup>3,4</sup>. <sup>1</sup>Salford Royal NHS Foundation Trust; <sup>2</sup>University of Manchester; <sup>3</sup>Greater Manchester Neurosciences Centre; <sup>4</sup>Institute of Brain, Behaviour and Mental Health, University of Manchester

10.1136/jnnp-2014-309236.200

**Background** The Institute of Healthcare Improvement Global Trigger Tool (GTT) is designed to identify potential harms

(triggers) and adverse events (AEs) in healthcare organisations. There is currently no such tool validated for use in Parkinson's disease (PD) patients. In this two-stage project, we firstly adapted the GTT to target this patient group and secondly piloted it in our centre.

**Methods** The GTT and PD specific trigger tool (PSTT) were initially applied to a cohort of 45 inpatients with PD to compare their relative sensitivities. The PSTT was subsequently piloted by a trained rater in 50 surgical and medical inpatients in a single centre. The outcome measure was AEs per 100 patients per 1000 days.

**Findings** The PSTT detected 109 triggers in 30 patients, compared with 52 triggers in 21 patients using the GTT, and detected over twice as many AEs. PD patients on a medical vs surgical ward were more likely to experience AEs (82.3 vs 52.2,  $p=0.03$ ). Medication errors or delays were a significant contributor to AEs.

**Conclusion** The PSTT provides a quick and sensitive method for identifying potential and actual harms to inpatients with PD. Implementation of such methods will help improve the quality of patient care.