

Supplemental References

- [S41] Dodson PD, Dreyer JK, Jennings KA, Syed ECJ, Wade-Martins R, Cragg SJ, et al. Representation of spontaneous movement by dopaminergic neurons is cell-type selective and disrupted in parkinsonism. *Proc Nat Acad Sci USA*. 2016;113:E2180–E2188.
- [S42] Howe MW, Dombeck DA. Rapid signalling in distinct dopaminergic axons during locomotion and reward. *Nature*. 2016;535(7613):505–510.
- [S43] Greffard S, Verny M, Bonnet AM, Beinis JY, Gallinari C, Meaume S, et al. Motor score of the Unified Parkinson Disease Rating Scale as a good predictor of Lewy body-associated neuronal loss in the substantia nigra. *Arch Neurol*. 2006;63:584–588.
- [S44] Day M, Wang Z, Ding J, An X, Ingham CA, Shering AF, et al. Selective elimination of glutamatergic synapses on striatopallidal neurons in Parkinson disease models. *Nat Neurosci*. 2006;9(2):251–259.
- [S45] Frank MJ, Seeberger LC, O'Reilly RC. By carrot or by stick: cognitive reinforcement learning in parkinsonism. *Science*. 2004;306(5703):1940–1943.
- [S46] Brown P, Oliviero A, Mazzone P, Insola A, Tonali P, Di Lazzaro V. Dopamine dependency of oscillations between subthalamic nucleus and pallidum in Parkinson's disease. *J Neurosci*. 2001;21:1033–8.
- [S47] Levy R, Ashby P, Hutchison WD, Lang AE, Lozano AM, Dostrovsky JO. Dependence of subthalamic nucleus oscillations on movement and dopamine in Parkinson's disease. *Brain*. 2002;125:1196–1209.
- [S48] Kühn AA, Kempf F, Brücke, C et al. High-frequency stimulation of the subthalamic nucleus suppresses oscillatory beta activity in patients with Parkinson's disease in parallel with improvement in motor performance. *J Neurosci*, 2008; 28, 6165-6173
- [S49] Hammond C, Bergman H, Brown P. Pathological synchronization in Parkinson's disease: networks, models and treatments. *Trends Neurosci*. 2007;30:357–364.
- [S50] Gillies A, Willshaw D, Li ZP. Subthalamic-pallidal interactions are critical in determining normal and abnormal functioning of the basal ganglia. *Proc Roy Soc B Biol Sci*. 2002;269(1491):545–551.
- [S51] Terman D, Rubin JE, Yew AC, Wilson CJ. Activity patterns in a model for the subthalamopallidal network of the basal ganglia. *J Neurosci*. 2002;22(7):2963–76.
- [S52] Blenkinsop A, Anderson S, Gurney K. Frequency and function in the basal ganglia: the origins of beta and gamma band activity. *J Physiol*. 2017;595:4525–4548.
- [S53] Holgado AJN, Terry JR, Bogacz R. Conditions for the generation of beta oscillations in the subthalamic nucleus-globus pallidus network. *J Neurosci*. 2010;30(37):12340–12352.
- [S54] Pavlides A, John Hogan S, Bogacz R. Improved conditions for the generation of beta oscillations in the subthalamic nucleus–globus pallidus network. *Eur J Neurosci*. 2012;36:2229–2239.
- [S55] Wei W, Rubin JE, Wang XJ. Role of the indirect pathway of the Basal Ganglia in perceptual decision making. *J Neurosci*. 2015;35:4052–4064.
- [S56] Lienard J, Girard B. A biologically constrained model of the whole basal ganglia addressing the paradoxes of connections and selection. *J Comput Neurosci*. 2014;36:445.

- [S57] Lienard JF, Cos I, Girard B. Beta-Band Oscillations without Pathways: the opposing Roles of D2 and D5 Receptors. *bioRxiv*. 2017; 161661.
- [S58] Sharott A, Magill PJ, Harnack D, Kupsch A, Meissner W, Brown P. Dopamine depletion increases the power and coherence of beta-oscillations in the cerebral cortex and subthalamic nucleus of the awake rat. *Eur J Neurosci*. 2005;21(5):1413–1422.
- [S59] Pavlides A, Hogan SJ, Bogacz R. Computational Models Describing Possible Mechanisms for Generation of Excessive Beta Oscillations in Parkinson's Disease. *PLoS Comput Biol*. 2015;11:e1004609.
- [S60] van Albada SJ, Gray RT, Drysdale PM, Robinson PA. Mean-field modeling of the basal ganglia-thalamocortical system. II. Dynamics of parkinsonian oscillations. *J Theor Biol*. 2009;257:664–688.
- [S61] Kumaravelu K, Brocker DT, Grill WM. A biophysical model of the cortex-basal ganglia-thalamus network in the 6-OHDA lesioned rat model of Parkinson's disease. *J Comput Neurosci*. 2016;40:207–229.
- [S62] Damodaran S, Cressman JR, Jedrzejewski-Szmek Z, Blackwell KT. Desynchronization of Fast-Spiking Interneurons Reduces β -Band Oscillations and Imbalance in Firing in the Dopamine-Depleted Striatum. *J Neurosci*. 2015;35:1149–1159.
- [S63] Corbit VL, Whalen TC, Zitelli KT, Crilly SY, Rubin JE, Gittis AH. Pallidostriatal Projections Promote β Oscillations in a Dopamine-Depleted Biophysical Network Model. *J Neurosci*. 2016;36:5556–5571.
- [S64] Mallet N, Pogosyan A, Mrton LF, Bolam JP, Brown P, Magill PJ. Parkinsonian beta oscillations in the external globus pallidus and their relationship with subthalamic nucleus activity. *J Neurosci*. 2008;28(52):14245–14258.
- [S65] Deffains M, Iskhakova L, Katabi S, Haber SN, Israel Z, Bergman H. Subthalamic, not striatal, activity correlates with basal ganglia downstream activity in normal and parkinsonian monkeys. *Elife*. 2016;5:e16443.
- [S66] McIntyre CC, Savasta M, Goff LKL, Vitek JL. Uncovering the mechanism(s) of action of deep brain stimulation: activation, inhibition, or both. *Clin Neurophysiol*. 2004;115:1239–1248.
- [S67] Miocinovic S, Parent M, Butson CR, Hahn PJ, Russo GS, Vitek JL, et al. Computational analysis of subthalamic nucleus and lenticular fasciculus activation during therapeutic deep brain stimulation. *J Neurophysiol*. 2006;96(3):1569–1580.
- [S68] Rubin JE, Terman D. High frequency stimulation of the subthalamic nucleus eliminates pathological thalamic rhythmicity in a computational model. *J Comput Neurosci*. 2004;16(3):211–235.
- [S69] Guo Y, Rubin JE, McIntyre CC, Vitek JL, Terman D. Thalamocortical relay fidelity varies across subthalamic nucleus deep brain stimulation protocols in a data-driven computational model. *J Neurophysiol*. 2008;99:1477–1492.
- [S70] McIntyre CC, Hahn PJ. Network perspectives on the mechanisms of deep brain stimulation. *Neurobiol Dis*. 2010;38(3):329–337.
- [S71] Humphries MD, Gurney K. Network effects of subthalamic deep brain stimulation drive a unique mixture of responses in basal ganglia output. *Eur J Neurosci*. 2012;36:2240–2251.

- [S72] Hahn PJ, McIntyre CC. Modeling shifts in the rate and pattern of subthalamopallidal network activity during deep brain stimulation. *J Comput Neurosci*. 2010;28:425–441.
- [S73] Hahn PJ, Russo GS, Hashimoto T, Miocinovic S, Xu W, McIntyre CC, et al. Pallidal burst activity during therapeutic deep brain stimulation. *Exp Neurol*. 2008;211(1):243–251.
- [S74] Hashimoto T, Elder CM, Okun MS, Patrick SK, Vitek JL. Stimulation of the subthalamic nucleus changes the firing pattern of pallidal neurons. *J Neurosci*. 2003;23(5):1916–1923.
- [S75] Rosenbaum R, Zimnik A, Zheng F, Turner RS, Alzheimer C, Doiron B, et al. Axonal and synaptic failure suppress the transfer of firing rate oscillations, synchrony and information during high frequency deep brain stimulation. *Neurobiol Dis*. 2014;62:86–99.
- [S76] Moran A, Stein E, Tischler H, Bar-Gad I. Decoupling neuronal oscillations during subthalamic nucleus stimulation in the parkinsonian primate. *Neurobiol Dis*. 2011;45:583–590.
- [S77] Gradinaru V, Mogri M, Thompson KR, Henderson JM, Deisseroth K. Optical deconstruction of parkinsonian neural circuitry. *Science*. 2009;324:354–359.
- [S78] Li Q, Ke Y, Chan DCW, Qian ZM, Yung KKL, Ko H, et al. Therapeutic deep brain stimulation in Parkinsonian rats directly influences motor cortex. *Neuron*. 2012;76(5):1030–1041.
- [S79] Carron R, Filipchuk A, Nardou R, Singh A, Michel FJ, Humphries MD, et al. Early hypersynchrony in juvenile PINK1(-)/(-) motor cortex is rescued by antidromic stimulation. *Front Syst Neurosci*. 2014;8:95.
- [S80] Obeso JA, Stamelou M, Goetz CG, Poewe W, Lang AE, Weintraub D, et al. Past, present, and future of Parkinson's disease: A special essay on the 200th Anniversary of the Shaking Palsy. *Mov Disord*. 2017;32(9):1264–1310.
- [S81] Okun MS, Vitek JL. Lesion therapy for Parkinson's disease and other movement disorders: update and controversies. *Mov Disord*. 2004;19:375–389.
- [S82] Lozano CS, Tam J, Lozano AM. The changing landscape of surgery for Parkinson's Disease. *Mov Disord*. 2018;33:36–47.
- [S83] Li N, Daie K, Svoboda K, Druckmann S. Robust neuronal dynamics in premotor cortex during motor planning. *Nature*. 2016;532(7600):459–464.
- [S84] Piron C, Kase D, Topalidou M, Goillandeau M, Orignac H, N'Guyen TH, et al. The globus pallidus pars interna in goal-oriented and routine behaviors: Resolving a long-standing paradox. *Mov Disord*, 2016; 31:1146-1154.
- [S85] Leblois A, Meissner W, Bioulac B, Gross C. E, Hansel D, Boraud T. Late emergence of synchronized oscillatory activity in the pallidum during progressive Parkinsonism. *Eur J Neurosci*. 2007; 26:1701-1713
- [S86] Degos B, Deniau J-M, Chavez M, Maurice N. Chronic but not acute dopaminergic transmission interruption promotes a progressive increase in cortical beta frequency synchronization: relationships to vigilance state and akinesia. *Cereb Cortex*. 2009; 19:1616-1630

- [S87] Rosin B, Slovik M, Mitelman R, Rivlin-Etzion M, Haber SN, Israel Z et al. Closed-loop deep brain stimulation is superior in ameliorating parkinsonism. *Neuron*. 2011; 72:370-384
- [S88] Little S, Pogosyan A, Neal S, Zavala B, Zrinzo L, Hariz M, et al Adaptive deep brain stimulation in advanced Parkinson disease. *Ann Neurol*. 2013; 74:449-457
- [S89] Tass PA. A model of desynchronizing deep brain stimulation with a demand-controlled coordinated reset of neural subpopulations. *Biol Cybern*. 2003; 89:81-88
- [S90] Adamchic I, Hauptmann C, Barnikol UB, Pawelczyk N, Popovych O, Barnikol TT et al. Coordinated reset neuromodulation for Parkinson's disease: proof-of-concept study. *Mov Disord*. 2014; 29:1679-1684
- [S91] Mallet N, Micklem BR, Henny P, Brown MT, Williams C, Bolam JP, et al. Dichotomous Organization of the External Globus Pallidus. *Neuron*. 2012;74:1075–1086.
- [S92] Gittis AH, Berke JD, Bevan MD, Chan CS, Mallet N, Morrow MM, et al. New roles for the external globus pallidus in basal ganglia circuits and behavior. *J Neurosci*. 2014;34(46):15178–15183.
- [S93] Nevado-Holgado AJ, Mallet N, Magill PJ, Bogacz R. Effective connectivity of the subthalamic nucleus -globus pallidus network during Parkinsonian oscillations. *J Physiol*. 2014;592:1429–1455.