

## Supplementary References for Table 1

- e1 Stone J, Carson A, Aditya H, *et al.* The role of physical injury in motor and sensory conversion symptoms: a systematic and narrative review. *J Psychosom Res* 2009; **66**: 383–90.
- e2 Hugué V, Lachart M, Magerl W, *et al.* Complex interaction of sensory and motor signs and symptoms in chronic CRPS. *PLoS One* 2011; **6**. DOI:10.1371/journal.pone.0018775.
- e3 Birklein F, Riedl B, Sieweke N, Weber M, Neundörfer B. Neurological findings in complex regional pain syndromes--analysis of 145 cases. *Acta Neurol Scand* 2000; **101**: 262–9.
- e4 Rommel O, Gehling M, Dertwinkel R, *et al.* Hemisensory impairment in patients with complex regional pain syndrome. *Pain* 1999; **80**: 95–101.
- e5 Verdugo RJ, Ochoa JL. Reversal of hypoesthesia by nerve block, or placebo: a psychologically mediated sign in chronic pseudoneuropathic pain patients. *JNeurolNeurosurgPsychiatry* 1998; **65**: 196–203.
- e6 Stone J, Vermeulen M. Chapter 24 – Functional sensory symptoms. In: Handbook of Clinical Neurology. 2016: 271–81.
- e7 Mailis-Gagnon A, Nicholson K. On the nature of nondermatomal somatosensory deficits. *Clin J Pain* 2011; **27**: 76–84.
- e8 Charcot JM. Clinical lectures on diseases of the nervous system (Volume 3). London: New Sydenham Society, 1889.
- e9 Munts AG, Van Rootselaar A-F, Van Der Meer JN, Koelman JHTMTM, Van Hilten JJ, Tijssen MAJJ. Clinical and neurophysiological characterization of myoclonus in complex regional pain syndrome. *Mov Disord* 2008; **23**: 581–7.
- e10 Munts A, Mugge W, Meurs T, *et al.* Fixed Dystonia in Complex Regional Pain Syndrome: a Descriptive and Computational Modeling Approach. *BMC Neurol* 2011; **11**: 53.
- e11 Verdugo RJ, Ochoa JL. Abnormal movements in complex regional pain syndrome: Assessment of their nature. *Muscle and Nerve* 2000; **23**: 198–205.
- e12 Van Hilten JJ. Movement Disorders in Complex Regional Pain Syndrome. *Pain Med* 2010; **11**: 1274–7.
- e13 Edwards MJ, Alonso-Canovas A, Schrag A, *et al.* Limb amputations in fixed dystonia: A form of body integrity identity disorder? *Mov Disord* 2011; **26**: 1410–4.
- e14 Lang A, Chen R. Dystonia in Complex Regional Pain Syndrome Type I. *Ann Neurol* 2010; **67**: 412–4.
- e15 Petrović IN, Tomić A, Vončina MM, Pešić D, Kostić VS. Characteristics of two distinct clinical phenotypes of functional (psychogenic) dystonia: follow-up study. *J. Neurol.* 2017; **1**: 1–7.

- e16 Ganos C, Edwards MJ, Bhatia KP. The Phenomenology of Functional (Psychogenic) Dystonia. *Mov Disord Clin Pract* 2014; **1**: 36–44.
- e17 Stone J, Gelauff J, Carson A. A ‘twist in the tale’: Altered perception of ankle position in psychogenic dystonia. *Mov Disord* 2012; **27**: 585–6.
- e18 Roper LS, Saifee T a, Parees I, Rickards H, Edwards MJ. How to use the entrainment test in the diagnosis of functional tremor. *Pract Neurol* 2013; **13**: 396–8.
- e19 Verdugo RJ, Bell L a., Campero M, *et al.* Spectrum of cutaneous hyperalgesias/allodynia in neuropathic pain patients. *Acta Neurol Scand* 2004; **110**: 368–76.
- e20 Schwingenschuh P, Saifee TA, Katschnig-Winter P, *et al.* Validation of ‘laboratory-supported’ criteria for functional (psychogenic) tremor. *Mov Disord* 2016; **31**: 555–62.
- e21 Schilder JCM, Schouten AC, Perez RSGM, *et al.* Motor control in complex regional pain syndrome: A kinematic analysis. *Pain* 2012; **153**: 805–12.
- e22 Daum C, Gheorghita F, Spatola M, *et al.* Interobserver agreement and validity of bedside ‘positive signs’ for functional weakness, sensory and gait disorders in conversion disorder: a pilot study. *J Neurol Neurosurg Psychiatry* 2015; **86**: 425–30.
- e23 Lewis JS, Kersten P, McCabe CS, McPherson KM, Blake DR. Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS). *Pain* 2007; **133**: 111–9.
- e24 Galer BS, Jensen M. Neglect-Like Symptoms in Complex Regional Pain Syndrome: Results of a Self-Administered Survey. *J Pain Symptom Manag J Pain Symptom Manag* 1999; **18**: 1818. [https://ac.els-cdn.com/S0885392499000767/1-s2.0-S0885392499000767-main.pdf?\\_tid=be508e96-face-11e7-87c6-00000aab0f26&acdnat=1516115332\\_d50896002b72dd5fb2c6b231f4ce2b39](https://ac.els-cdn.com/S0885392499000767/1-s2.0-S0885392499000767-main.pdf?_tid=be508e96-face-11e7-87c6-00000aab0f26&acdnat=1516115332_d50896002b72dd5fb2c6b231f4ce2b39) (accessed Jan 16, 2018).
- e25 Stone J, Edwards MJ. Trick or treat? How to show patients their functional movement disorder signs. *Neurology* 2012; **in press**.
- e26 Parton A, Husain M, Malhotra P. Hemispatial neglect. *J Neurol Neurosurg Psychiatry* 2004; **75**: 13–21.
- e27 Birley T, Goebel A. Widespread pain in patients with complex regional pain syndrome. *Pain Pract* 2014; **14**: 526–31.
- e28 Michal M, Adler J, Reiner I, *et al.* Association of Neglect-Like Symptoms with Anxiety, Somatization, and Depersonalization in Complex Regional Pain Syndrome. *Pain Med* 2016; **18**: 764–72.
- e29 Dixit R, Popescu A, Bagić A, Ghearing G, Hendrickson R. Medical comorbidities in patients with psychogenic nonepileptic spells (PNES) referred for video-EEG monitoring. *Epilepsy Behav* 2013; **28**: 137–40.

- e30 Batla A, Stamelou M, Edwards MJ, *et al.* Functional movement disorders are not uncommon in the elderly. *Mov Disord* 2013; **28**: 540–3.
- e31 Onofrj M, Bonanni L, Manzoli L, Thomas A. Cohort study on somatoform disorders in Parkinson disease and dementia with Lewy bodies. *Neurology* 2010; **74**: 1598–606.
- e32 Stone J, Carson a., Duncan R, *et al.* Which neurological diseases are most likely to be associated with ‘symptoms unexplained by organic disease’. *J Neurol* 2012; **259**: 33–8.