

## Supplement 2: Supplementary references

- [S1] Lichter DG, Dmochowski J, Jackson LA, Trinidad KS. Influence of family history on clinical expression of Tourette's syndrome. *Neurology* 1999;52(2):308–16.
- [S2] Ohta M, Kano Y. Clinical characteristics of adult patients with tics and/or Tourette's syndrome. *Brain & development* 2003;25 Suppl 1:S32-6.
- [S3] Robertson MM, Banerjee S, Eapen V, Fox-Hiley P. Obsessive compulsive behaviour and depressive symptoms in young people with Tourette syndrome. A controlled study. *European child & adolescent psychiatry* 2002;11(6):261–5.
- [S4] Martinez-Ramirez D, Jimenez-Shahed J, Leckman JF, Porta M, Servello D, Meng F-G, et al. Efficacy and Safety of Deep Brain Stimulation in Tourette Syndrome: The International Tourette Syndrome Deep Brain Stimulation Public Database and Registry. *JAMA neurology* 2018;75(3):353–9.
- [S5] Freeman RD, Fast DK, Burd L, Kerbeshian J, Robertson MM, Sandor P. An international perspective on Tourette syndrome: Selected findings from 3,500 individuals in 22 countries. *Developmental medicine and child neurology* 2000;42(7):436–47.
- [S6] Anandan S, Wigg CL, Thomas CR, Coffey B. Psychosurgery for self-injurious behavior in Tourette's disorder. *Journal of child and adolescent psychopharmacology* 2004;14(4):531–8.
- [S7] Berthier ML, Campos VM, Kulisevsky J. Echopraxia and Self-Injurious Behavior in Tourette's Syndrome: A Case Report. *Cognitive and Behavioral Neurology* 1996;9(4).
- [S8] Cavanna AE, Cavanna S, Bertero L, Monaco F, Critchley HD. Childhood-onset multiple self-injurious behaviors in Gilles de la Tourette syndrome. *J Pediatr Neurol* 2009;07(03):293–6.
- [S9] Cavanna AE, Monaco F, Mula M, Robertson MM, Critchley HD. Uneven focal shoe deterioration in Tourette syndrome. *Neuropsychiatric disease and treatment* 2006;2(4):587–8.
- [S10] Eisenhauer GL, Woody RC. Self-mutilation and Tourette's disorder. *Journal of child neurology* 1987;2(4):265–7.
- [S11] Fornaro M, Maremmani AGI, Colicchio MG, Romano A, Fornaro S, Rizzato S, et al. A case of severe oral self-injurious Tourette's syndrome alleviated by pregabalin. *General hospital psychiatry* 2012;34(3):321.e1-4.
- [S12] Houeto JL, Karachi C, Mallet L, Pillon B, Yelnik J, Mesnage V, et al. Tourette's syndrome and deep brain stimulation. *Journal of neurology, neurosurgery, and psychiatry* 2005;76(7):992–5.
- [S13] Jankovic J, Sekula S. Dermatological manifestations of Tourette syndrome and obsessive-compulsive disorder. *Archives of dermatology* 1998;134(1):113–4.
- [S14] Karadenizli D, Dilbaz N, Bayam G. Gilles de la Tourette syndrome: Response to electroconvulsive therapy. *The journal of ECT* 2005;21(4):246–8.
- [S15] Krüger D, Müller-Vahl KR. Severe self-injurious behavior with teeth extraction in a boy with Tourette syndrome. *Pediatric neurology* 2015;52(5):e5.

- [S16] Leksell E, Edvardson S. A case of Tourette syndrome presenting with oral self-injurious behaviour. *International journal of paediatric dentistry* 2005;15(5):370–4.
- [S17] Lim S, Rezai KA, Abrams GW, Elliott D. Self-induced, bilateral retinal detachment in Tourette syndrome. *Archives of ophthalmology (Chicago, Ill. 1960)* 2004;122(6):930–1.
- [S18] Morais SL, Derenusson GN, Pinto JP, Hounie AG, Dursun SM, Wichert-Ana L, et al. Neurobiological substrates of electroconvulsive therapy for Tourette syndrome: A Serial SISCOM study. *The journal of ECT* 2007;23(4):278–80.
- [S19] Neuner I, Podoll K, Lenartz D, Sturm V, Schneider F. Deep brain stimulation in the nucleus accumbens for intractable Tourette's syndrome: Follow-up report of 36 months. *Biological psychiatry* 2009;65(4):e5-6.
- [S20] Robertson M, Doran M, Trimble M, Lees AJ. The treatment of Gilles de la Tourette syndrome by limbic leucotomy. *Journal of neurology, neurosurgery, and psychiatry* 1990;53(8):691–4.
- [S21] Sandyk R, Bamford CR. Deregulation of hypothalamic dopamine and opioid activity and the pathophysiology of self-mutilatory behavior in Tourette's syndrome. *Journal of clinical psychopharmacology* 1987;7(5):367.
- [S22] Shimoyama T, Horie N, Kato T, Nasu D, Kaneko T. Tourette's syndrome with rapid deterioration by self-mutilation of the upper lip. *The Journal of clinical pediatric dentistry* 2003;27(2):177–80.
- [S23] Singer HS, Pepple JM, Ramage AL, Butler IJ. Gilles de la Tourette syndrome: Further studies and thoughts. *Annals of neurology* 1978;4(1):21–5.
- [S24] Woody RC, Eisenhauer G. Tooth extraction as a form of self-mutilation in Tourette's disorder. *Southern medical journal* 1986;79(11):1466.
- [S25] Motlagh MG, Smith ME, Landeros-Weisenberger A, Kobets AJ, King RA, Miravite J, et al. Lessons Learned from Open-label Deep Brain Stimulation for Tourette Syndrome: Eight Cases over 7 Years. *Tremor and other hyperkinetic movements (New York, N.Y.)* 2013;3.
- [S26] Hall SS, Barnett RP, Hustyi KM. Problem behaviour in adolescent boys with fragile X syndrome: Relative prevalence, frequency and severity. *Journal of intellectual disability research JIDR* 2016;60(12):1189–99.
- [S27] Hessel D, Tassone F, Cordeiro L, Koldewyn K, McCormick C, Green C, et al. Brief report: Aggression and stereotypic behavior in males with fragile X syndrome--moderating secondary genes in a "single gene" disorder. *Journal of autism and developmental disorders* 2008;38(1):184–9.
- [S28] Levitas A, Hagerman RJ, Braden M, Rimland B, McBogg P, Matus I. Autism and the fragile X syndrome. *Journal of developmental and behavioral pediatrics JDBP* 1983;4(3):151–8.
- [S29] Newman I, Leader G, Chen JL, Mannion A. An analysis of challenging behavior, comorbid psychopathology, and Attention-Deficit/Hyperactivity Disorder in Fragile X Syndrome. *Research in developmental disabilities* 2015;38:7–17.

- [S30] Collins MSR, Cornish K. A survey of the prevalence of stereotypy, self-injury and aggression in children and young adults with Cri du Chat syndrome. *Journal of intellectual disability research JIDR* 2002;46(Pt 2):133–40.
- [S31] van Buggenhout GJ, Pijkels E, Holvoet M, Schaap C, Hamel BC, Fryns JP. Cri du chat syndrome: Changing phenotype in older patients. *American journal of medical genetics* 2000;90(3):203–15.
- [S32] Richman DM, Lindauer SE. Longitudinal assessment of stereotypic, proto-injurious, and self-injurious behavior exhibited by young children with developmental delays. *American journal of mental retardation AJMR* 2005;110(6):439–50.
- [S33] Dykens EM, Finucane BM, Gayley C. Brief report: Cognitive and behavioral profiles in persons with Smith-Magenis syndrome. *Journal of autism and developmental disorders* 1997;27(2):203–11.
- [S34] Dykens EM, Smith AC. Distinctiveness and correlates of maladaptive behaviour in children and adolescents with Smith-Magenis syndrome. *Journal of intellectual disability research JIDR* 1998;42 (Pt 6):481–9.
- [S35] Kenworthy L, Park T, Charnas LR. Cognitive and behavioral profile of the oculocerebrorenal syndrome of Lowe. *American journal of medical genetics* 1993;46(3):297–303.
- [S36] Paisey TJH, Whitney RB, Wainczak SM. Case study: Noninvasive behavioral treatment of self-injurious hand stereotypy in a child with Rett syndrome. *Behavioral Residential Treatment* 1993;8:133–45.
- [S37] Iwata BA, Pace GM, Willis KD, Gamache TB, Hyman SL. Operant studies of self-injurious hand biting in the Rett syndrome. *American journal of medical genetics. Supplement* 1986;1:157–66.
- [S38] Danti FR, Galosi S, Romani M, Montomoli M, Carss KJ, Raymond FL, et al. GNAO1 encephalopathy: Broadening the phenotype and evaluating treatment and outcome. *Neurology. Genetics* 2017;3(2):e143.
- [S39] Benjamin E, Buot-Smith T. Naltrexone and fluoxetine in Prader-Willi syndrome. *Journal of the American Academy of Child and Adolescent Psychiatry* 1993;32(4):870–3.
- [S40] Gordon-Lipkin E, Cohen J, Srivastava S, Levey E, Fatemi S. “Salt and Pepper Syndrome”: A Deficiency in Ganglioside Metabolism and an Under-recognized Genetic Cause of Intellectual Disability, Choreoathetosis and Failure to Thrive. *Annals of neurology* 2016;80 (suppl 20):267–432.
- [S41] Kozai, K., Okamoto, M., Nagasaka N. New tongue protector to prevent decubital lingual ulcers caused by tongue thrust with myoclonus. *ASDC J Dent Child* 1998;65(6):474–7.
- [S42] Graf WD, Marin-Garcia J, Gao HG, Pizzo S, Naviaux RK, Markusic D, et al. Autism associated with the mitochondrial DNA G8363A transfer RNA(Lys) mutation. *Journal of child neurology* 2000;15(6):357–61.
- [S43] Dalal P, Leslie ND, Lindor NM, Gilbert DL, Espay AJ. Motor tics, stereotypies, and self-flagellation in primrose syndrome. *Neurology* 2010;75(3):284–6.

- [S44] Spears C, Malaty IA. Tourettism associated with the Xq25 Microduplication Syndrome; In: Abstracts of the 21st International Congress of Parkinson's Disease and Movement Disorders. *Movement disorders official journal of the Movement Disorder Society* 2017;32 Suppl 2:766.
- [S45] Wessel K, Suleiman J, Khalaf TE, Kishore S, Rolfs A, El-Hattab AW. 17q23.2q23.3 de novo duplication in association with speech and language disorder, learning difficulties, incoordination, motor skill impairment, and behavioral disturbances: A case report. *BMC medical genetics* 2017;18(1):119.
- [S46] Burkardt DD'C, Rosenfeld JA, Helgeson ML, Angle B, Banks V, Smith WE, et al. Distinctive phenotype in 9 patients with deletion of chromosome 1q24-q25. *American journal of medical genetics. Part A* 2011;155A(6):1336–51.
- [S47] László A, Vörös E, Buga K, Horváth K, Mayer P, Osztovcics M, et al. Myelination disturbance in a patient with hyperuricemia and hyperserotoninemia combined with 18q deletion syndrome. *Ideggyógyászati szemle* 2009;62(11-12):413–7.
- [S48] Barron JL, Sandman CA. Self-injurious behavior and stereotypy in an institutionalized mentally retarded population. *Applied research in mental retardation* 1984;5(4):499–511.
- [S49] Canitano R. Self injurious behavior in autism: Clinical aspects and treatment with risperidone. *Journal of neural transmission (Vienna, Austria 1996)* 2006;113(3):425–31.
- [S50] Matson JL, Hamilton M, Duncan D, Bamburg J, Smiroldo B, Anderson S, et al. Characteristics of stereotypic movement disorder and self-injurious behavior assessed with the Diagnostic Assessment for the Severely Handicapped (DASH-II). *Research in developmental disabilities* 1997;18(6):457–69.
- [S51] Abel TJ, Dalm BD, Grossbach AJ, Jackson AW, Thomsen T, Greenlee JDW. Lateralized effect of pallidal stimulation on self-mutilation in Lesch-Nyhan disease. *Journal of neurosurgery. Pediatrics* 2014;14(6):594–7.
- [S52] Allen SM, Rice SN. Risperidone antagonism of self-mutilation in a Lesch-Nyhan patient. *Progress in neuro-psychopharmacology & biological psychiatry* 1996;20(5):793–800.
- [S53] Anders TF, Cann HM, Ciaranello RD, Barchas JD, Berger PA. Further observations on the use of 5-hydroxytryptophan in a child with Lesch-Nyhan syndrome. *Neuropadiatrie* 1978;9(2):157–66.
- [S54] Arhakis A, Topouzelis N, Kotsiomi E, Kotsanos N. Effective treatment of self-injurious oral trauma in Lesch-Nyhan syndrome: A case report. *Dental traumatology official publication of International Association for Dental Traumatology* 2010;26(6):496–500.
- [S55] Cauwels RGEC, Martens LC. Self-mutilation behaviour in Lesch-Nyhan syndrome. *Journal of oral pathology & medicine official publication of the International Association of Oral Pathologists and the American Academy of Oral Pathology* 2005;34(9):573–5.
- [S56] Cho JH, Choi J-H, Heo SH, Kim G-H, Yum M-S, Lee BH, et al. Phenotypic and molecular spectrum of Korean patients with Lesch-Nyhan syndrome and attenuated clinical variants. *Metabolic brain disease* 2019;34(5):1335–40.

- [S57] Cif L, Biolsi B, Gavarini S, Saux A, Robles SG, Tancu C, et al. Antero-ventral internal pallidum stimulation improves behavioral disorders in Lesch-Nyhan disease. *Movement disorders official journal of the Movement Disorder Society* 2007;22(14):2126–9.
- [S58] Dabrowski E, Smathers SA, Ralstrom CS, Nigro MA, Leleszi JP. Botulinum toxin as a novel treatment for self-mutilation in Lesch-Nyhan syndrome. *Developmental medicine and child neurology* 2005;47(9):636–9.
- [S59] Deon LL, Kalichman MA, Booth CL, Slavin KV, Gaebler-Spira DJ. Pallidal deep-brain stimulation associated with complete remission of self-injurious behaviors in a patient with Lesch-Nyhan syndrome: A case report. *Journal of child neurology* 2012;27(1):117–20.
- [S60] Eguchi S, Tokioka T, Motoyoshi A, Wakamura S. A self-controllable mask with helmet to prevent self finger-mutilation in the Lesch-Nyhan syndrome. *Archives of physical medicine and rehabilitation* 1994;75(6):709–10.
- [S61] Gregorio L de, Nyhan WL, Serafin E, Chamoles NA. An unexpected affected female patient in a classical Lesch-Nyhan family. *Molecular genetics and metabolism* 2000;69(3):263–8.
- [S62] Gutierrez C, Pellene A, Micheli F. Botulinum toxin: Treatment of self-mutilation in patients with Lesch-Nyhan syndrome. *Clinical neuropharmacology* 2008;31(3):180–3.
- [S63] Hladnik U, Nyhan WL, Bertelli M. Variable expression of HPRT deficiency in 5 members of a family with the same mutation. *Archives of neurology* 2008;65(9):1240–3.
- [S64] HOEFNAGEL D, ANDREW ED, MIREAULT NG, BERNDT WO. HEREDITARY CHOREOATHETOSIS, SELF-MUTILATION AND HYPERURICEMIA IN YOUNG MALES. *The New England journal of medicine* 1965;273:130–5.
- [S65] Howard RS, Walzak MP. A new cause for uric acid stones in childhood. *The Journal of urology* 1967;98(5):639–42.
- [S66] Lee J-H, Berkowitz RJ, Choi B-J. Oral self-mutilation in the Lesch-Nyhan syndrome. *ASDC journal of dentistry for children* 2002;69(1):66-9, 12.
- [S67] LESCH M, Nyhan WL. A FAMILIAL DISORDER OF URIC ACID METABOLISM AND CENTRAL NERVOUS SYSTEM FUNCTION. *The American journal of medicine* 1964;36:561–70.
- [S68] Mangano M, Azzia N, Russo A, Romeo MA. Lesch-Nyhan syndrome in two brothers: Why early diagnosis is essential. *Clinical pediatrics* 1994;33(2):125–6.
- [S69] McManaman J, Tam DA. Gabapentin for self-injurious behavior in Lesch-Nyhan syndrome. *Pediatric neurology* 1999;20(5):381–2.
- [S70] Michener WM. Hyperuricemia and mental retardation with athetosis and self-mutilation. *American journal of diseases of children (1960)* 1967;113(2):195–206.
- [S71] Mitchell G, McInnes RR. Differential diagnosis of cerebral palsy: Lesch-Nyhan syndrome without self-mutilation. *Canadian Medical Association journal* 1984;130(10):1323–4.

- [S72] Mizuno T. Long-term follow-up of ten patients with Lesch-Nyhan syndrome. *Neuropediatrics* 1986;17(3):158–61.
- [S73] Mizuno T, Segawa M, Kurumada T, Maruyama H, Onisawa J. Clinical and therapeutic aspects of the Lesch-Nyhan syndrome in Japanese children. *Neuropadiatrie* 1970;2(1):38–52.
- [S74] Nyhan WL. A disorder of uric acid metabolism and cerebral function in childhood. *Arthritis and rheumatism* 1965;8(5):659–64.
- [S75] Piedimonte F, Andreani JC, Piedimonte L, Micheli F, Graff P, Bacaro V. Remarkable clinical improvement with bilateral globus pallidus internus deep brain stimulation in a case of Lesch-Nyhan disease: Five-year follow-up. *Neuromodulation journal of the International Neuromodulation Society* 2015;18(2):118-22; discussion 122.
- [S76] Pralong E, Pollo C, Villemure J-G, Debatisse D. Opposite effects of internal globus pallidus stimulation on pallidal neurones activity. *Movement disorders official journal of the Movement Disorder Society* 2007;22(13):1879–84.
- [S77] Puig JG, Torres RJ, Mateos FA, Ramos TH, Arcas JM, Buño AS, et al. The spectrum of hypoxanthine-guanine phosphoribosyltransferase (HPRT) deficiency. Clinical experience based on 22 patients from 18 Spanish families. *Medicine* 2001;80(2):102–12.
- [S78] Rashid N, Yusuf H. Oral self-mutilation by a 17-month-old child with Lesch-Nyhan syndrome. *International journal of paediatric dentistry* 1997;7(2):115–7.
- [S79] Reed WB, Fish CH. Hyperuricemia with self-mutilation and choreo-athetosis. Lesch-Nyhan syndrome. *Archives of dermatology* 1966;94(2):194–5.
- [S80] Shapiro SL, Sheppard GL, Dreifuss FE, Newcombe DS. X-linked recessive inheritance of a syndrome of mental retardation with hyperuricemia. *Proceedings of the Society for Experimental Biology and Medicine. Society for Experimental Biology and Medicine (New York, N.Y.)* 1966;122(2):609–11.
- [S81] Shnier MH, Sims F, Zail S. The Lesch-Nyhan syndrome. First case description in a South African family. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde* 1972;46(28):947–9.
- [S82] Sorensen LB, Kawahara F, Chow D, Benke PJ, Coben L. Excessive purine synthesis and neurologic dysfunction in children. *Arthritis and rheumatism* 1970;13(6):835–45.
- [S83] Taira T, Kobayashi T, Hori T. Disappearance of self-mutilating behavior in a patient with lesch-nyhan syndrome after bilateral chronic stimulation of the globus pallidus internus. Case report. *Journal of neurosurgery* 2003;98(2):414–6.
- [S84] Visser JE, Schretlen DJ, Bloem BR, Jinnah HA. Levodopa is not a useful treatment for Lesch-Nyhan disease. *Movement disorders official journal of the Movement Disorder Society* 2011;26(4):746–9.

- [S85] Latorre A, Salgado P, Salari M, Jesuthasan A, Bhatia KP. Combined Dystonia With Self-Mutilation in 6-Pyruvoyl-Tetrahydropterin Synthase (PTPS) Deficiency: A Case Report. *Movement disorders clinical practice* 2019;6(1):81–2.
- [S86] Williams K. Benefits of normalizing plasma phenylalanine: Impact on behaviour and health. A case report. *Journal of inherited metabolic disease* 1998;21(8):785–90.
- [S87] Ozcan O, Selimoğlu MA. Self-injury behavior in an adolescent with Wilson's disease. *European child & adolescent psychiatry* 2009;18(12):761–2.
- [S88] Walker RH, Liu Q, Ichiba M, Muroya S, Nakamura M, Sano A, et al. Self-mutilation in chorea-acanthocytosis: Manifestation of movement disorder or psychopathology? *Movement disorders official journal of the Movement Disorder Society* 2006;21(12):2268–9.
- [S89] Tiftikcioglu BI, Dericioglu N, Saygi S. Focal seizures originating from the left temporal lobe in a case with chorea-acanthocytosis. *Clinical EEG and neuroscience* 2006;37(1):46–9.
- [S90] Thapa L, Bhattarai S, Shrestha MP, Panth R, Gongal DN, Devkota UP. Choreo-acanthocytosis: A case report. *International medical case reports journal* 2016;9:39–42.
- [S91] Ruiz-Sandoval JL, García-Navarro V, Chiquete E, Dobson-Stone C, Monaco AP, Alvarez-Palazuelos LE, et al. Choreoacanthocytosis in a Mexican family. *Archives of neurology* 2007;64(11):1661–4.
- [S92] Müller-Vahl KR, Berding G, Emrich HM, Peschel T. Choreo-acanthocytosis in monozygotic twins: Clinical findings and neuropathological changes as detected by diffusion tensor imaging, FDG-PET and (123)I-beta-CIT-SPECT. *Journal of neurology* 2007;254(8):1081–8.
- [S93] Kang DW, Lee JH. Deep Brain Stimulation For Choreo-acanthocytosis. *Stereotact Funct Neurosurg* 2013;91(suppl 1):1-334 (p. 179).
- [S94] Fontenelle LF, Leite MAA. Treatment-resistant self-mutilation, tics, and obsessive-compulsive disorder in neuroacanthocytosis: A mouth guard as a therapeutic approach. *The Journal of clinical psychiatry* 2008;69(7):1186–7.
- [S95] Demirci S, Sezgin BY. Do Acanthocytes Appear Late During the Course of Choreo-Acanthocytosis?: Case Report. *Turkiye Klinikleri J Med Sci.* 2009;29(4):1011–4.
- [S96] Ak S, Gürel ŞC, Baş DF, Yağcıoğlu AEA. Quetiapine treatment for self-mutilation in choreo-acanthocytosis: A case report. *Journal of clinical psychopharmacology* 2015;35(2):208–9.
- [S97] Aasly J, Skandsen T, Rø M. Neuroacanthocytosis--the variability of presenting symptoms in two siblings. *Acta neurologica Scandinavica* 1999;100(5):322–5.
- [S98] Sheehy EC, Longhurst P, Pool D, Dandekar M. Self-inflicted injury in a case of Hallervorden-Spatz disease. *International journal of paediatric dentistry* 1999;9(4):299–302.
- [S99] Higgins JJ, Patterson MC, Papadopoulos NM, Brady RO, Pentchev PG, Barton NW. Hypoprebetalipoproteinemia, acanthocytosis, retinitis pigmentosa, and pallidal degeneration (HARP syndrome). *Neurology* 1992;42(1):194–8.



- [S100] Chandra SR, Raj P, Issac TG. Self-Mutilation in Neurodegeneration with Brain Iron Accumulation. *Indian Journal of Dermatology* 2015;60(3):290–2.
- [S101] Wakil SM, Monies DM, Ramzan K, Hagos S, Bastaki L, Meyer BF, et al. Novel B4GALNT1 mutations in a complicated form of hereditary spastic paraplegia. *Clinical genetics* 2014;86(5):500–1.
- [S102] Kishore N., Kimchi E., Cunningham M., Frosch M., Schmahmann J. A neuropsychiatric case study of early-onset familial alzheimer's disease (C), In: 2013 American Neuropsychiatric Association Annual Meeting Abstracts. *The Journal of Neuropsychiatry and Clinical Neurosciences* 2013;25(2):pp 3.
- [S103] Munoz Gonzales A, Contreras Chicote A, Vales Montero M, Velazquez Perez JM, Dela Casa B, Luque Buzo E, et al. Antiglycine receptor antibodies and rapidly progressive corticobasal syndrome. *Movement Disorders. Conference: 22nd International Congress of Parkinson's Disease and Movement Disorders, MDS 2018. Hong Kong. 2018;33 (Supplement 2):402-403.*
- [S104] Kuzu M., Durmaz F.N., Ulukan C., Kaymakcalan H, Caglayan A.O., Akbostanci C. FBOX07 mutation with juvenile Parkinsonism and behavioral disorders. *Movement Disorders* 2016(31):1–697.
- [S105] Bonomo R, Latorre A, Bhatia KP. Self-Injurious Behaviour in SCA17: A New Clinical Observation. *Tremor and other hyperkinetic movements (New York, N.Y.)* 2019;9.
- [S106] Muñoz RMV, Santos AC, Graziadio C, Pina-Neto JM. Cerebello-trigeminal-dermal dysplasia (Gómez-López-Hernández syndrome): Description of three new cases and review. *American journal of medical genetics* 1997;72(1):34–9.
- [S107] López-Hernández A. Craniosynostosis, ataxia, trigeminal anaesthesia and parietal alopecia with pons-vermis fusion anomaly (atresia of the fourth ventricle). Report of two cases. *Neuropediatrics* 1982;13(2):99–102.
- [S108] Kotetishvili B, Makashvili M, Okujava M, Kotetishvili A, Kopadze T. Co-occurrence of Gomez-Lopez-Hernandez syndrome and Autism Spectrum Disorder: Case report with review of literature. *Intractable & rare diseases research* 2018;7(3):191–5.
- [S109] Campbell S, Tsannatos C, Pearce JM. The prenatal diagnosis of Joubert's syndrome of familial agenesis of the cerebellar vermis. *Prenatal diagnosis* 1984;4(5):391–5.
- [S110] Cavallin M, Bery A, Maillard C, Salomon LJ, Bole C, Reilly ML, et al. Recurrent RTTN mutation leading to severe microcephaly, polymicrogyria and growth restriction. *European journal of medical genetics* 2018;61(12):755–8.
- [S111] Kleinert-Altamirano A, Patricio-Villagran J, Fiesco-Roa M, Gutierrez-Arriola M. Hypomyelination with atrophy of the basal ganglia and cerebellum (H-ABC): A Mexican case report; In: Abstracts of the 21st International Congress of Parkinson's Disease and Movement Disorders. *Movement disorders official journal of the Movement Disorder Society* 2017;32 Suppl 2:1078.
- [S112] Fantuzzo JJ, Rogér JM, Barroner MD, Karp JM. Self-mutilation of the lower lip in a child with dystonia secondary to megalencephalic leukoencephalopathy treated with botox injections: A case report. *Journal of oral and maxillofacial surgery official journal of the American Association of Oral and Maxillofacial Surgeons* 2014;72(7):1327.e1-4.



- [S113] Verri A, Uggetti C, Vallero E, Ceroni M, Federico A. Oral self-mutilation in a patient with rhombencephalosynapsis. *Journal of intellectual disability research JIDR* 2000;44 (Pt 1):86–90.
- [S114] Nurko C, Errington BD, Ben Taylor W, Henry R. Lip biting in a patient with Chiari type II malformation: Case report. *Pediatric dentistry* 1999;21(3):209–12.
- [S115] Ignatius EH. Psychosis nos. In: Abstracts from the 38th Annual Meeting of the Society of General Internal Medicine. *Journal of General Internal Medicine* 2015;30(2):441–2.
- [S116] Saemundsson SR, Roberts MW. Oral self-injurious behavior in the developmentally disabled: Review and a case. *ASDC journal of dentistry for children* 1997;64(3):205-9, 228.
- [S117] Roberts GJ. Use of a modified occlusal bite guard to prevent self-induced injury in intensive care patients. *Anaesthesia* 1995;50(2):144–5.
- [S118] Silva DR, da Fonseca MA. Self-injurious behavior as a challenge for the dental practice: A case report. *Pediatric dentistry* 2003;25(1):62–6.
- [S119] Pantanowitz L, Berk M. Auto-amputation of the tongue associated with flupenthixol induced extrapyramidal symptoms. *International clinical psychopharmacology* 1999;14(2):129–31.
- [S120] Brissaud O, Thébaud N-B, Guichoux J, Smirani R, Villega F, Devillard R. Case Report of a Severe Recurrent Tongue Self-Injury in an Infant With Dystonia. *Pediatrics* 2016;138(5).
- [S121] Carr, E. G. (1977): The motivation of self-injurious behavior. A review of some hypotheses. In: *Psychological bulletin* 84 (4), S. 800–816.
- [S122] Iwata, B. A.; Pace, G. M.; Dorsey, M. F.; Zarcone, J. R.; Vollmer, T. R.; Smith, R. G. et al. (1994): The functions of self-injurious behavior: an experimental-epidemiological analysis. In: *Journal of applied behavior analysis* 27 (2), S. 215–240. DOI: 10.1901/jaba.1994.27-215
- [S123] Devine, Darragh P. (2012): Animal models of self-injurious behaviour: an overview. In: *Methods in molecular biology* (Clifton, N.J.) 829, S. 65–84. DOI: 10.1007/978-1-61779-458-2\_4.