

List of included studies

Allen MD, Wu TC, Bigler ED. Traumatic brain injury alters word memory test performance by slowing response time and increasing cortical activation: An fMRI study of a symptom validity test. *Psychol Inj Law* 2011; 4: 140–6.

Back C, Boone KB, Edwards C, Parks C, Al E. The performance of schizophrenics on three cognitive tests of malingering, Rey 15-Item Memory Test, Rey Dot Counting, and Hiscock Forced-Choice Method. *Assessment* 1996; 3: 449–57.

Bar-On Kalfon T, Gal G, Shorer R, Ablin JN. Cognitive functioning in fibromyalgia: The central role of effort. *J Psychosom Res* 2016; 87: 30–6.

Bodner T, Merten T, Benke T. Performance validity measures in clinical patients with aphasia. *J Clin Exp Neuropsychol* 2019; 41: 476–83.

Carone DA, Ben-Porath YS. Dementia does not preclude very reliable responding on the MMPI-2 RF: a case report. *Clin Neuropsychol* 2014; 28: 1019–29.

Carone DA, Green P, Drane DL. Word memory test profiles in two cases with surgical removal of the left anterior hippocampus and parahippocampal gyrus. *Appl Neuropsychol Adult* 2014; 21: 155–60.

Cragar DE, Berry DTR, Fakhoury TA, Cibula JE, Schmitt FA. Performance of Patients with Epilepsy or Psychogenic Non-Epileptic Seizures on Four Measures of Effort. *Clin Neuropsychol* 2006; 20: 552–66.

Dandachi-FitzGerald B, Ponds RWHM, Peters MJ V, Merckelbach H. Cognitive underperformance and symptom over-reporting in a mixed psychiatric sample. *Clin Neuropsychol* 2011; 25: 812–28.

Davis JJ. Performance validity in older adults: Observed versus predicted false positive rates in relation to number of tests administered. *J Clin Exp Neuropsychol* 2018; 40: 1013–21.

Dean A, Victor T, Boone K, Philpott L, Hess A. Dementia and effort test performance. *Clin Neuropsychol* 2009; 23: 133–52.

Dorociak K, Schulze E, Piper L, Molokie R, JK J. Performance validity testing in a clinical sample of adults with sickle cell disease. *Clin Neuropsychol* 2018; 32: 81–97.

Drane DL, Williamson DJ, Stroup ES, et al. Cognitive impairment is not equal in patients with epileptic and psychogenic nonepileptic seizures. *Epilepsia* 2006; 47: 1879–86.

Duff K, Spering CC, O'Bryant SE, et al. The RBANS effort index: Base rates in geriatric samples. *Appl Neuropsychol* 2011; 18: 11–7.

Erdodi LA, Abeare CA, Lichtenstein JD, et al. Wechsler Adult Intelligence Scale-Fourth Edition (WAIS-IV) processing speed scores as measures of noncredible responding: The third generation of embedded performance validity indicators. *Psychol Assess* 2017; 29: 148–57.

Erdodi L, Roth R. Low scores on BDAE Complex Ideational Material are associated with invalid performance in adults without aphasia. *Appl Neuropsychol Adult* 2017; 24: 264–74.

Fazio RL, Faris AN, Yamout KZ. Use of the Rey 15-Item Test as a performance validity test in an elderly population. *Appl Neuropsychol Adult* 2019; 26: 28–35.

Goldberg J, Miller H. Performance of psychiatric inpatients and intellectually deficient individuals on a task that assesses the validity of memory complaints. *J Clin Psychol* 1986; 42: 792–5.

Goodrich-Hunsaker NJ, Hopkins RO. Word memory test performance in amnesic patients with hippocampal damage. *Neuropsychology* 2009; 23: 529–34.

Gorissen M, Sanz JC, Schmand B. Effort and cognition in schizophrenia patients. *Schizophr Res* 2005; 78: 199–208.

Green P, Flaro L. Results From Three Performance Validity Tests (PVTs) in Adults With Intellectual Deficits. *Appl Neuropsychol Adult* 2015; 22: 293–303.

2 McWhirter

- Green P, Montijo J, Brockhaus R. High specificity of the Word Memory Test and Medical Symptom Validity Test in groups with severe verbal memory impairment. *Appl Neuropsychol* 2011; 18: 86–94.
- Grote CL, Kooker EK, Garron DC, Nyenhuis DL, Smith CA, Mattingly ML. Performance of compensation seeking and non-compensation seeking samples on the Victoria symptom validity test: cross-validation and extension of a standardization study. *J Clin Exp Neuropsychol* 2000; 22: 709–19.
- Hampson NE, Kemp S, Coughlan AK, Moulin CJA, Bhakta BB. Effort test performance in clinical acute brain injury, community brain injury, and epilepsy populations. *Appl Neuropsychol Adult* 2014; 21: 183–94.
- Heintz CEJ, van Tricht MJ, van der Salm SMA, et al. Neuropsychological profile of psychogenic jerky movement disorders: importance of evaluating non-credible cognitive performance and psychopathology. *J Neurol Neurosurg Psychiatry* 2013; 84: 862–7.
- Hill S, Ryan L, Kennedy C, Malamut B. The relationship between measures of declarative memory and the test of memory malingering in patients with and without temporal lobe dysfunction. *J Forensic Neuropsychol* 2003; 3: 1–18.
- Hoskins LL, Binder LM, Chaytor NS, Williamson DJ, Drane DL. Comparison of oral and computerized versions of the word memory test. *Arch Clin Neuropsychol* 2010; 25: 591–600.
- Howe LLS, Anderson AM, Kaufman DAS, Sachs BC, Loring DW. Characterization of the Medical Symptom Validity Test in evaluation of clinically referred memory disorders clinic patients. *Arch Clin Neuropsychol* 2007; 22: 753–61.
- Hunt S, Root JC, Bascetta BL. Effort testing in schizophrenia and schizoaffective disorder: validity indicator profile and test of memory malingering performance characteristics. *Arch Clin Neuropsychol* 2014; 29: 164–72.
- Iverson GL, Le Page J, Koehler BE, Shojania K, Badii M. Test of Memory Malingering (TOMM) scores are not affected by chronic pain or depression in patients with fibromyalgia. *Clin Neuropsychol* 2007; 21: 532–46.
- Janssen MAM, Bertens D, Kessels L, Kessels RPC, Koopmans PP. A case-control pilot study on cognitive functioning, symptom validity and psychological wellbeing in HIV-1-infected patients in the Netherlands. *Int J STD AIDS* 2013; 24: 387–91.
- Kanser RJ, Rapport LJ, Bashem JR, Hanks RA. Detecting malingering in traumatic brain injury: Combining response time with performance validity test accuracy. *Clin Neuropsychol* 2019; 33: 90–107.
- Keary T, Frazier T, Belzile C, et al. Working memory and intelligence are associated with victoria symptom validity test hard item performance in patients with intractable epilepsy. *J Int Neuropsychol Soc* 2013; 19: 314–23.
- Kemp S, Coughlan AK, Rowbottom C, Wilkinson K, Teggart V, Baker G. The base rate of effort test failure in patients with medically unexplained symptoms. *J Psychosom Res* 2008; 65: 319–25.
- Lee A, Boone K, Lesser I, Wohl M, Wilkins S, Parks C. Performance of older depressed patients on two cognitive malingering tests: False positive rates for the Rey 15-item memorization and Dot Counting Tests. *Clin Neuropsychol* 2000; 14: 303–8.
- Loring D, Lee G, Meador K. Victoria Symptom Validity Test performance in non-litigating epilepsy surgery candidates. *J Clin Exp Neuropsychol* 2005; 27: 610–7.
- Loring DW, Goldstein FC, Chen C, et al. False-Positive Error Rates for Reliable Digit Span and Auditory Verbal Learning Test Performance Validity Measures in Amnesic Mild Cognitive Impairment and Early Alzheimer Disease. *Arch Clin Neuropsychol* 2016; 31: 313–31.
- Maccocchi SN, Seel RT, Alderson A, Godsall R. Victoria Symptom Validity Test performance in acute severe traumatic brain injury: implications for test interpretation. *Arch Clin Neuropsychol* 2006; 21: 395–404.
- Maccocchi SN, Seel RT, Yi A, Small S. Medical Symptom Validity Test Performance Following Moderate-Severe Traumatic Brain Injury: Expectations Based on Orientation Log Classification. *Arch Clin Neuropsychol* 2017; 32: 339–48.
- Maiman M, Del Bene VA, MacAllister WS, et al. Reliable digit span: Does it adequately measure suboptimal effort in an adult epilepsy population? *Arch Clin Neuropsychol* 2019; 34: 259–67.
- Merten T, Bossink L, Schmand B. On the limits of effort testing: symptom validity tests and severity of neurocognitive symptoms in nonlitigant patients. *J Clin Exp Neuropsychol* 2007; 29: 308–18.

3 McWhirter

- Meyer SRA, de Jonghe JFM, Schmand B, Ponds RWHM. The Visual Association Test-Extended: a cross-sectional study of the performance validity measures. *Clin Neuropsychol* 2017; 31: 798–813.
- Moore R, Davine T, Harmell A, Cardenas V, Palmer B, Mausbach B. Using the repeatable battery for the assessment of neuropsychological status (RBANS) effort index to predict treatment group attendance in patients with schizophrenia. *J Int Neuropsychol Soc* 2013; 19: 198–205.
- Morra L, Gold J, Sullivan S, Strauss G P. Predictors of neuropsychological effort test performance in schizophrenia. *Schizophr Res* 2015; 162: 205–10.
- Novitski J, Steele S, Karantzoulis S, Randolph C. The Repeatable Battery for the Assessment of Neuropsychological Status Effort scale. *Arch Clin Neuropsychol* 2012; 27: 190–5.
- Oudman E, Krooshof E, van Oort R, Lloyd B, Wijnia JW, Postma A. Effects of korsakoff amnesia on performance and symptom validity testing. *Appl Neuropsychol Adult* 2019;; 1-9 <https://doi.org/10.1080/23279095.2019.1576180>
- Paul R, Rhee G, Baker LM, Vaida F, Cooley SA, Ances BM. Effort and neuropsychological performance in HIV-infected individuals on stable combination antiretroviral therapy. *J Neurovirol* 2017; 23: 725–33.
- Price K, Desantis S, Simpson A, et al. The impact of clinical and demographic variables on cognitive performance in methamphetamine-dependent individuals in rural South Carolina. *Am J Addict* 2011; 20: 447–55.
- Rees L, Tombaugh T, Gansler D, Moczynski N. Five validation experiments of the Test of Memory Malingering (TOMM). *Psychol Assess* 1998; 10: 10–20.
- Rees L, Tombaugh T, Boulay L. Depression and the Test of Memory Malingering. *Arch Clin Neuropsychol* 2001; 16: 501–6.
- Roor JJ, Knoop H, Dandachi-FitzGerald B, Peters MJ V, Bleijenberg G, Ponds RWHM. Feedback on underperformance in patients with chronic fatigue syndrome: The impact on subsequent neuropsychological test performance. *Appl Neuropsychol Adult* 2018;27(2): 188-196
- Rossetti MA, Collins RL, York MK. Performance Validity in Deep Brain Stimulation Candidates. *Arch Clin Neuropsychol* 2018; 33: 508–14.
- Rudman N, Oyeboode JR, Jones CA, Bentham P. An investigation into the validity of effort tests in a working age dementia population. *Aging Ment Health* 2011; 15: 47–57.
- Ruocco A. Compliance on neuropsychological performance validity testing in patients with borderline personality disorder. *Psychol Assess* 2016; 28: 345–50.
- Schroeder RW, Marshall PS. Evaluation of the appropriateness of multiple symptom validity indices in psychotic and non-psychotic psychiatric populations. *Clin Neuropsychol* 2011; 25: 437–53.
- Sherer M, Davis LC, Sander AM, et al. Factors Associated with Word Memory Test Performance in Persons with Medically Documented Traumatic Brain Injury. *Clin Neuropsychol* 2015; 29: 522–41.
- Sieck BC, Smith MM, Duff K, Paulsen JS, Beglinger LJ. Symptom validity test performance in the Huntington Disease Clinic. *Arch Clin Neuropsychol* 2013; 28: 135–43.
- Singhal A, Green P, Shankar K, Gill D. High specificity of the Medical Symptom Validity Test in patients with very severe memory impairment. *Arch Clin Neuropsychol* 2009; 24: 721–8.
- Stevens A, Schneider K, Liske B, Hermle L, Huber H, Hetzel G. Is subnormal cognitive performance in schizophrenia due to lack of effort or to cognitive impairment? *Ger J Psychiatry* 2014; 17: 1–9.
- Strauss G, Morra L, Sullivan S, Gold J. The role of low cognitive effort and negative symptoms in neuropsychological impairment in schizophrenia. *Neuropsychology* 2015; 29: 282–91.
- Teichner G, Wagner M. The Test of Memory Malingering (TOMM): Normative data from cognitively intact, cognitively impaired, and elderly patients with dementia. *Arch Clin Neuropsychol* 2004; 19: 455–64.
- Terry DP, Adams TE, Ferrara MS, Miller LS. fMRI hypoactivation during verbal learning and memory in former high school football players with multiple concussions. *Arch Clin Neuropsychol* 2015; 30: 341–55.

4 McWhirter

Tyson B, Baker S, Greenacre M, et al. Differentiating epilepsy from psychogenic nonepileptic seizures using neuropsychological test data. *Epilepsy Behav* 2018; 87: 39–45.

Van Der Werf S, Prins J, Jongen P, Van Der Meer J, Bleijenberg G. Abnormal neuropsychological findings are not necessarily a sign of cerebral impairment. A matched comparison between chronic fatigue syndrome and multiple sclerosis. *Neuropsychiatry, Neuropsychol Behav Neurol* 2000; 13: 199–203.

Walter J, Morris J, Swier-Vosnos A, Pliskin N. Effects of severity of dementia on a symptom validity measure. *Clin Neuropsychol* 2014; 28: 1197–208.

Whearty K, Allen C, Lee B, GP S. The evaluation of insufficient cognitive effort in schizophrenia in light of low IQ scores. *J Psychiatr Res* 2015; 68: 397–404.

Wodushek TR, Domen CH. Comparing two models of performance validity assessment in patients with parkinson's disease who are candidates for deep brain stimulation surgery. *Appl Neuropsychol Adult* 2018; 27(1): 9-21

Woods SP, Conover E, Weinborn M, et al. Base rate of Hiscock Digit Memory Test failure in HIV-associated neurocognitive disorders. *Clin Neuropsychol* 2003; 17: 383–9.

Wu TC, Allen MD, Goodrich-Hunsaker NJ, Hopkins RO, Bigler ED. Functional neuroimaging of symptom validity testing in traumatic brain injury. *Psychol Inj Law* 2010; 3: 50–62.

Zenisek R, Millis SR, Banks SJ, Miller JB. Prevalence of below-criterion Reliable Digit Span scores in a clinical sample of older adults. *Arch Clin Neuropsychol* 2016; 31: 426–33.