

Supplementary Table 1: Excluded studies, with the reasons for their exclusion

First author, year of publication	Review article	Abstract only	Not peer reviewed journal	Fewer than 20 patients	Diagnosis not certain in all patients	No treatment data	Unable to extract data	>10% extra-cerebral CCM	Duplicate publication	>20% lost to follow-up	Not obtainable	Report of a smaller series of an included series	No translator available
Abla AA, 2010 ¹											*	*	
Acciarri N, 1995 ²											*	*	
Acciarri N, 2008 ³											*		
Acciarri N, 2009 ⁴											*		
Alexander 3 rd E, 1992 ⁵			*										
Alexiou GA, 2012 ⁶						*							
Alonso-Vanegas MA, 2011 ⁷	*												
Amin-Hanjani S, 1998 ⁸					*								
Amin-Hanjani S, 1998 ⁹					*								
Awad I, 2006 ¹⁰	*												
Awad I, 2012 ¹¹						*							
Banfi P, 2006 ¹²				*									
Barker FG, 2001 ¹³						*							
Baumann CR, 2007 ¹⁴												*	
Belousova OB, 2003 ¹⁵											*		
Bertalanffy H, 1991 ¹⁶					*								
Bertalanffy H, 1992 ¹⁷			*										
Bertalanffy H, 2002 ¹⁸												*	
Bigi S, 2011 ¹⁹				*									
Blamek SC, 2010 ²⁰		*											
Bozinov O, 2010 ²¹	*												
Braun V, 1996 ²²					*								
Brunon J, 2007 ²³	*												
Cappabianca P, 1997 ²⁴							*						
Casazza M, 1996 ²⁵												*	
Chang HS, 2001 ²⁶							*						
Chang EF, 2011 ²⁷												*	
Chazal J, 2007 ²⁸	*												
Chen L, 2011 ²⁹												*	
Chen S-J, 1997 ³⁰									*				
Chung TT, 2012 ³¹											*		
Cristofori L, 1998 ³²						*							
Cubo Delgado E, 1995 ³³				*									
De Oliveira JG, 2010 ³⁴												*	
Dhamija R, 2011 ³⁵				*									
Di Rocco C, 1996 ³⁶												*	
Dodick DW, 1994 ³⁷					*								
Dorsch NWC, 1998 ³⁸	*												
Ebeling U, 1993 ³⁹					*								
Ebrahimi A, 2009 ⁴⁰					*								
Enchev YP, 2008 ⁴¹					*								
Esposito P, 2003 ⁴²					*								
Fahlbusch R, 1991 ⁴³					*								
Farmer JP, 1988 ⁴⁴							*						

First author, year of publication	Review article	Abstract only	Not peer reviewed journal	Fewer than 20 patients	Diagnosis not certain in all patients	No treatment data	Unable to extract data	>10% extra-cerebral CCM	Duplicate publication	>20% lost to follow-up	Not obtainable	Report of a smaller series of an included series	No translator available
Frim DM, 1999 ⁴⁵						*							
Fuetsch M, 2012 ⁴⁶			*										
Gajno TM, 1986 ⁴⁷				*									
Gamrot J, 2005 ⁴⁸				*									
Garcia-Munoz L, 2007 ⁴⁹			*										
Gralla J, 2003 ⁵⁰											*		
Hahn M, 1991 ⁵¹						*							
Hakan K, 2004 ⁵²							*			*			
Hammen T, 2007 ⁵³											*	*	
Hasegawa T, 2002 ⁵⁴											*		
Hattemer K, 2009 ⁵⁵	*												
Herter T, 1988 ⁵⁶				*									
Herweh C, 2004 ⁵⁷			*										
Hotta M, 2000 ⁵⁸		*											
Houtteville JP, 1990 ⁵⁹	*												
Houtteville JP, 1995 ⁶⁰	*												
Houtteville JP, 1997 ⁶¹							*						
Hsu PW, 2007 ⁶²											*		
Hubert P, 1989 ⁶³			*										
Isamat F, 1993 ⁶⁴	*												
Iza-Vallejo B, 2005 ⁶⁵	*												
Jay SM, 2012 ⁶⁶			*										
Josephson CB, 2011 ⁶⁷						*							
Jovanovic V, 2005 ⁶⁸						*							
Jovanovic V, 2008 ⁶⁹						*							
Kayali H, 2004 ⁷⁰			*										
Khalil T, 2007 ⁷¹	*												
Kida Y, 1995 ⁷²												*	
Kivelev J, 2009 ⁷³				*									
Kivelev J, 2011 ⁷⁴					*								
Kivelev J, 2011 ⁷⁵				*									
Kivelev J, 2012 ⁷⁶			*										
Kondziolka D, 1990 ⁷⁷												*	
Kuncz A, 1994 ⁷⁸						*							
Lapras C, 1989 ⁷⁹			*										
Lechevalier B, 1989 ⁸⁰						*							
Lee JW, 2008 ⁸¹							*						
Lerch K-D, 1994 ⁸²							*						
Lewis AI, 1995 ⁸³							*						
Lezcano-Ortiz HJ, 2006 ⁸⁴								*					
Lidsky ME, 2011 ⁸⁵		*											
Liscak R, 2005 ⁸⁶						*							
Liu YG, 2004 ⁸⁷							*						
Lonjon M, 1993 ⁸⁸								*					
Luccarelli G, 1981 ⁸⁹								*					
Lunsford LD, 2010 ⁹⁰								*					

First author, year of publication	Review article	Abstract only	Not peer reviewed journal	Fewer than 20 patients	Diagnosis not certain in all patients	No treatment data	Unable to extract data	>10% extra-cerebral CCM	Duplicate publication	>20% lost to follow-up	Not obtainable	Report of a smaller series of an included series	No translator available
Vespignani H, 1989 ¹³⁷											*		
Vespignani H, 1994 ¹³⁸				*									
Vinas FC, 2002 ¹³⁹		*											
Wang C, 2002 ¹⁴⁰					*								
Wang L, 2004 ¹⁴¹			*										
Wang J, 2011 ¹⁴²						*							
Wang S-K, 1995 ¹⁴³						*							
Wang YD, 2011 ¹⁴⁴						*							
Werring DJ, 2007 ¹⁴⁵	*												
Winkler D, 2004 ¹⁴⁶											*		
Xia C, 2009 ¹⁴⁷											*		
Xia CY, 2008 ¹⁴⁸											*		
Xie J, 2002 ¹⁴⁹											*		
Yamasaki T, 1986 ¹⁵⁰			*										
Yeon JY, 2009 ¹⁵¹					*								
Yoon PH, 1998 ¹⁵²		*											
Zhang N, 2000 ¹⁵³				*									
Zhao JZ, 2003 ¹⁵⁴					*								
Zhao J-Z, 2005 ¹⁵⁵											*		
Zhao J, 2007 ¹⁵⁶											*		
Zhao Y, 2007 ¹⁵⁷											*		
Zhou LF, 2003 ¹⁵⁸							*						
Total number of studies:	19	4	5	31	21	23	13	3	3	2	2	31	1

CCM, cerebral cavernous malformation

Reference List

1. Abla AA, Lekovic GP, Garrett M, Wilson DA, Nakaji P, Bristol R, Spetzler RF. Cavernous malformations of the brainstem presenting in childhood: surgical experience in 40 patients. *Neurosurgery* 2010;67:1589-98.
2. Acciari N, Giulioni M, Padovani R, Galassi E, Gaist G. Surgical management of cerebral cavernous angiomas causing epilepsy. *J.Neurosurg.Sci.* 1995;39:13-20.
3. Acciari N, Galassi E, Grasso V, Palandri G, Giulioni M, Bertuccio A, Badaloni F, Nicola M, Lefosse M, Calbucci F. [Cavernous malformations of central nervous system in paediatric age]. [Italian]. *Riv.Ital.Neurobiol.* 2008;5:85-112.
4. Acciari N, Galassi E, Giulioni M, Pozzati E, Grasso V, Palandri G, Badaloni F, Zucchelli M, Calbucci F. Cavernous malformations of the central nervous system in the pediatric age group. *Pediatr.Neurosurg.* 2009;45:81-104.
5. Alexander 3rd. E, Loeffler JS. Radiosurgery for intracranial vascular malformations: techniques, results, and complications. *Clin Neurosurg* 1992;39:273-91.
6. Alexiou GA, Prodromou N, Moschovi M. Treatment of pediatric patients with cerebral cavernous malformation. *J Clin Neurosci.* 2012;19:339.
7. Alonso-Vanegas MA, Cisneros-Franco JM, Otsuki T. Surgical management of cavernous malformations presenting with drug-resistant epilepsy. *Front Neurol* 2011;2:1-6.
8. Amin-Hanjani S, Ogilvy CS, Ojemann RG, Crowell RM. Risks of surgical management for cavernous malformations of the nervous system. *Neurosurgery* 1998;42:1220-7.
9. Amin-Hanjani S, Ogilvy CS, Candia GJ, Lyons S, Chapman PH. Stereotactic radiosurgery for cavernous malformations: Kjellberg's experience with proton beam therapy in 98 cases at the Harvard Cyclotron. *Neurosurgery* 1998;42:1229-36.
10. Awad I, Jabbour P. Cerebral cavernous malformations and epilepsy. *Neurosurg.Focus* 2006;21:E7.
11. Awad IA. Cavernous malformations. *J.Neurosurg.* 2012;116:119-20.
12. Banfi P, Guaschino E, Delodovici ML, Peron S, Tomei G, Bono G. Cerebral cavernous angiomas and epilepsy: Clinical features and therapy in 20 cases. *Boll.Lega Ital.Epilessia* 2006;125-7.
13. Barker FG, Amin-Hanjani S, Butler WE, Lyons S, Ojemann RG, Chapman PH, Ogilvy CS. Temporal clustering of hemorrhages from untreated cavernous malformations of the central nervous system. *Neurosurgery* 2001;49:15-24.
14. Baumann CR, Acciari N, Bertalanffy H, Devinsky O, Elger CE, Lo RG, Cossu M, Sure U, Singh A, Stefan H, Hammen T, Georgiadis D, Baumgartner RW, Andermann F, Siegel AM. Seizure outcome after resection of supratentorial cavernous malformations: a study of 168 patients. *Epilepsia* 2007;48:559-63.
15. Belousova OB, Filatov I, Shishkina LV, Sazonova OB. [Supratentorial cavernomas: clinical picture, diagnosis, treatment]. [Russian]. *Zh.Vopr.Neirokhir.Im N N Burdenko* 2003;67:2-6.
16. Bertalanffy H, Gilzbach JM, Eggert HR, Seeger W. Microsurgery of deep-seated cavernous angiomas: Report of 26 cases. *Acta Neurochirurgica (Wien)* 1991;108:91-9.
17. Bertalanffy H, Kuhn G, Scheremet R, Seeger W. Indications for surgery and prognosis in patients with cerebral cavernous angiomas. *Neurol Med Chir (Tokyo)* 1992;32:659-66.

18. Bertalanffy H, Benes L, Miyazawa T, Alberti O, Siegel AM, Sure U. Cerebral cavernomas in the adult. Review of the literature and analysis of 72 surgically treated patients. *Neurosurg.Rev.* 2002;**25**:1-53.
19. Bigi S, Capone Mori A, Steinlin M, Remonda L, Landolt H, Boltshauser E. Cavernous malformations of the central nervous system in children: Presentation, treatment and outcome of 20 cases. *Eur.J.Paediatr.Neurol.* 2011;**15**:109-16.
20. Blamek SC, Idasiak A, Larysz D, Rudnik A, Ficek K, Miszczyk L, Tarnawski R. Linac-based stereotactic radiosurgery for brain cavernomas. *Int.J.Radiat.Oncol.Biol.Phys.* 2010;**78**:S291-S292.
21. Bozinov O, Hatano T, Burkhardt JK, Sarnthein J, Bertalanffy H. Current clinical management of brainstem cavernomas. *Swiss.Med.Wkly.* 2010;**140**:E1-E5.
22. Braun V, Antoniadis G, Rath S, Richter HP. [Cavernoma. Indications for surgical removal and outcome]. [German]. *Nervenarzt* 1996;**67**:301-5.
23. Brunon J, Nuti C. [Results of the surgical treatment]. [French]. *Neurochirurgie* 2007;**53**:256-61.
24. Cappabianca P, Alfieri A, Maiuri F, Mariniello G, Cirillo S, de D, E. Supratentorial cavernous malformations and epilepsy: seizure outcome after lesionectomy on a series of 35 patients. *Clin.Neurol.Neurosurg.* 1997;**99**:179-83.
25. Casazza M, Broggi G, Franzini A, Avanzini G, Spreafico R, Bracchi M, Valentini MC. Supratentorial cavernous angiomas and epileptic seizures: Preoperative course and postoperative outcome. *Neurosurgery* 1996;**39**:26-32.
26. Chang HS, Hongo K, Nakagawa H, Tsuge T. Surgical decision-making on cerebral cavernous malformations. *J.Clin.Neurosci.* 2001;**8**:416-20.
27. Chang EF, Gabriel RA, Potts MB, Berger MS, Lawton MT. Supratentorial cavernous malformations in eloquent and deep locations: Surgical approaches and outcomes: Clinical article. *J.Neurosurg.* 2011;**114**:814-27.
28. Chazal J, Khalil T, Sakka L. [Therapeutic indications for central nervous system cavernomas]. [French]. *Neurochirurgie* 2007;**53**:251-5.
29. Chen L, Zhao Y, Zhou L, Zhu W, Pan Z, Mao Y. Surgical strategies in treating brainstem cavernous malformations. *Neurosurgery* 2011;**68**:609-20.
30. Chen S-J, Tu Y-K, Liu H-M, Lin S-M, Kao M-C, Hung C-C. Cavernoma of the central nervous system: Surgical experience in the magnetic resonance imaging era. *Acta Neurologica Taiwanica* 1997;**6**:171-8.
31. Chung TT, Lin BJ, Tang CT, Hueng DY, Ju DT. Cyberknife stereotactic radiosurgery for intracranial cavernous malformations: Preliminary results from one medical center. *J.Med.Sci.(Taiwan)* 2012;**32**:017-25.
32. Cristofori L, Gambin R, Tassetti R, Vivenza C, Turazzi S, Bricolo A. [Epileptogenic cavernous angiomas: The role of surgery in 63 patients]. [Italian]. *Riv.Neurobiol.* 1998;**44**:609-12.
33. Cubo Delgado E, Pascual Martin A, Gonzalez Gutierrez JL, Egido Herrero JA, Martinez Martinez A, Garcia Perez M. [Cerebral cavernoma. A retrospective analysis of 24 cases]. [Spanish]. *Neurologia* 1995;**10**:277-82.
34. de Oliveira JG, Lekovic GP, Safavi-Abbas S, Reis CV, Hanel RA, Porter RW, Preul MC, Spetzler RF. Supracerebellar infratentorial approach to cavernous malformations of the brainstem: surgical variants and clinical experience with 45 patients. *Neurosurgery* 2010;**66**:389-99.

35. Dhamija R, Moseley BD, Cascino GD, Wirrell EC. A population-based study of long-term outcome of epilepsy in childhood with a focal or hemispheric lesion on neuroimaging. *Epilepsia* 2011;52:1522-6.
36. Di Rocco C, Iannelli A, Tamburini G. Cavernomas of the central nervous system in children. A report of 22 cases. *Acta Neurochirurgica (Wien)* 1996;138:1267-74.
37. Dodick DW, Cascino GD, Meyer FB. Vascular malformations and intractable epilepsy: Outcome after surgical treatment. *MAYO CLIN.PROC.* 1994;69:741-5.
38. Dorsch NWC, McMahon JHA. Intracranial cavernous malformations - natural history and management. *Crit Rev.Neurosurg.* 1998;8:154-68.
39. Ebeling U, Hasdemir MG, Barth A. [Stereotaxy-guided microsurgery of cerebral lesions]. [German]. *Schweiz.Med.Wochenschr.* 1993;123:1585-90.
40. Ebrahimi A, Etemadifar M, Ardestani PM, Maghzi AH, Jaffe S, Nejadnik H. Cavernous angioma: a clinical study of 35 cases with review of the literature. *Neurol.Res.* 2009;31:785-93.
41. Enchev YP, Popov RV, Romansky KV, Marinov MB, Bussarsky VA. Neuronavigated surgery of intracranial cavernomas--enthusiasm for high technologies or a gold standard? *Folia Medica (Plovdiv)* 2008;50:11-7.
42. Esposito P, Coulbois S, Kehrli P, Boyer P, Dietemann JL, Rousseaux P, Auque J, Maitrot D. [Place of the surgery in the management of brainstem cavernomas. Results of a multicentric study]. [French]. *Neurochirurgie* 2003;49:5-12.
43. Fahlbusch R, Strauss C. [Surgical significance of cavernous hemangioma of the brain stem]. [German]. *Zentralblatt für Neurochirurgie* 1991;52:25-32.
44. Farmer JP, Cosgrove GR, Villemure JG, Meagher-Villemure K, Tampieri D, Melanson D. Intracerebral cavernous angiomas. *Neurology* 1988;38:1699-704.
45. Frim DM, Scott RM. Management of cavernous malformations in the pediatric population. *Neurosurg.Clin.North Am.* 1999;10:513-8.
46. Fuetsch M, El Majdoub F, Hoevels M, Muller RP, Sturm V, Maarouf M. Stereotactic LINAC radiosurgery for the treatment of brainstem cavernomas. *Strahlenther.Onkol.* 2012;188:311-6.
47. Gajno TM. [Acute cerebral hemorrhage in pediatrics]. [Italian]. *Minerva Med.* 1986;77:1131-43.
48. Gamrot J, Bazowski P, Rudnik A, Zawadzki T. [Cavernous angiomas in the Department of Neurosurgery in Katowice]. [Polish]. *Wiad.Lek.* 2005;58:595-7.
49. Garcia-Munoz L, Velasco-Campos F, Lujan-Castilla P, Enriquez-Barrera M, Cervantes-Martinez A, Carrillo-Ruiz J. [Radiosurgery in the treatment of brain cavernomas. Experience with 17 lesions treated in 15 patients]. [French]. *Neurochirurgie* 2007;53:243-50.
50. Gralla J, Ganslandt O, Kober H, Buchfelder M, Fahlbusch R, Nimsky C. Image-guided removal of supratentorial cavernomas in critical brain areas: application of neuronavigation and intraoperative magnetic resonance imaging. *Minim.Invasive.Neurosurg.* 2003;46:72-7.
51. Hahn M, Aschoff A, Kunze S. 667 histologically verified cavernous haemangiomas of the CNS: review of localisation, symptoms and signs, diagnosis and results of operative treatments. *Adv Neurosurg* 1991;19:123-6.
52. Hakan K, Sait S, Serdar K, Kaan O, Ilker S, Erdener T. Intracranial cavernomas: analysis of 37 cases and literature review. *Neurol.India* 2004;52:439-42.

53. Hammen T, Romstock J, Dorfler A, Kerling F, Buchfelder M, Stefan H. Prediction of postoperative outcome with special respect to removal of hemosiderin fringe: a study in patients with cavernous haemangiomas associated with symptomatic epilepsy. *Seizure*. 2007;16:248-53.
54. Hasegawa T, McInerney J, Kondziolka D, Lee JY, Flickinger JC, Lunsford LD. Long-term results after stereotactic radiosurgery for patients with cavernous malformations. *Neurosurgery* 2002;50:1190-7.
55. Hattemer K, Chen X, Joanna I, Dorothea M, Alexander R, Axel P, Susanne K, Helmut B, Felix R, Ulrich S. (Archi-) cortical localization of cavernomas is associated with an increased risk for epilepsy. *Epilepsia* 2009;50:59-60.
56. Herter T, Brandt M, Szuwart U. [Special aspects of cavernous angiomas in childhood]. [German]. *Neurochirurgia (Stuttg)* 1988;31:144-9.
57. Herweh C, Schlieter M, Hahnel S. Multiple cerebral cavernomas. *RoFo Fortschr.Geb.Rontgenstr.Bildgebenden Verfahren* 2004;176:459-61.
58. Hotta M, Homma H, Sugihara H, Yasaki S, Kamo T, Shimojo S, Sekino H. A clinical study of cerebral cavernous angioma. *J.Stroke Cerebrovasc.Dis.* 2000;9:125.
59. Houtteville JP. Intracranial cavernomas. *SANG THROMB.VA/SS*. 1990;2:611-8.
60. Houtteville JP. The surgery of cavernomas both supra-tentorial and infra-tentorial. *Adv.Tech.Stand.Neurosurg.* 1995;22:185-259.
61. Houtteville JP. Brain cavernoma: A dynamic lesion. *Surg.Neurol.* 1997;48:610-4.
62. Hsu PW, Chang CN, Tseng CK, Wei KC, Wang CC, Chuang CC, Huang YC. Treatment of epileptogenic cavernomas: surgery versus radiosurgery. *Cerebrovasc.Dis.* 2007;24:116-20.
63. Hubert P, Choux M, Houtteville JP. [Cerebral cavernomas in infants and children]. [French]. *Neurochirurgie* 1989;35:104-5.
64. Isamat F, Conesa G. Cavernous angiomas of the brain stem. *Neurosurg.Clin.North Am.* 1993;4:507-18.
65. Iza-Vallejo B, Mateo-Sierra O, Mosqueira-Centurion B, Ruiz-Juretschke F, Carrillo R. [Cerebral cavernomas. A review and update of aetiological, clinical and therapeutic features]. [Spanish]. *Rev.Neurol.* 2005;41:725-32.
66. Jay SM, Chandran H, Blackburn TPD. Gamma knife stereotactic radiosurgery for thalamic & brainstem cavernous angiomas. *Br.J.Neurosurg.* 2012;26:367-70.
67. Josephson CB, Leach JP, Duncan R, Roberts RC, Counsell CE, Al-Shahi Salman R. Seizure risk from cavernous or arteriovenous malformations: Prospective population-based study. *Neurology* 2011;76:1548-54.
68. Jovanovic V, Tasi G, Djurovi B, Janijevi M, Antunovi V. [Predictive factors for recurrent haemorrhages in patients with brain cavernoma]. [Serbian]. *Acta Chirurgica Jugoslavica* 2005;52:83-6.
69. Jovanovic VT, Tasic GM, Djurovic BM, Nikolic IM, Radulovic DV, Jokovic MB, Slavik EE, Bogosavljevic VM. [Results of surgical treatment of patient with supratentorial cavernoma and epilepsy]. [Serbian]. *Acta Chirurgica Jugoslavica* 2008;55:137-40.
70. Kayali H, Sait S, Serdar K, Kaan O, Ilker S, Erdener T. Intracranial cavernomas: analysis of 37 cases and literature review. *Neurol.India* 2004;52:439-42.
71. Khalil T, Lemaire JJ, Chazal J, Verrelle P. [Role of radiosurgery in the management of intracranial cavernomas. Review of the literature]. [French]. *Neurochirurgie* 2007;53:238-42.

72. Kida Y, Kobayashi T, Tanaka T, Oyama H, Iwakoshi T. Gamma-radiosurgery of angiographically occult vascular malformations. *Japanese Journal of Neurosurgery* 1995;**4**:239-45.
73. Kivelev J, Niemela M, Kivisaari R, Dashti R, Laakso A, Hernesniemi J. Long-term outcome of patients with multiple cerebral cavernous malformations. *Neurosurgery* 2009;**65**:450-5.
74. Kivelev J, Niemela M, Blomstedt G, Roivainen R, Lehecka M, Hernesniemi J. Microsurgical treatment of temporal lobe cavernomas. *Acta Neurochir (Wien)* 2011;**153**:261-70.
75. Kivelev J, Laakso A, Niemela M, Hernesniemi J. A proposed grading system of brain and spinal cavernomas. *Neurosurgery* 2011;**69**:807-13.
76. Kivelev J, Koskela E, Setala K, Niemela M, Hernesniemi J. Long-term visual outcome after microsurgical removal of occipital lobe cavernomas. *J Neurosurg* 2012;**117**:295-301.
77. Kondziolka D, Lunsford LD, Coffey RJ, Bissonette DJ, Flickinger JC. Stereotactic radiosurgery of angiographically occult vascular malformations: Indications and preliminary experience. *Neurosurgery* 1990;**27**:892-900.
78. Kuncz A, Horvath Z, Bodosi M, Kver F, Doczi T. [Cavernous angioma of the central nervous system]. [Hungarian]. *Orv.Hetil.* 1994;**135**:1571-7.
79. Lapras C, Lapras C, Deruty R, Patet JD, Mottolese C. [Surgical treatment of intracerebral cavernomas]. [French]. *Neurochirurgie* 1989;**35**:120-5.
80. Lechevalier B. [Neuropathological study of cavernomas]. [French]. *Neurochirurgie* 1989;**35**:78-81.
81. Lee JW, Kim DS, Shim KW, Chang JH, Huh SK, Park YG, Choi JU. Management of intracranial cavernous malformation in pediatric patients. *Childs Nerv Syst.* 2008;**24**:321-7.
82. Lerch K-D, Schaefer D, Palleske H. Stereotactic microresection of small cerebral vascular malformations (SCVM). *Acta Neurochirurgica (Wien)* 1994;**130**:28-34.
83. Lewis AI, Van Loveren HR, Tew J. Management of brain-stem vascular malformations: Advances in surgical technique and long-term results. *Neurosurg.Q.* 1995;**5**:217-28.
84. Lezcano-Ortiz HJ. [Epidemiology, diagnosis and treatment of patients with intramedullary cavernomas]. [Spanish]. *Rev.Neurol.* 2006;**43**:573-4.
85. Lidsky ME, Markovic JN, Shortell CK. Treatment of congenital vascular malformations using a multidisciplinary approach: Results of a prospective study. *J.Vasc.Surg.* 2011;**54**:1852.
86. Liscak R, Vladyka V, Simonova G, Vymazal J, Novotny J, Jr. Gamma knife surgery of brain cavernous hemangiomas. *J Neurosurg* 2005;**102 Suppl**:207-13.
87. Liu YG, Li Y, Liu M, Su WD, Li XG, Zhu SG. Microsurgical treatment of occupying-space lesions of brainstem. *Chin.Med.Sci.J.* 2004;**19**:96.
88. Lonjon M, Roche JL, George B, Mourier KL, Paquis P, Lot G, Grellier P. [Intracranial cavernoma. 30 cases]. [French]. *Presse medicale* 1993;**22**:990-4.
89. Luccarelli G, Fornari M, Moise A, Savoardo M, Oliveri G, Pluchino F, Migliavacca F. [Intracranial vascular malformations in childhood. Arteriovenous angiomas and cavernous angiomas. Considerations on a series of 37 cases treated surgically]. [Italian]. *Riv Neurobiol* 1981;**27**:509-19.
90. Lunsford LD, Khan AA, Nirajan A, Kano H, Flickinger JC, Kondziolka D. Stereotactic radiosurgery for symptomatic solitary cerebral cavernous malformations considered high risk for resection. *J.Neurosurg.* 2010;**113**:23-9.
91. Maesawa S, Kondziolka D, Lunsford LD. Stereotactic radiosurgery for management of deep brain cavernous malformations. *Neurosurg.Clin.North Am.* 1999;**10**:503-11.

92. Mao Y, Zhou L, Du G, Chen L. [Image-guided microsurgery in resection of intracranial cavernous hemangioma]. [Chinese]. *Chung Hua I Hsueh Tsa Chih* 2002;**82**:222-4.
93. Mao Y, Zhou L, Du G, Chen L. Image-guided resection of cerebral cavernous malformations. *Chin Med J (Engl)* 2003;**116**:1480-3.
94. Marasco R, Spagnoli M, Leonardi M. Association between developmental venous anomalies and cavernous angiomas: A retrospective MR study. *Neuroradiol.J.* 2009;**22**:179-85.
95. Mauguiere F. [Epileptogenicity and evaluation of epileptic risk]. [French]. *Neurochirurgie* 2007;**53**:156-62.
96. Mazza C, Scienza R, Dalla Bernardin B, Beltramello A, Bontempini L, Dapian R. [Cerebral cavernomas in child]. [French]. *Neurochirurgie* 1989;**35**:106-8.
97. Mehdorn HM, Barth H, Buhl R, Nabavi A, Weinert D. Intracranial cavernomas: Indications for and results of surgery. *Neurol.Med.Chir (Tokyo)* 1998;**38**:245-9.
98. Menon G, Gopalakrishnan CV, Rao BRM, Nair S, Sudhir J, Sharma M. A single institution series of cavernomas of the brainstem. *J.Clin.Neurosci.* 2011;**18**:1210-4.
99. Menzler K, Chen X, Thiel P, Iwinska-Zelder J, Miller D, Reuss A, Hamer HM, Reis J, Pagenstecher A, Knake S, Bertalanffy H, Rosenow F, Sure U. Epileptogenicity of cavernomas depends on (archi-) cortical localization. *Neurosurgery* 2010;**67**:918-24.
100. Monaco EA, Khan AA, Niranjan A, Kano H, Grandhi R, Kondziolka D, Flickinger JC, Lunsford LD. Stereotactic radiosurgery for the treatment of symptomatic brainstem cavernous malformations. *Neurosurg.Focus* 2010;**29**:E11.
101. Morcos JJ, Heros RC, Frank DE. Microsurgical treatment of infratentorial malformations. *Neurosurg.Clin.North Am.* 1999;**10**:441-74.
102. Moreno-Jimenez S, Reyes-Moreno I, Aceves GAG, Larraga-Gutierrez JM, Suarez-Campos JDJ, Gonzalez-Valdez CK, Zorro-Guio O, Garcia-Garduno OA, Hernandez-Bojorquez M, Ballesteros-Zebadua P, Celis MA. [Cavernous malformations treated with linac-based radiosurgery at the INNN: Preliminary results regarding volumetric response]. [Spanish]. *Arch.Neurocienc.* 2008;**13**:8-12.
103. Mottolese C, Hermier M, Stan H, Jouvet A, Saint-Pierre G, Froment JC, Bret P, Lapras C. Central nervous system cavernomas in the pediatric age group. *Neurosurg.Rev.* 2001;**24**:55-71.
104. Nakase H, Morimoto T, Tsunoda S, Sakaki T, Yabuno T, Kawai S, Ohnishi H, Hisanaga M, Nikaido Y. Cortical and subcortical cavernous angioma: A comparison of patients with and without hemorrhage as the initial symptom. *Neurol.Med.Chir (Tokyo)* 1992;**32**:196-200.
105. Nataf F, Roux FX, Devaux B, Page P, Turak B, Dezamis E, Abi LG. [Brainstem cavernomas: surgical experience at the CH Sainte-Anne general hospital]. [French]. *Neurochirurgie* 2007;**53**:192-201.
106. Nikas I, Theofanopoulou M, Sirgiannis K, Sfakianos G, Prodromou N. Brain cavernous hemangiomas in children: Imaging findings. *Neuroradiology* 2009;**51**:S159.
107. Noto S, Fujii M, Akimura T, Imoto H, Nomura S, Kajiwara K, Kato S, Fujisawa H, Suzuki M. Management of patients with cavernous angiomas presenting epileptic seizures. *Surg.Neurol.* 2005;**64**:495-8.
108. Oh CW, Chung YS, Kim DG, Paek SH, Cho BK, Wang KC, Han DH. [The Role of Surgical Treatment and Clinical Outcome in Patients with Intracranial Cavernous Angiomas]. [Korean]. *J Korean Neurosurg Soc* 1997;**26**:846-52.

109. Osifo OD, Evboumwan I. Hemangiomas in children: Challenges and outcome of surgical management in Benin city, Nigeria. *Iran.J.Pediatr.* 2011;**21**:350-6.
110. Perrini P, Lanzino G. The association of venous developmental anomalies and cavernous malformations: pathophysiological, diagnostic, and surgical considerations. *Neurosurg.Focus* 2006;**21**:E5.
111. Petersen TA, Morrison LA, Schrader RM, Hart BL. Familial versus sporadic cavernous malformations: Differences in developmental venous anomaly association and lesion phenotype. *Am.J.Neuroradiol.* 2010;**31**:377-82.
112. Porter PJ, Willinsky RA, Harper W, Wallace MC. Cerebral cavernous malformations: natural history and prognosis after clinical deterioration with or without hemorrhage. *J.Neurosurg.* 1997;**87**:190-7.
113. Porter RW, Detwiler PW, Spetzler RF, Lawton MT, Baskin JJ, Derksen PT, Zabramski JM. Cavernous malformations of the brainstem: experience with 100 patients. *J Neurosurg* 1999;**90**:50-8.
114. Quigg M, Rolston J, Barbaro NM. Radiosurgery for epilepsy: Clinical experience and potential antiepileptic mechanisms. *Epilepsia* 2012;**53**:7-15.
115. Ramina R, Mattei TA, De Aguiar PHP, Meneses MS, Ferraz VR, Aires R, Kirchhoff DFB, Carvalho Kirchhoff D. Surgical management of brainstem cavernous malformations. *Neurol.Sci.* 2011;**32**:1013-28.
116. Requena I, Arias M, Lopez-Ibor L, Pereiro I, Barba A, Alonso A, Monton E. Cavernomas of the central nervous system: clinical and neuroimaging manifestations in 47 patients. *J.Neurol.Neurosurg.Psychiatry* 1991;**54**:590-4.
117. Regis J, Bartolomei F, Kida Y, Kobayashi T, Vladyka V, Liscak R, Forster D, Kemeny A, Schrottner O, Pendl G. Radiosurgery for epilepsy associated with cavernous malformation: retrospective study in 49 patients. *Neurosurgery* 2000;**47**:1091-7.
118. Rocamora R, Mader I, Zentner J, Schulze-Bonhage A. Epilepsy surgery in patients with multiple cerebral cavernous malformations. *Seizure.* 2009;**18**:241-5.
119. Rohde V, Berns E, Rohde I, Gilsbach JM, Ryang YM. Experiences in the management of brainstem hematomas. *Neurosurg.Rev.* 2007;**30**:219-23.
120. Rougier A, Castel JP, Cohadon F. [The different modalities of treatment of cavernomas of the cerebral hemispheres]. [French]. *Neurochirurgie* 1989;**35**:115-9.
121. Rougier A, Dartigues JF, Duche B, Loiseau P, Cohadon F. [Longitudinal analysis of the results in 60 cortical resections]. [French]. *Epilepsies* 1989;**1**:301-9.
122. Savoianto M, Strada L, Passerini A. Intracranial cavernous hemangiomas: Neuroradiologic review of 36 operated cases. *Am.J.Neuroradiol.* 1983;**4**:945-50.
123. Schleicher UM, Andreopoulos D, Ammon J. Stereotactic radiosurgery in the management of angiographically occult vascular malformations. *Int.J.Radiat.Oncol.Biol.Phys.* 2001;**50**:133-8.
124. Scott RM. Brain stem cavernous angiomas in children. *Pediatr.Neurosurg.* 1990;**16**:281-6.
125. Severson ER, Chen DJ, Prayson RA. Cavernous angiomas in chronic epilepsy associated with focal cortical dysplasia. *Lab.Invest.* 2012;**92**:436A.
126. Shalek PA, Vinogradov BM, Pozdniakov AV, Stukov LA, Garmashov I, Shalek PA, Vinogradov BM, Pozdniakov AV, Stukov LA, Garmashov IA. [Methods and results of stereotactic radiosurgery for cavernous angiomas]. [Russian]. *Voprosy Onkologii* 2008;**54**:525-8.
127. Shih YH, Pan DH. Management of supratentorial cavernous malformations: craniotomy versus gammaknife radiosurgery. *Clin.Neurol.Neurosurg.* 2005;**107**:108-12.

128. Smith KA, Javedan S, Zabramski JM, Blum DE, Spetzler RF. Cavernous malformations presenting with seizures: Therapeutic options and outcome. *Operative Techniques in Neurosurgery* 2002;5:161-5.
129. Smith ER, Scott RM. Cavernous Malformations. *Neurosurg.Clin.North Am.* 2010;21:483-90.
130. Stefan H, Hammen T. Cavernous haemangiomas, epilepsy and treatment strategies. *Acta Neurol.Scand.* 2004;110:393-7.
131. Steiner L, Karlsson B, Yen CP, Torner JC, Lindquist C, Schlesinger D. Radiosurgery in cavernous malformations: Anatomy of a controversy. *J.Neurosurg.* 2010;113:16-21.
132. Tonn JC, Hofmann E, Roggendorf W, Sorensen N. [Cavernomas and venous cerebrovascular malformations]. [German]. *MED.WELT* 1994;45:487-93.
133. Ungersbock K, Aichholzer M, Gunthner M, Rossler K, Gorzer H, Koos WT. Cavernous malformations: from frame-based to frameless stereotactic localization. *Minim.Invasive.Neurosurg.* 1997;40:134-8.
134. Van Gompel JJ, Rubio J, Cascino GD, Worrell GA, Meyer FB. Electrocorticography-guided resection of temporal cavernoma: Is electrocorticography warranted and does it alter the surgical approach? Clinical article. *J.Neurosurg.* 2009;110:1179-85.
135. Van Gompel JJ, Marsh WR, Meyer FB, Worrell GA. Patient-assessed satisfaction and outcome after microsurgical resection of cavernomas causing epilepsy. *Neurosurg.Focus.* 2010;29:E16.
136. Vaquero J, Salazar J, Martinez R, Martinez P, Bravo G. Cavernomas of the central nervous system: clinical syndromes, CT scan diagnosis, and prognosis after surgical treatment in 25 cases. *Acta Neurochirurgica (Wien)* 1987;85:29-33.
137. Vespiagnani H, Weber M, Bracard S, Lepoire J. [Cavernous angiomas and epilepsy]. [French]. *Epilepsies* 1989;1:7-20.
138. Vespiagnani H, Bouilleret V, Taillandier L, Schaff JL, Auque J, Huot JL, Bracard S, Weber M. [Cavernous angiomas revealed by epileptic seizures: 57 cases reports]. [French]. *Epilepsies* 1994;6:97-111.
139. Vinas FC, Gordon V, Guthikonda M, Diaz FG. Surgical management of cavernous malformations of the brainstem. *Neurol.Res.* 2002;24:61-72.
140. Wang C, Yuan B, Liu S. [Clinical characteristics and treatment of cerebral cavernous angioma]. [Chinese]. *Medical Journal of Wuhan University* 2002;23:186-7.
141. Wang L, Zhang MZ, Zhao JZ, Meng GL, Han XD. Clinical features and minimally invasive surgery of insular lesions: Report of 42 cases. *Chin.Med.J.* 2004;117:1104-8.
142. Wang J, Duan YY, Liu X, Wang Y, Gao GD, Qin HZ, Wang L. Application of intraoperative ultrasonography for guiding microneurosurgical resection of small subcortical lesions. *Kor.J.Radiol.* 2011;12:541-6.
143. Wang S-K, Xu G-B, Zhang Z-Q. [Clinical analysis of intracranial cavernous angioma]. [Chinese]. *Chinese Journal of Clinical Oncology* 1995;22:397-9.
144. Wang YD, Wang Y, Mao Y, Wang Y, Zee CS. Intraoperative ultrasound assistance in the resection of small, deep-seated, or ill-defined intracerebral lesions. *Chin.Med.J.* 2011;124:3302-8.
145. Werring DJ. Cerebral microbleeds: Clinical and pathophysiological significance. *J.Neuroimaging* 2007;17:193-203.
146. Winkler D, Lindner D, Trantakis C, Strauss G, Richter A, Schober R, Meixensberger J. Cavernous Malformations - Navigational Supported Surgery. *Minimally Invasive Neurosurg.* 2004;47:24-8.

147. Xia C, Zhang R, Mao Y, Zhou L. Pediatric cavernous malformation in the central nervous system: Report of 66 cases. *Pediatr.Neurosurg.* 2009;**45**:105-13.
148. Xia CY, Zhang R, Mao Y, Zhou LF. Pediatric cerebrovascular diseases: report of 204 cases. *Acta Neurochirurgica Supplement* 2008;**105**:153-9.
149. Xie J, Ma Z, Luo S. [The clinical features and treatment of cerebral cavernous angiomas in children]. [Chinese]. *Chung Hua I Hsueh Tsa Chih* 2002;**82**:407-9.
150. Yamasaki T, Handa H, Yamashita J. Intracranial and orbital cavernous angiomas. A review of 30 cases. *J.Neurosurg.* 1986;**64**:197-208.
151. Yeon JY, Kim JS, Choi SJ, Seo DW, Hong SB, Hong SC. Supratentorial cavernous angiomas presenting with seizures: Surgical outcomes in 60 consecutive patients. *Seizure* 2009;**18**:14-20.
152. Yoon PH, Kim DI, Jeon P, Ryu YH, Hwang GJ, Park SJ. Cerebral cavernous malformations: serial magnetic resonance imaging findings in patients with and without gamma knife surgery. *Neurol.Med.Chir(Tokyo)* 1998;**38 Suppl**:255-61.
153. Zhang N, Pan L, Bin JW, En MW, Jia ZD, Pei WC. Gamma knife radiosurgery for cavernous hemangiomas. *J.Neurosurg.* 2000;**93**:74-7.
154. Zhao J-Z, Wang S, Wang D-J, Wang R, Sui D-L, Han X-D, Cao Y, Lu Z, Zhao Y-L. Application of frameless stereotaxy in craniotomy procedures: Clinical evaluation. *Neurosurg.Q.* 2003;**13**:51-5.
155. Zhao J-Z, Kang S, Wang S, Zhao Y-L, Wang R. [Neuronavigation and electrocorticography monitoring in resection of brain cavernous malformations]. [Chinese]. *Chung Hua I Hsueh Tsa Chih* 2005;**85**:224-8.
156. Zhao J, Wang Y, Kang S, Wang S, Wang J, Wang R, Zhao Y. The benefit of neuronavigation for the treatment of patients with intracerebral cavernous malformations. *Neurosurg.Rev.* 2007;**30**:313-8.
157. Zhao Y, Du GH, Wang YF, Wu JS, Xie LQ, Mao Y, Zhou LF. Multiple intracranial cavernous malformations: clinical features and treatment. *Surg.Neurol.* 2007;**68**:493-9.
158. Zhou LF, Mao Y, Chen L. Diagnosis and surgical treatment of cavernous sinus hemangiomas: an experience of 20 cases. *Surg.Neurol.* 2003;**60**:31-6.